n72-30809

5521.6-31 1 May 1970

Results of the ESP Scheduling Effort for the Skylab 1/2 Experiments and Operations

Get DRA

MSC/TRW Task AA-27

Prepared by:

Fred W. Knopf

Mission Design Section TRW Systems Group



INTRODUCTION

The Experiment and Operations (EXOP) Scheduling Procedure (ESP) Program is a man-machine interactive event scheduling system programmed and running on the Univac 1107. A Sanders Model 720 Communicator provides the desired man-machine interface.

In order to evaluate ESP in a "real world" environment, an effort was initiated to define and schedule those EXOP's planned for operation on the Skylab 1/2 mission. The purpose of this report is to outline the development of the Skylab crew activities schedule and to present the results of the ESP evaluation effort based on this schedule development.

DISCUSSION

This report represents part of the total effort being made to thoroughly evaluate the ESP program. The approach used for this study was to define and schedule experiments and operations for the Skylab 1/2 mission (SL 1/2) and evaluate the results. The ESP-produced schedule of crew activities for Skylab 1/2 is presented and discussed, and the associated procedures that were necessary to achieve this schedule are cuttived. The present capabilities

of the ESP program are then evaluated in light of the development of this realistic schedule.

Development of Schedule

The initial, and most laborious, step in the development of this experiment and operations schedule was to compile the most up-to-date Skylab experiment data available and condense it for use in ESP. Detailed authoritative information concerning the individual experiment requirements were found in the respective Experiment Requirements Documents (ERD) for the medical, corollary, and Apollo Telescope Mount (ATM) experiments. Operational requirements are summarized in the Mission Requirements Document (MRD) (Reference 2). Additional planning requirements were found in Sections 3, 4, and 9 of the Baseline Reference Mission (BRM) (Reference 3). Experiments and operations assigned to the Skylab 2 mission that were considered in this study are listed in Table I and are described in detail in Appendix A. The experiment data has been condensed to include only that information necessary to define an operation for scheduling, i.e., the experiment objectives, operational procedures, planning limitations and/or major constraints, performance (crew and time) requirements, and pointing and control requirements. With each experiment description is a summary print from ESP of how each experiment or operation (EXOP) was eventually defined for the scheduler via input cards. It should be noted that, since numerous experiment operational and performance requirements are still TBD (to be determined), the EXOP data used to define operations for this schedule may not reflect the latest Skylab requirements.

Before the ESP scheduler can process all the defined experiments, a trajectory opportunity tape must be built which contains those times for which there exist non-occulted lines of sight between the spacecraft and the sun, moon, a given star, or a landmark. These opportunities are produced by propagating a vehicle's state forward in time and considering the relative positions of the vehicle and the celestial body or landmark in question.

The rise/set times contained on this tape constitute time intervals during which activities of photographic, scientific, and ATM experiments having particular trajectory constraints may be performed. The trajectory tape built for this study was generated from the following Skylab state vector:

```
    Base GMT time (midnight prior to launch)
    Time of liftoff (referenced to base GMT)
    20 hr
```

• Time of state vector (referenced to base GMT) 40 hr 40 min

```
a = 22353621.8 ft (semi-major axis) g = 0.0 deg (argument of perigee)

e = 0.00 (eccentricity) h = 1.7 deg (longitude of ascending node)

i = 50.0 deg (inclination) l = 0.0 deg (mean anomaly)
```

Rise/set times were generated for a total of seven landmarks, one star (α Arietis), and the sun and moon. Those landmarks selected included possible landmass targets for earth resources photography, and high latitude sites and the South Atlantic Anomaly for radiation measurements required in certain scientific experiments. The large number of rise/set times associated with these 10 targets prohibits the inclusion of the trajectory generation printout in this document; information on the contents of this tape can be obtained from the author.

Via card input, the astronaut, attitude, and equipment baselines are specified for the 29-day Skylab mission; also, the initial supply of non-replenishable resources is defined. The EXOP definitions (on cards) and the trajectory opportunities (on tape) complete the input necessary to initialize the scheduler. The following ESP program capabilities were then utilized to build a crew activities schedule which ostensibly satisfied all operational constraints:

- automatic scheduling
- deleting and scheduling
- deleting and rescheduling
- modifying and rescheduling

A first attempt at the schedule was accomplished by selecting and automatically scheduling all experiments defined in the system. For those experiments that did not schedule initially, the cause of failure had to be determined by executing certain route options on the scope (Reference 4) or by studying the offline failure print at the end of the session. If the definition of the EXOP was inaccurate (keypunch error, unrealistic temporal constraints, etc.), the EXOP was modified on-line and rescheduled. If an EXOP was initially constrained to occur at a certain time, but the crew or equipment was now unavailable, the time constraint could either be relaxed and the EXOP rescheduled, or the experiment already on the timeline could be deleted (in part or entirely) and both EXOP's rescheduled. The schedule was expanded as more experiments were defined and selected for scheduling. If in the last experiments to be defined, situations arose where specified times of the mission were needed but were already committed, experiments already scheduled for that time were deleted before attempting to schedule the new EXOP. As the timelines became full, the deleting, modifying and rescheduling capabilities of the program were used more extensively to fit all required crew activities into the schedule.

Figure 1 presents the crew activities schedule for the 29-day Skylab 1/2 mission as developed by ESP. It is to be emphasized that this schedule does not represent a proposed flight plan for the Skylab mission. It is acceptable only to the extent of the accuracy of the experiment data and the program user's knowledge of operational procedures. The ESP schedule presented in Figure 1 establishes a typical crew day, defining the duration of the day, sleep periods, eat periods, experiment periods and systems and housekeeping activities. Some of the criteria used to establish the typical crew day are listed below:

- Simultaneous sleep periods of 8 hours duration
- Simultaneous eat periods of 1 hour duration, 3 per crewmen per day; additional time is allocated to each eat period for medical experimentation.

- Systems housekeeping of 4½ man-hours per day was assumed adequate for workshop-related functions.
- Personal housekeeping of $1\frac{1}{2}$ hours per crewman per day was assumed adequate for crew hygienic-related functions.
- Conducting experiments as required.

Crew duty cycles were based on a 24-hour day. It should be noted that the typical crew day was not followed for the days of launch and recovery (Days 1 and 29, respectively).

Table II presents a summary of crew utilization for the Skylab 1/2 activities schedule depicted in Figure 1. Information includes both the total mission time and the man-hours necessary for the performance of all the medical, corollary, and ATM experiments. Included also is the total uncommitted time (greater than 0.5 hour) and total unusable time (less than 0.5 hour) on the timelines. At the conclusion of the scheduling sessions, an ESP summary baseline print of the astronaut, equipment and attitude profiles for the 29-day mission was obtained, and is presented in Appendix B. Another ESP summary print option was utilized to develop individual scheduling histories of each experiment and operation on the timelines; these histories are presented in Appendix C.

Program Evaluation

Throughout the course of development of this Skylab crew activities schedule, the capabilities of the ESP program were tested and further evaluation of the program was accomplished. Certain shortcomings of the program encountered during this scheduling effort were already known (Reference 5); modifications are presently being implemented to improve ESP capability but were not incorporated in time for use in this study.

As Figure 1 and Appendices A, B, and C illustrate, the ESP program developed a realistic crew activities schedule for the Skylab 1/2 mission.

All experiments and operations known to be assigned to this mission were defined with minimum difficulty via the ESP input scheme. ESP was able to place every defined Skylab operation on the timelines by initially using the automatic scheduling process, and then when necessary, exercising the delete, modify, and reschedule capabilities. All astronaut, trajectory, equipment and attitude requirements were successfully met for each EXOP. If a particular astronaut was not specified for an activity, the scheduler was given all three candidate timelines to explore and assigned the task to the one with the lightest work load. Activities having trajectory-related constraints were placed on the timelines within the rise/set times of the desired target. Timelines of equipment such as the ergometer, VKG vest, and movie camera were maintained to prevent two different experiments requiring the same equipment from scheduling simultaneously even though the astronaut requirements were met.

When the automatic scheduling capability was exercised on the initial group of experiments chosen for the scheduler, 16 of 19 EXOP's scheduled successfully. Computer scheduling time has decreased to less than a minute per EXOP on the average; presently, effort is under way to shorten this even further. The man-machine interface via the scope aided the development of the schedule by offering on-line modifying, deleting, and rescheduling capability. Once the experiments were completely defined for ESP, only a few scheduling sessions at the scope were necessary to achieve the presented schedule. The most time-consuming operation in the schedule development was the initial compilation and reduction of experiment data; to one already familiar with the operational and performance requirements of these experiments, this task is very much simplified.

The ESP scheduler successfully imposed all defined operational constraints when placing the EXOP's on the timelines. These constraints included scheduling EXOP's away from meal periods, heavy exercise and other EXOP's, and scheduling within the rise/set times of celestial and earth landmark targets when required. MO92 and MO93, for example, are both medical experiments which require that they not be scheduled prior to three hours after a meal.

M093 is further constrained in that it can be performed no sooner than ½ hour after any severe exercise and/or experiments MO92 and M131. Similarly, a minimum of two hours must elapse after MO93 or heavy exercise before M171 may be scheduled. Trajectory constraints were varied. D008 requires operation during a minimum of two passes through the South Atlantic Anomaly and during a minimum of two passes outside the Anomaly at the highest north latitude reached by the spacecraft. S190 requires photography of prescribed land masses with the sun elevation angle greater than 30 and 20 degrees in the summer and winter hemispheres, respectively. To satisfy this constraint, the landmark local time option was used when searching for acceptable rise/set times on the trajectory tape. For SO20, solar photography must be performed between 5 minutes after OA sunrise and 5 minutes before OA sunset. Finally, the stellar astronomy operations of SO19 require performance during dark side passes only. It should be noted that these and all other operational constraints imposed on the Skylab experiments are summarized in the detailed EXOP descriptions of Appendix A.

Although the current prototype version of ESP is capable of developing a realistic crew activities schedule, additional modifications are suggested which might aid in the definition and scheduling of experiments and operations. The on-line failure table, which displays the names of all experiments that fail to schedule, presently has insufficient information for the user to discern the cause of the scheduling failure. The off-line failure print (Reference 6) that has been incorporated into the scheduling route was invaluable in the development of the Skylab crew activities schedule. This print should be used as an evaluation tool to determine the type of on-line failure print needed in an interactive scheduling system. Because of the core limitation existent with the current prototype system, the total number of different timelines (astronaut, trajectory, equipment, and attitude) that can be loaded into the scheduler for any one EXOP definition is limited to seven. This problem would automatically be alleviated if the ESP program were to be made operable on a larger system. The capability to reschedule a previously-deleted part of an EXOP (i.e., one activity or activity group) is needed during any schedule development. Presently, if

it is desired to delete part of an EXOP to make room for a more important operation, the entire EXOP must be deleted and rescheduled after the new experiment is scheduled in order to place the entire EXOP back on the timelines. It should be noted that, in most instances, all activities prior to the segment of the timeline being reorganized will reschedule in the same interval in which they were previously scheduled if no other experiments are selected for scheduling at that time. During the process of EXOP definition, another program deficiency was noted. An EXOP definition is comprised of activities (time dependent entities) and activity groups (time independent groupings of activities) as discussed in Reference 5. Problems in EXOP definition arose where an experiment required set up, performance, and stow (time dependent) operations, with the performance requirements of the experiment comprised of time-independent events. For example, the performance of \$190, Multispectral Photography, requires pictures of prescribed land mass targets which need not be taken in a specified order. This scheduling capability could be added by modifying the logic to include an option specifying whether or not an activity is time dependent or independent of the other activities in the activity group.

ESP presently has a precursor option which instructs the scheduler to schedule the start time of the first repetition of an EXOP after the time of the last repetition of a precursor EXOP in mission time. It was found to be desirable to have an EXOP-dependency option which would prohibit any part of a particular EXOP from being scheduled within a given time after any operation of another specified EXOP. This constraint was satisfied in this study by extending the use of a major piece of equipment common to both EXOP's for the length of time required between the two EXOP's. It was also found that these constraints could be satisfied by selecting the order in which specific EXOP's were called to the scheduler. Another option presently available to the user is the ability to designate whether an activity is required during, before, or after a specified baseline operation (e.g., eat, sleep), and the minimum and maximum time before or after the operation which scheduling can occur. If an EXOP is scheduled during one of these operations, the capability to specify the minimum and

and maximum times from the start of the operation is desirable also. Finally, the capability of ESP can be extended by including additional options at the activity definition level. Variable length activities would aid in the scheduling of certain operations which might be required to fill all uncommitted time for a particular segment of the astronaut timeline. An input reflecting the maximum, as well as minimum, time between activities within a group is also recommended. This constraint would simplify the preventing of set up operations from being scheduled much earlier in the mission than the actual performance of the experiment.

SUMMARY

Presently, the prototype ESP Scheduling System is operative on the UNIVAC 1107 at MSC. Under this study the program has been shown capable of generating a realistic Skylab 1/2 crew activities schedule which satisfies all known operational constraints. The enclosed schedule does not represent a proposed flight plan for the Skylab mission. It is acceptable only to the extent of the accuracy of the experiment data supplied to the scheduler and the program user's knowledge of operational procedures.

The present capabilities of the ESP program were evaluated in light of the development of the Skylab crew activities schedule. All known Skylab experiments and operations were successfully defined and scheduled by ESP with minimal difficulty. During the development process, certain program limitations were uncovered which somewhat hampered experiment definition and scheduling. These deficiencies, including insufficient on-line information for the user to discern the cause of scheduling failure, lack of desirable temporal constraints at the activity level in EXOP definition, and the inability to reschedule parts of an EXOP that have been previously deleted, are important enough to warrant further attention before the scheduling algorithm is finalized.

TABLE I. SKYLAB EXPERIMENTS AND OPERATIONS

NUMBER	NAME
ATM D008 D021 D024 M092 M093	Apollo Telescope Mount Radiation in Spacecraft Expandable Airlock Technology Thermal Control Coatings In-flight Lower Body Negative Pressure Vectorcardiogram
M131 Mode A Mode B	Human Vestibular Function
M071 M073 M074 M17134	Mineral Balance Bio-assay of Body Fluids Specimen Mass Measurement
M151	Time and Motion Study
M171 { Mode A } Mode B } Mode C	Metabolic Activity
M172	Body Mass Measurement
M487	Habitability/Crew Quarters .
M507	Gravity Substitute Workbench
M508	Astronaut EVA Hardware Evaluation
M509	Astronaut Maneuvering Equipment
S00 9	Nuclear Emulsion
S015	Zero-G Single Human Cells
S 019	UV Stellar Astronomy
S02 0	UV/X-RAY Solar Photography
S149	Particle Collection
\$190	Multispectral Photographic Facility
T003	In-flight Aerosol Analysis
Т020	Foot Controlled Maneuvering Unit
Т027	ATM Contamination Measurement
CDS	Cluster Deactivation Storage
RR/PHK	Rest, Relaxation/Personal Housekeeping
SHK	Systems Housekeeping

TABLE II. SKYLAB CREW UTILIZATION SUMMARY

Total Medical Experiment Time (1)	Mission Time (Hours:Minutes) 136:00	Man-Hours (Hours:Minutes) 207:00
1 Man 2 Men	65:00 71:00	
Total ATM Time (Daylight/Darkness) (2)	149:30	189:45
1 Man 2 Men	109:15 40:15	
Total Corollary Experiment Time (3)	108:15	190:45
1 Man 2 Men 3 Men	68:30 39:45 14:15	
Total Unscheduled Time (>0.5 hr)	84:45	136:30
1 Man 2 Men 3 Men	48:00 36:45 05:00	
Total Unusable Time (<0.5 hr)	28:00	28:00

- Does not include unscheduled sample collections (e.g., urine, feces); estimated time for such operations is 5 minutes per crew member six times a day, or a total of approximately 35 additional hours for the one-man experiment time.
- The minimum time period for one-man ATM experiment operations that was placed on the crew activities schedule was 1 hour, 45 minutes; the total one-man ATM time could be substantially increased if the minimum 90-minute operation period was considered. This would also reduce the total unscheduled (or uncommitted) time in the schedule.
- (3) Corollary experiments consist of all those experiments not categorized as either medical or ATM.

Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission

Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission, Continued

Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission, Continued

Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission, Continued

Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission, Continued




Figure 1. ESP Crew Activities Schedule for the Skylab 1/2 Mission, Continued

A P P E N D I X A SKYLAB EXPERIMENT AND OPERATIONS DATA

The Skylab experiment and operations data contained herein were compiled from the Mission Requirements Document (Reference 2), the Baseline Reference Mission (Reference 3), and the associated Experiment Requirements Documents. These data have been condensed to include only that information pertinent to the defining of an operation for scheduling. Information includes the experiment objectives, operational procedures, planning limitations and/or major constraints, performance (crew and time) requirements, and pointing and control requirements. Following each experiment or operation description, a corresponding detailed EXOP definition display illustrates how this EXOP was defined for input into ESP. The detailed descriptions of the EXOP's are in ESP nomenclature; the ESP User's Manual (Reference 4) contains a complete list of the EXOP data variables and their definitions. Because of the nature of the study no attempt will be made to justify or explain the activity breakdown for each of the Skylab EXOP's. Strengths and weaknesses of the input procedure have been pointed out in the discussion of this scheduling effort. Any questions regarding the activity composition of a particular EXOP should be directed to the author.

The experiments in this appendix are listed in alphabetical order by experiment number (e.g., D008, M509, T020; see Table I of the report for the complete listing). The six experiments associated with ATM operation were combined as one EXOP and presented first. Three Skylab operational tasks (personal and systems housekeeping, and cluster deactivation) were also defined and are included as the last entries of the appendix.

A. OBJECTIVE

• Collect extensive data describing solar behavior in the form of plague, sunspots, filaments, prominences, geomagnetic effects, radio flux, radio bursts, and flares.

B. OPERATIONS

- The Apollo Telescope Mount (ATM) consists of a package of six experiments mounted in a cluster in the ATM rack; each of these experiments has a number of data collection operational modes:
 - S052, White Light Coronagraph purpose is to photograph the corona from $1\frac{1}{2}$ to 6 solar radii and record the intensity distribution.
 - S054, X-Ray Spectrographic Telescope purpose is to obtain X-ray images of sun in the 3 to 100 Angstrom range with specified spatial and spectral resolutions.
 - SO55, UV Scanning Polychrometer/Spectroheliometer purpose is to make spectral and spatial scans of emission lines in the upper chromosphere and lower corona for telemetry.
 - S056, Dual X-Ray Telescopes purpose is to obtain high resolution X-ray spectroheliograph of solar regions and digital spectral data.
 - SO82A, UV Coronal Spectroheliograph purpose is to photograph spectrally dispersed solar images in the upper chromospheric and coronal emission lines.
 - SO82B, UV Spectrograph purpose is to obtain high spectral and spatial resolution spectrograms in the UV and XUV on the disc and limb of the sun.

C. PLANNING LIMITATIONS

- All experiments require daylight; however, the darkness period can be used for experiment preparation and selection of modes of operation, and the daylight period used for experimentation.
- No contamination near open aperture.

D. PERFORMANCE

- ATM is considered operable by one crewman; however, it is assumed that two crewmen would be available during periods of high solar activity (assumption is implemented by scheduling ATM experiments as a two-man operation at least 25% of the experiment time).
- Minimum time period considered for ATM experiment operations is approximately 90 minutes or one revolution.
- Total ATM time (daylight/darkness) tentatively planned to be approximately 170 hours (i.e., 115 hours sun time).

E. POINTING REQUIREMENTS

 Pointing and control requirements vary with ATM experiment being performed; however, ATM experiments and corollary experiments requiring pointing and control are assumed to be compatible and may be scheduled simultaneously.

```
DETAILED EXOP DEFINITION
ATM
=YTCIS9
          11 DES
                 = 10 PRO
                               =
                                   100 UIF
                                                 22
NAGXO2
       6 VXOPCM# 1 NXOPCD= 1 CODE
                                   = 1
BFOR1#
             PRET1 = 0 IBFOR2=
                                    PRE12 = 0
TMNTR= 3 0 0 TMXTR= 28 0 0
                               DTMNRC= U
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 25
  ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 0 4 0 DTAMRC=
                          O O O DTMNNA=
 NARCM = 0
               NARCU = 3
                            ICODE = 0
               ITSETS= 0
  IASETS= 1
                            IATT
                                  = 0
              IFIXRS= 0
  IRES = 1
                                  = 0
                            VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  NASROD=2 NCAN =3
  ICAN =1 2 3 * * *
  TRS:
        = 0 0
                 O DTU
                       = 0.4
              CD = 0 SDTCD= 0
  CPO
        = 0
  LOCAL RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUP1
  RESNO = 4
                 QUNREQ=
                          1.000
                0 UTÚ = 0 4 0
       =
           0
  TRS
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 25 0
  ACTIVITY 1 ACTIVITY GROUP 2
 DTACT = 0
             2 0 DTAMRC= 0 0 0 DTMNNA= 0
               NARCD = 8
                            ICODE = 0
 NARCM = 0
               ITSETS= 0
                            IATT = 0
  IASETS= 1
              IFIXRS= 0
                                 `= O
                            VT
  IRES = 1
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
   NASROD=2 NCAN =3
   ICAN =1 2 3 + + +
        = 0 0 0 DTD
   TRS.
        # 0 CD = 0 SDTCD= 0
  CPJ
  LOCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUPS
   RESNO = .4
                 QUNREG=
                             1.000
       = 0
              סדם ס
                          C 2 0
 ACTIVITY GROUP 3 NAGE 1 DTMXAGE 25 0
  ACTIVITY 1 ACTIVITY GROUP 3
                           O O D DTMNNA= 0 O O
             4 0 DTAMRC=
 DTACT = 0
  NARCM = 0
               NARCD =15
                            ICODE = C
                            IATT = G
  IASETS= 1
               ITSETS= 0
              IFIXR5= 0
                            VT
                                  = 0
  IRES = 1
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
   NASROD#1 NCAN =3
   ICAN #1 2 3 * * *
   TRS
        = 0
              O O DID
              CD = 0
                      SOTCUE O
   CP3:
        = 0
  LOCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUPS
```

```
RESNO = 4
                QUNREQ=
                            1.000
 TRS
      = 0
             ב עדם ם ם
                           0 4 n
ACTIVITY GROUP 4 NAGE 1 DTMXAGE 25
ACTIVITY 1 ACTIVITY GROUP 4
DTACT = 0
            3 0 DTAMRC=
                          0 0
                                O DIMANA=
NARCM = 0
              NARCD = 12
                           ICODE = 0
              ITSETS= 0
 IASETS= 1
                           IATT
                                 = 0
              IFIXRS= 0
 IRES = 1
                           VT
                                 = 0
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 4
  NASRQD=1 NCAN =3
  ICAN =1 2 3 + + +
       = 0 0 0 pTu
  TRS:
                       3
                           0 3
       = 0 CD = 0 SDTCD= 0
  CPO
                                ACTIVITY GROUP4
  LOCAL RESORC SET 1 ACTIVITY 1
  RESNO =
                QUNREG= 1.000
      =
          0
                      = 0 3 0
  TRS
             עדם פ פ
ACTIVITY GROUP 5 NAG= 1 DTMXAG= 25 0
 ACTIVITY 1 ACTIVITY GROUP 5
            1 30 DTAMRC=
DTACT = 0
                          O O O DIMANAF U O
              NARCD =12 ,
NARCM = 0
                           ICODE = 0
IASETS= 1
              ITSETS= 0
                           IATT = 0
              IFIXRS= 0
 IRES = 1
                           VT
                                 = 0
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 5
 NASROD#2 NCAN #3
  ICAN =1 2 3 + + +
       * 0 0 0 PTD
 TRS
       = 0 CD = 0
                     SDTCU= 0
 LOCAL RESORC SET 1 ACTIVITY 1
                                ACTIVITY GROUPS
 RESNO = 4
                QUNREG=
                            1.000
          0
 TRS.
             O O DTD
                       F 0 1 30
ACTIVITY GROUP 6 NAGE 1 DTMXAGE 25 0
ACTIVITY 1 ACTIVITY GROUP 6
DTACT = 0
            1 45 DTAMRC=
                          O O D DTMNNA=
              NARCD =10
NARSM = 0
                           ICODE = C
              ITSETS= 0
 IASETS= 1
                           IATT
                                 = 0
             IFIXRS= 0
                           VT
 IRES = 1
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 6
  NASROD=1 NCAN =3
  ICAN =1 2 3 * * *
            0 0 010
                        = 0
                              1 45
         0
 TRS:
             CD = 0 SDTCD= 0
  CPO
       = D
  LOCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUPS
  RESNO =
                QUNREQ=
                            1.000
                      = 0
          0
             0
 TRS
                טדט ס
```

RADIATION IN SPACECRAFT (D008)

A. OBJECTIVE

- To obtain dose, depth dose, and linear energy transfer data for test of theoretical radiation effects transport codes.
- To test advanced active and passive dosimetry systems for future aerospace vehicles.

B. OPERATIONS

• Passive unit: measures total dosage and is removed from CM at end of mission.

 Active unit: portable sensing head placed in different locations on astronaut for radiation readings.

C. PLANNING LIMITATIONS

- Operate active unit during a minimum of two orbits in the South Atlantic Anomaly and during a minimum of two orbits outside the Anomaly at the highest latitude reach by the spacecraft (primary cosmic).
- o Do not allow radiation sources in close proximity to dosimeters.

D.	PERFORMANCE	Minimum No. of Performances	Duration of Performance	No. of Crewmen
	Operations			
	Active Dosimeter (SAA)	2	15 min	1
	 Active Dosimeter (primary cosmic) 	2	30 min	1

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
0008
        RADIATION IN 5
SYTEIRA
           92 DES
                   =
                        74 PRO
                                 2
                                     100 DIF
                                                   24
        2 NXOPCM# 2 NXOPCD# 3 CODE
NAGXDDE
                                     = 1
IBFOR1B
             PRET1 = -0 IBFOR2=
                                      PRET2 = #
TMNTR*: 4 0 0 TMXTR* 27 0 0
                                 DTMNRC= 0 0
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 0
  ACTIVITY 1 ACTIVITY GROUP 1
 DPACT = 0 0 15 DTAMRC#
                           O O O DTMNNA=
                                             0 0
                                                   D
 NARCM = 1
               NARCD = 1
                              TCODE = D
 TASETS: 1
               ITSETS= 1
                             IATT = O
               IFIXRS O
                             VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  VASRGD#1 NCAN =3
   ICAN #1 2 3 * * *
  TRS
        * 0 0 0 DTD
                        = 0 ñ 15
        \pi 0 CD = 0 SDTCD= \eta
  CPO
  TRAJECTORY SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  BODY = LANDMK BODNAM= ANOMLY ITF = 0
  TRS = 0 0 5 DTD = 0 0 5
LOCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP1
                         QUNREQ=
  RESNO =
           1
  TRS # 0 0 0 DTD = 0 0 15
LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP1
  RESNO = 7
                 QUNREQ=
                           2,ñ00
  TRS: =
           0 0 0 DTD
                             0 0 15
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 0 0 40
 ACTIVITY 1 ACTIVITY GROUP 2
 DTACT = 0 0 30 DTAMRC#
                            O O O DIMANA O
 NARCM # 1
               NARCD = 1
                             ICONE = D
  TASETS= 1
               ITSETS= 1
                             IATT = 0
 TRES = 2
               IFIXRS= 0
                                   = 0
                             VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  NASROD#1 NCAN =3
  ICAN #1 2 3 # #
        * 0 0 0 DTD
                         = 0 ñ 30
  TRS
        = 0 CD = 0 SDTCD= 0
  CPO
  TRAJECTORY SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  300Y = LANDMK BODNAM= GANDER I'TF = 0
          .0 0 13 DÝD
                           ≖ n o
   OCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP2
  RESNO #
                 QUNREG=
           1
                              1.000
  PRS = 0 0 0 DTD = 0 0 0 30
COCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP2
  RESNO =
           7
                 QUNREG=
                              2.000
  PRS.
           0
             0
                 ดใด ข
                        25
                             0 6 30
```

EXPANDABLE AIRLOCK TECHNOLOGY (DO21)

A. OBJECTIVE

- Validate design of expendable, elastic recovery airlock.
- Evaluate packaging, deployment, and astronaut ingress/egress.
- Evaluate effect of space environment on material samples.

B. OPERATIONS

- Deployment, proof pressure test, and leakage test of DO21 airlock.
- Crewmen ingress/egress maneuvers and material sample retrieval.

C. PLANNING LIMITATIONS

• Sunlight desired for DO21 and DO24 panels; DO21 airlock positioning on orbital assembly may be constrained.

D.	PERFORMANCE	Minimum No. of Performances	Duration of Performance	No. of Crewmen
	<u>Operation</u>			
	• Deployment/pressure test	1	50 min	2
	• Leakage test	1	15 days	None
	• EVA and sample retrieval*	1	5hr 30min	3

E. POINTING REQUIREMENTS None

* Including EVA preparation, donning suit, and post EVA.

```
DETAILED EXOP DEFINITION
D021
         EXPANDABLE AIR
PRIOTY
         131 DES
                        80 PRO
                                                   32
                                     100 DIF
                                 I
                   1 NXOPCD= 1 CODE = 1
NAGXOPE
        1 NXOPCM®
             PRET1 = -0 IBFOR2=
IBFOR1=
                                      PRET2 = *
TMNTR#: 9 12
            O TMXTR# 27 O
                             0
                                 DTMNRC=
 ACTIVITY GROUP 1 NAGE 2 DTMXAGE 19
                                     0 0
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT # 0 0 50 DTAMRC#
                            0 0 0 DTMNNA= 15
  NARCM = 1
               NARCD = 1
                             ICONE = 0
               ITSETS 0
  TASETS# 1
                             I\Delta TT = 0
               IFIXRS= 0
  19E5 = 2
                                   = 0
                             ٧T
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=2 NCAN =3
   ICAN #1 2 3 # # #
         ≈ 0 0 0 TD
                         = 0 n 50
   TRS
   ČP0
        = 1 _ CD = 0 SpTcD= 0
   LOCAL RESORC SET 1 ACTIVITY 1
                                  ACTIVITY GROUP1
                             26,000
                 QUNREQ=
   RESNO # 1
   TRS
        #
           0 0 0 DTD =
                             0 'n 50
   LOCAL RESORC SET 2 ACTIVITY 1
                                ACTIVITY GROUP1
                              1.000
   RESNO F
           8
                 QUNREG=
                 O.DTD
                            19 ñ n
           0 0
  ACTIVITY 2 ACTIVITY GROUP 1
             5 30 DTAMRC=
  DTACT = 0
                            0 0 0 DTMNNA= 0 0
                                                   0
  NARCM = 1
               NARCD = 1
                             ICONE = 0
  TASETS= 1
               ITSETS==0
                             IATT ==G
  IRES: = 2
               IFIXRS= 2
                             VT
   ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   YASRODES NCAN =3
   ICAN #1 2 3 # * *
                 O DTD
           0 0
   TRS
                             9
                          # 1
              CD = 0
                       SDTCD= 0
   CPJ.
  LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP1
                 QUNREQ=
                             75.000
  RESNO #
           1
  TRS # 0 2 0 DTD # 0
LOCAL RESORC SET 2 ACTIVITY 2
                             0
                                ACTIVITY GROUP1
                 QUNREG=
                             1,000
   RESNO #
              2 0 DTD =
  PRS
           0
                             0 3 0
  FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 1
                 UNREQ #
                              1.ñoñ
   IFIXNO= 2
  FIXED RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP 1
                 UNREG =
  ifixNo= 3
                             48.000
```

THERMAL CONTROL COATINGS (D024)

A. OBJECTIVE


 Determine space environment effect on selected thermal control coatings and correlate these effects to laboratory simulated exp

B. OPERATIONS

• Retrieve DO24 sample panel from DO21 airlock base asset ing EVA

C. PLANNING LIMITATIONS

- D. PERFORMANCE
 - Performed concurrently with DO21 EVA activities.
- E. POINTING REQUIREMENTS
 None



MINERAL BALANCE/BIO-ASSAY OF BODY FLUIDS (M071/M073)*

A. OBJECTIVE

• Medical evaluation of the crewmen before, during, and after the mission related to calcium and endocrine balance.

M071: Determine the effects of space flight on the muscle and skeletal body systems by quantitative assessment of the gains or losses of pertinent biochemical constituents.

M073: Evaluate the endocrinological adaptation resulting from extended exposure to space flight environment.

B. OPERATIONS

- Inflight: Collection of urine, feces, sweat pads, and vomitus samples which are returned for biochemical analysis.
- Pre- and postflight: Blood samples.
- C. PLANNING LIMITATIONS
 - Urine collection before eating after sleep.
- D. PERFORMANCE
 - Where possible, collections to be made three times daily per crewman during the 75-minute eat periods.
- E. POINTING REQUIREMENTS
 None

*Experiments M071,M073, and M074 are defined in ESP as one EXOP called M17134.

SPECIMEN MASS MEASUREMENT (M074) *

A. OBJECTIVE

- Demonstrate feasibility of mass measurement in zero-g.
- Validate design and function of mass measurement device.
- Support biomedical experiments requiring mass measurement.

B. OPERATIONS

- Calibration of mass measurement devices.
- Designated specimen mass measurements.

C. PLANNING LIMITATIONS

• No spacecraft maneuvers except those associated with Attitude Hold.

D. PERFORMANCE

• Calibration and measurement operations are to be repeated <u>TBD</u> times; performance by each crewman should be three times per day during the 75-minute eat periods.

E. POINTING REQUIREMENTS

^{*}Experiments M071,M073, and M074 are defined in ESP as one EXOP called M17134.

```
DETAILED EXOP DEFINITION
M17134
         MINERAL BAL/BI
PRIDIYE
          203 DES
                    3
                          91 PRO
                                    R
                                        100 DIF
         1 NXOPCMB 24 NXOPCD= 26 CODE
NAGXOPE
                                        4 1
                                         PRET2 #
              PRET1 = -0 TBFOR2=
IBFOR1=
           0 0 TMXTR= 28 0 0
TMNTR#: 2
                                    DTMNRC= 0
 ACTIVITÝ GROUP 1 NAG= 2 DTMXAG= 0 20 0
  ACTIVITY & ACTIVITY GROUP 1
  DTACT = 0 1 15 DTAMRC
                               O 6 0 DTMNNA# 0
  NARCH # 2
                 NARCD # 2
                                ICONE = 0
  TASETS# 1
                 ITSETS 0
                                IATT = 0
  IRES = 2
                                    = 0
                IFIXRS= 1
                                VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=3 NCAN =3
   ICAN #1 2 3 + + +
         # 0 0 0 DTD
                           = 0 1 15
   TRS.
   CPO # 0 CD # 2 SOTCD# 0
LOCAL RESORC SET 1 ACTIVITY 1
                                    ACTIVITY GROUP1
                   QUNREG= 4 000
0 DTD = 0 1 15
   3ESNO # 1
TRS # 0 0
   TRS # 0 0 0 DTD # 0 1 15
LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP1
   RESNO # 6 QUINDEG-
TRS: # 0 0 0 DTD # 0 0 57
FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 1
UNREQ = 1,000
  ACTIVITY 2 ACTIVITY GROUP 1
  DTACT # 0 0 57 DTAMRC# NARCM # 1 NARCD # 1
                               O O O DIMNNA O
                               ICODE = 0
  TASETS= 1
                 ITSETS= 0
                                IATT = 0
                IFIXRS# 1
  TRES = 2
                                VT
   ASTRONAUT SET & ACTIVITY 2 ACTIVITY GROUP 1
   NASRODES NOAN =3
   ICAN #1 2 3 * * *
                                D ñ 57
   TRS
         # 0 0 0 DTD
         # 0 CD = 2 SOTCD# 0
   CPO
   LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
                   QUNREQ= 4.000
   RESNO # 1
   TRS: # 0 0 0 DTD # 0 0 57
   LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUPS
                   QUNREQ# 1.000
0 DTD # 0 0 57
   RESNO # 6
            0 0
   FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 1
                                1.000
   IFIXNO 2
                   UNREQ =
```

IN-FLIGHT LOWER BODY NEGATIVE PRESSURE (M092)

A. OBJECTIVE

• To detect changes in the cardiovascular system and functions during spaceflight which degrade performance and to detect when these changes occur.

B. OPERATIONS

• Subject is placed under stress by means of an LBNP device at which time specific medical data are collected by an observer and instrumentation.

C. PLANNING LIMITATIONS

- One of crew must be an astronaut physician.
- Experiment must not be scheduled prior to three hours after meals.
- Experiment shall not be conducted on a subject when unduly fatigued, after severe physical or other stress, or when subjected to high environmental temperatures.
- Each crewman must perform as subject once every three days, and must be scheduled for approximately the same time of day throughout the mission; observer is required.

D. PERFO	PERFORMANCE		Minimum No.	Duration of No. of	
Operat	<u>tion</u>		of Performances	<u>Performance</u>	Crewmen
e LBI	NP experiment		5/Cm	76 min(subjec 76 min(observ	

E. POINTING REQUIREMENTS None

```
DETAILED EXOP DEFINITION
         INFLIGHT LBNP
                         98 PRO
                                      100 DIF
                                                     45
PRIOTY
          225 nES
                                 . =
         3 NXOPCMB 5 NXOPCD= 7 CODE
                                       = 1
NAGXO =
              PRET1 = -0 IBFOR2=
                                       PRET2 = #
IBFOR1=
                                  DTMNRC# 2 22 0
TMNTR# 3
           0 0 TMXTR= 27 0 0
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 0 1 16
  ACTIVITY 1 ACTIVITY GROUP 1
                             O O O DTMNNA
 DTACT # 0
              1 16 DTAMRC#
                              I CORE = 0
 NARCH # 1
                NARCD # 1
                ITSETS= 0
                              IATT
  IASETS# 2
                IFIXRS= 2
                              VT
  IRES = 4
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   ICAN #1 # # # #
         = 0 0 0 DTD
                          =
                              0
   TRS
   CPO # 0 CD # 2 SDTCD# 1
DTMNCD# 0 3 0 DTMXCD# 0
                       SnTcD= 1
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP T
   NASROD=1 NCAN =2
   ICAN #2 3 # # # #
         = 0 0 0 DTD = 0
= 0 CD = 0 SDTCD= 0
                          = 0 1 16
   TRS:
   CPD.
   LOCAL RESORC SET 1 ACTIVITY 1
                                   ACTIVITY GROUP1
                               5,000
                  QUNREQ=
   RESNO = 1
               O O DTD =
            0
                              0 1 20
   LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
   BESNO =
                  GUNREQ=
                                1.000
            5
            0 0 0 DTD =
   TRS
                              0 1 20
   LOCAL RESORC SET 3 ACTIVITY 1
                                 ACTIVITY GROUP1
                  QUNREQ=
                                1.000
   RESNO # 6
   TRS = 0 0 0 DTD = 0
LOCAL RESORC SET 4 ACTIVITY 1
                              0 1 20
                                    ACTIVITY GROUP1
            8
                  QUNREQ=
                                8.000
   RESNO =
                               0 1 20
                  a DTD
                          =
            0 0
   FIXED RESORC SET 1 ACTIVITY 1
                                    ACTIVITY GROUP 1
                  UNREG #
   IFIXNO= 2
                                1.000
                               1 ACTIVITY GROUP 1
   FIXED RESORC SET 2 ACTIVITY
   IF I XNO =
                  UNREG =
                                1.000
 ACTIVITY GROUP 2 NAGE 1 DTMXAGE 0 1 20
  ACTIVITY 1 ACTIVITY GROUP 2
  DTACT = 0 1 16 DTAMRC#
                             O O O DTMNNA#
                                               0
                                                  0
                NARCD = 1
  NARCM # 1
                               ICOÑE = 0
  TASETS# 2
                ITSETS= 0
                               IATT
                                     = 0
  19ES = 4
   RES = 4 INIXR8= 2 VT = 0
ASTRONAUT SET I ACTIVITY 1 ACTIVITY GROUP 2
   NASROD#1 NCAN =1
   ICAN #2 # # # #
               Ō
            0
                  0
                     DTD
   TRS
               CD = 2
         = 0.
                        SDTCD= 1
   CPO
   O = GONPTC
                  O DTMXCD= 0
```

```
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  VASRODE NCAN =2
  ĪCAN
        #1 3 ...
              0
                   DTD
                              0 1 16
  TRS.
                  0
        # 6 CD = 0
  ČP0
                        SDTCD= 0
  LOCAL RESORC SET 1 ACTIVITY 1
                                    ACTIVITY GROUPS
  RESNO #
                 QUNREQ=
                               5,000
                 O DTD
                              0 1 20
  ŤRS:
           o ö
  LOCAL RESORC SET 2 ACTIVITY 1
                                    ACTIVITY GROUP2
  RESNO #
                 QUNREQ=
           5
                              1.000
  TRS: # 0 0 0 DTD = 0
LOCAL RESORC SET 3 ACTIVITY 1
                              0_ 1 45
                                    ACTIVITY GROUPS
                               1.000
  RESNO #
                 QUNREG=
           6
                 O DTD
  TRS:
           0
                              0. 1 20
  LOCAL RESORC SET 4 ACTIVITY 1
                                    ACTIVITY GROUPS
                 QUNREG=
                               8.000
  TRS:
                 O DTD
                        =
                              0 1 20
           0
              0
                                   ACTIVITY GROUP 2
  PILXED RESORC SET 1 ACTIVITY 1
                               1.000
  IFIXNOF 2
                 UNREQ =
  FIXED RESORC SET 2 ACTIVITY 1
                                    ACTIVITY GROUP 2
                               1.000
  IFIXNOR 3
                 UNREQ =
ACTIVITY GROUP 3 NAGE 1 DTMXAGE 0
                                       1 16
 ACTIVITY 1 ACTIVITY GROUP 3
DYACT # 0 1 16 DTAMRCH
                               0 0 DTMNNA#
                             0
                                               0
                                                  0
NARCM = 1
               NARCD # 1
                              ICONE = 0
 IASETS= 2
               ITSETS= 0
                                     = 0
                              IATT
 TRES: # 4
               IFIXRS# 2
                              VT
                                     = 0
  ASTRONAUT SET I ACTIVITY 1 ACTIVITY GROUP 3
  NASROD#I NCAN #1
  ICAN
        #3 * * * *
              Ö
                     DTD
  ŤRS:
           0
                 0
                           2
        # 0 CD = 2 SUI SE
# 0 3 0 DTMXCD= 0
              CD = 2 SDTCD = 1
  ČP3:
  DTYNCD*
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
  VASROD#1 NCAN =2
  ICAN #1 2 * * * *
          0 0
                          = 0 1 16
                 O DTD
  TRS
                        SOTCD= Q
        * O CD * O
  LOCAL RESORC SET 1 ACTIVITY 1
                                    ACTIVITY GROUPS
  PESNO #
                            5.800
                 QUNREQ=
           1
  TRS:
 TRS: # 0 0 0 DTD # 0
LOCAL RESORC SET 2 ACTIVITY 1
                              0_ 1 20
                                 ACTIVITY GROUPS
  RESNO .
                 QUNREG=
                               1,000
 TRS: # 0 0 0 DTD # 0 1 45
LOCAL RESORC SET 3 ACTIVITY 1 AC
                                    ACTIVITY GROUPS
                 QUNREG=
                               1,000
  RESNO . 6
                 O DTD
                              0_ 1 20
  TRS
        2
  LOCAL RESORC SET 4 ACTIVITY I
                                    ACTIVITY GROUPS
                  GUNREG=
                               8.000
  RESNO #
  PR3
             ð
                 0 070
                              0 1 20
  FIXED RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUP 3
  IFIXNOW 2 UNREG 1 1. BIXED RESORC SET 2 ACTIVITY 1
                               1.000
                                    ACTIVITY GROUP 3
                               1,000
  IFIXNO .
           3
                 UNREG =
```

VECTORCARDIOGRAM (MO93)

A. OBJECTIVE

• Detect changes in the electrical activity of the heart that are associated with weightlessness and other stress conditions of space flight.

B. OPERATIONS

• Take vectorcardiogram measurements of each crewman, during exercise and after resting, at periodic intervals during the mission.

C. PLANNING LIMITATIONS

- Allow one-half hour after severe exercise and three hours after meals prior to start of experiment; allow one-half hour following experiments M092 and M131.
- Each crewman must perform as subject once every third day; subject and observer will be scheduled to start at the same time.

D. PERFORMANCE

<u>0</u> p	eration	of Performances	Duration of Performance	No. of <u>Crewmen</u>
9	Vectorcardiograms during rest/exercise/rest cycle	7/Cm	40 min(subjec 15 min(observ	

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
M093
        VECTORCARDIOGR
PRIOTY
         208 DES =
                        94 PRO
                                     100 DIF
                                 =
                                                    44
NAGXDE 3 NXOPCMB 7 NXOPCD= 7 CODE
             PRET1 = -0 IBFOR2=
IBFOR1=
                                      PRET2 = +
TMNTR# 3
          0 0 TMXTR= 27 0 0
                                          2 23 n
                                 DTMNRC=
 ACTIVITY GROUP 1 NAGE 1 DTMXAGE 0 0 40
  ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 0 0 40 DTAMRC NARCM = 1
                            O O O DTMNNA#
                                             0 0
                             ICODE = 0
  TASETS= 2
               ITSETS= 0
                             IATT = O
  TRES = 4
               IFIXRS= 1
                             VŤ
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  NASROD#I NCAN #1
  ICAN #1 + + + +
           o ô
  TRS:
                 O DTD =
  CPO # 0 CD # 2 SOTCD= 1 OTTMXCD# 0 B
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
  NASRGD#1 NCAN #2
  ICAN #2 3 # * *
        # 0 0 0 DTD
  TRS
                        = 0 n 15
        = 0 CD = 0 SDTCD= 0
  LOCAL RESORC SET 1 ACTIVITY 1
                                  ACTIVITY GROUP1
                             50 000
  RE$NO = 1
                 QUNREQ=
  TRS * 0 0 0 DTD = 0 ñ
LOCAL RESORC SET 2 ACTÍVITY I
                             0_ 0 40
                                  ACTIVITY GROUP1
  RESNO = 2 QUNREQ= 1.000
        ▼ 0 Ö O DTD
                            0_ 2 40
  LOCAL RESORC SET 3 ACTIVITY I ACTIVITY GROUPS
                 QUNREQ= I. non
  RESNO # 5
  TRS
        # 0 0 0 DTD =
                             O... ñ 40
  LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
                 QUNREQ=
  RESNO = 6
                              1,000
             0 0 ptp = 0 ñ ïs
           0
  TRS
   FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 1
                 UNREQ =
   IFIXNO 2
                               1.000
 ACTIVITY GROUP 2 NAGE 1 DTMXAGE
                                  ñ
  ACTIVITY I ACTIVITY GROUP 2
 DTACT # 0 0 40 DTAMRC#
NARCM # 1 NARCD # 1
                            O O Ö DTMNNA#
                                             0 0
                             ICONE = 0
  TASETS# 2
                ITSETS= 0
                              IATT
                                   = 0
  13ES = 4
               IFIXR8= 1
                                   = 0
                             VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
   VASROD#1 NCAN
                 ≖1
        #2 * * * * *
   YCAN
           0 0
                                0 40
                 0
                    DTD
   TRS:
   CPD = 0 CD = 2 SDTCD= 1
CTYNCD= 0 4 0 DTMXCD= 0
              CD = 2
                       SDTCD= 1
```

```
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
 NASRODEI NCAN =2
 1CAN #1 3 4 *
                            0 7 75
 TRS
       a 0
             OTO OTO
                        #
 ČPO.
       F O CD = O SDTCD= O
 LOCAL RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUPS
                QUNREQ= 50.000
 RESNO = 1
      = .0 0 0 DTD _= 0, n 40
 TRS
 LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP2
          2
                QUNREG= 1.000
 RESNO #
       * 0 0 0 DTD *
                            0, 2 40
 LOCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUPS
 RESNO # 5
                QUNREG=
                             1.000
          0 0
                O DTD
                            0 0 40
 TRS
 LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
                QUNREQ= 1.000
 RESNO # 6
 TRS: # 0 0 0 0TD # 0 0 15
FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  IFIXNOP 2
                UNREG =
                             1.000
ACTIVITY GROUP 3 NAG= 1 DTMXAG= 0 0 40
 ACTIVITY 1 ACTIVITY GROUP 3
                           O O O DIMNNA
DTACT = 0 0 40 DTAMRCH
                                            0
                                               0
 NARCH = 1
              NARCD = 1
                            ICONE = 0
 IASETS= 2
              IYSETS= 0
                            IATT = 0
                                 = 0
 19ES' = 4
              IFIXRS= 1
                            VT
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
  YASROD=1 NCAN =1
  1CAN #3 # # # #
       # 0 0 0 DTD = 0 n 40
  TRS
 CPO # 0 CD # 2 SOTCD# 1
DTMNCD# 0 4 0 DTMXCD# 0
                      SDTCD# 1
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
  NASROD#1 NCAN =2
  ICAN #1 2 * * * *
       * 0 0 0 DTD = 0 n 15
  ŤR5
 CPO # 0 CD = 0 SOTCD# 0
LOCAL RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUPS
                QUNREQ= 50.000
  RESNO # 1
  TRS: = 0 0 0 0TD # 0 0 40
LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
  RESNO ₹ 2
                QUNREG= 1.000
                            0 2 40
  TRS = 0 0 0 DTD = 0 2 40 COCAL RESORC SET 3 ACTIVITY 1 4CTIVITY GROUPS
         . 0 0 0 DTD
  RESNO # 5
                QUNREG= 1.000
               a dig D
          0 0
                            0 0 40
  LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
                QUNREG= 1.000
  RESNO # 6
       # 0 0 0 DTD # 0 0 15
  ŤRS'
  FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 3
```

HUMAN VESTIBULAR FUNCTION (M131)

A. OBJECTIVE

 To determine the effects of prolonged absence of gravity on the crewman's inner ear and his gravity receptors, and on the crewman's judgement of spatial coordinates.

B. OPERATIONS

• Subject performs semicircular canal test and spatial localization test utilizing rotating litter chair and associated equipment

Mode A: dynamic test

Mode B: spatial localization test

C. PLANNING LIMITATIONS

- For each crewman, Modes A and B shall not be performed on same day; all crewmen shall perform as subjects for either mode within a 16-hour period of each other.
- Mode A: perform no sooner than every other day for the same subject;
 three times early and three times late in the mission.
- Mode B: perform once early, once mid and once late in mission.
- No testing shall be done until one hour after completion of a meal.
- Schedule to avoid carryover symptoms from M092 and M093.

D.	PERFORMANCE	Minimum No.	Duration of	No. of
	<u>Operation</u>	of Performances	Performance	Crewmen
	• Mode A - dynamic test	6/Cm	30 min (subject) 30 min (observer)	1 1
	 Mode B - spatial test 	3/Cm	45 min (subject) 45 min (observer)	1

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
M131A
         HUMAN VESTIBUL
         174 DES
                         86 PRO
PRIDTY
                                  塞
                                      100 DIF
                                                     40
         3 NXOPCMR
                    6 NXOPCD= 6 CODE
NAGXDPE
                                      2 3
                                       PRET2 =
IBFORI=
              PRET1 = -0 | BFOR2=
TMNTR TMXKR
           4 16
  4 0 Õ
 ACTIVITY GROUP 1 NAGE 1 DIMXAGE
                                   ñ
                                      0 30
  ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 0 0 30 DTAMRC#
                             O O O DTMNNA O
                                                     0
  NARCM = 1
                NARCD # 1
                              ICORE = 0
  TASETS# 2
                ITSETS# 0
                              IATT
               IFIXRS= 0
  TRES: # 3
                              VT
                                   = 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD#1 NCAN =1
   1CAN #1 + + * *
                         = 0
               Ö
   TRS:
         # ∴ (1)
                  O DTD
   ČPO-
         # O
               CD = 2
                        SDTCD= 1
  STYNCD# 0 $ 0 DTMXCD# 0
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD#1 NCAN =2
   ICAN =2 3 + + +
   TRS
         # 0 0
                  Q DTD = Q \tilde{n} 30
  CPO = 0 CD = 0 SOTCD= 0
LOCAL RESORC SET 1 ACTIVITY 1
                                   ACTIVITY GROUP1
   RESNO = 1
                  QUNREQ=
                             180 000
                  0 DTD =
           0
   TRS:
               0
                             0_ n 30
  LOCAL RESORC SET 2 ACTIVITY 1
                                 ACTIVITY GROUP1
                  QUNREQ=
                              9.000
  RESNO F
  TRS # 0 0 0 DTD = 0 0 30
LOCAL RESORC SET 3 ACTIVITY 1 __ACTIVITY GROUP1
                               7.ñ0ã
  RESNO 7
            8
                  QUNREQ=
            Ġ Ö
                              0 6 30
  TRS:
                 0 DTD =
ACTIVITY GROUP 2 NAGE 1 DTMXAGE 0 0 30
 ACTIVITY 1 ACTIVITY GROUP 2
 DTACT = 0 0 30 DTAMRC#
                             O O O DTMNNA#
                                              0 0
 NARCM = 1
               NARCD = 1
                              ICODE = 0
                ITSETS= 0
 TASETS= 2
                              IATT
               IFIXRS= 0
  13ES = 3
                              VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  YASROD=1 NCAN =1
  ICAN #2 # # # # #
  TRS
         2 0 0
                  O DTD
  CP3 # 0 CD = 2 SDTCD= 1
5T4NCD= 0 1 0 DTMXCD= 0 4 0
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
```

```
NASRODET NCAN =2
  ICAN
       81 3 * * *
 TRS:
                        = 0 n 30
       = 0 0
                O DTD
  CP3
       # 0 CD # 0 SDTCD# 0
 LOCAL RESORC SET I ACTIVITY I ACTIVITY GROUPS
  RESNO =
          1
                QUNREQ=
                           180.000
                OE \tilde{n} O = OT_{O} O
       = 0 0
  TRS:
 LOCAL RESORC SET 2 ACTIVITY 1
                                  ACTIVITY GROUPS
                QUNREQ=
                            9,ถืบถึ
  RESNO P
           7
 TRS = 0 0 0 DTD = 0 0 30
LOCAL RESORC SET 3 ACTIVITY 1 __ACTIVITY GROUP2
  RESNO =
           8
                 QUNREQ=
                           7.000
  ŤRS'
     =
          Ö
                מלם 0
                             o ñ 30
              0
                        3
ACTIVITY GROUP 3 NAG= 1 DTMXAG= 0 0 30
 ACTIVITY & ACTIVITY GROUP 3
DTACT = 0 0 30 DTAMRC#
                           0 0 0 DTMNNA= 0
              NARCD = 1
                             ICONE = 0
NARCM # 1
                             IATT = 0
 TASETS= 2
               ITSETS= 0
 RES: # 3 IFIXRS 0 VT # 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
 12ES = 3
  VASRGD=1 NCAN =1
  ICAN =3 + + + +
  TRS
        # 0 0 0 DTD
 CPO # 0 CD = 2 SDTCD= 1
STYNCD= 0 1 0 DTMXCD= 0
                                  0
 ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
  NASRODRI NCAN =2
  ICAN #1 2 * * * *
        # 0 0 0 DTD
                        TRS
             CD = 0 SOTCD= 0
  CP3
        22 ()
 LOCAL RESORC SET 1 ACTIVITY 1
                                  ACTIVITY GROUPS
  RESNO # 1
                 GUNREG=
                            180.000
          0 0 0 DTD =
        #
                             0 ñ 30
  LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
                 QUNREQ=
                            9.000
  RESNO #
 TRS
          0
                O DTD
                             0 n 30
 LOCAL RESORC SET 3 ACTIVITY 1 _ ACTIVITY GROUPS
  RESNO = 8
                QUNREQ= 7.000
          0
                O DTD
                             0 0 30
 TRS
```

```
DETAILED EXOP DEFINITION
MĨ3ĨB
         HUMAN VESTIBUL
         145 DES
                                       100 DIF
PRIOTY
                         86 PRO
                                   Œ
                                                      33
NAGKOPE
         3 NXOPCM# 3 NXOPCD# 3 CODE
                                        # 3
IBFOR1*
              PRET1 = -0 IBFOR2=
                                        PRET2 = +
TMNTR TMXKR
  5
     0
        Ô
            5 16
 ACTIVITY GROUP 1 NAGE 1 DTMXAGE
                                   0 0 45
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT = 0 0 45 DTAMRC = NARCM = 1 NARCD = 1
                              O O O DIMNNA
                                                0
                               ICONE = 0
  TASETS= 2
                IPSETS= 0
                               IATT = 0
  TRES . O
                IFIXRS= 0
                               ۷T
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   ICAN #1 * * * *
            0 0 0 DTD
CD = 2 8
   TRS
                               0 กั 45
         = 0
= 0
   CPO.
                        SDTCD= 1
   OTMNCD= 0 1 0 DTMXCD= 0 4 0 ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD#1 NCAN =2
        #2 3 * * * * * * ·
   ICAN
   TRS:
         = 0 0 0 DTD
                          = 0
   ĈP3
         = 0
               CD = 0 SDTCD= 0
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 0
                                       0 45
  ACTIVITY 1 ACTIVITY GROUP 2
 DTACT = 0 0 45 DTAMRC#
                             0
                                0 0 DTMNNA=
                                               0
  NARCM = 1
                NARCD # 1
                               ICOÑE = 0
  TASETS= 2
                ITSETS# 0
                               IATT = 0
   RES = 0 IFIXRS= 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  IRES # 0
   NASROD#1 NCAN =1
   ICAN #2 # # # #
         # 0 0 0 DTD
                                  ñ 45
  TRS
   CPO
         # Ö ÇD = 2
                       SDTCD= 1
               1 0 OTMXCD=
  DT MNCD# 0
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  VASROD#1 NCAN =2
   ICAN #1 3 * * *
  TRS: = 0 0 0 DTD
                              0 ñ 45
  cpo = 0 CD = 0 SDTCD= 0
ACTIVITY GROUP 3 NAG= 1 DTMXAG= 0
                                       0 45
 ACTIVITY T ACTIVITY GROUP 3
 DTACT =
          O D 45 DTAMRC
                                               0 0
                                0
                                    O DIMNNA#
                                                     0
 NARCM = 1
                NARCD # 1
                               ICONE = 0
  IASETS= 2
                ITSETS= 0
                                   = 0
                               IATT
```

```
THES: # 0 IFIXES# 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
NASROD#1 NCAN =1
ICAN #3 * * * * *
TRS: # 0 0 0 DTD # 0 0 45
CPO # 0 CD = 2 SDTCD# 1
DTYNCD# 0 1 0 DTMXCD# 0 4 0
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
NASROD#1 NCAN =2
ICAN #1 2 * * * *
TRS: # 0 0 0 DTD # 0 0 45
CPO # 0 CD # 0 SDTCD# 0
```

PRECEDING PAGE BLANK NOT FILMED

TIME AND MOTION STUDY (M151)

A. OBJECTIVE

• To film selected tasks performed in flight for time and motion comparisons with tasks performed on the ground.

B. OPERATIONS

• Selected portions of the following experiments will be filmed: M171, M093, M092, M074, M487, M508 and M509.

C. PLANNING LIMITATIONS

• Supplemental lighting during filming will be required.

D. PERFORMANCE

• Filmed during actual operation of above experiments; camera and film requirements are specified in definition of M093, M092, M074, M487, M508 and M509.

E. POINTING REQUIREMENTS

METABOLIC ACTIVITY (M171)

A. OBJECTIVE

 Determine if an astronaut's metabolic rate, while doing mechanical work, is progressively altered by exposure to zero gravity and to space flight environment.

B. OPERATIONS

 Metabolic rate is measured while resting, while using ergometer, and while performing maintenance tasks in both a suited and unsuited mode measurements are made on each crewman at periodic intervals during the mission.

Mode A: Resting metabolic rate and bicycle ergometry.
Mode B: Unsuited maintenance and constant work task.
Mode C: Suited maintenance and constant work task.

C. PLANNING LIMITATIONS

- Must be a two-hour delay if M093 is performed before M171.
- Perform no sooner than three hours after a meal.
- Perform no sooner than two hours after severe exercise; Modes B and C are restricted from occurring from within two hours after Mode A.
- Experiment is to be repeated three times by each crewman; occurrences arranged to allow one early, one mid, and one late in the mission; the experiment period should be scheduled at the same time of day for each crewman.

D. PERFORMANCE

Operation		of Performances	Performance Crewme	1
•	Mode A - resting/ergometry	3/Cm	90 min(subject) 1 30 min(observer) 1	
•	Mode B - Unsuited maintenance	3/Cm	85 min(subject) l 40 min(observer) l	
•	Mode C - Suited maintenance	3/Cm	120 min(subject) l 90 min(observer) 1	

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
MITIA .
        METABOLIC ACTI
                        96 PRO
         206 DES
                                     100 DIF
                                                    43
        NXOPCM8
                   3 NXOPCD# 3 CODE
NVCXD3#
                                      = 1
IBFOR1=
             PRET1 = +0 IBFOR2=
                                      PRET2 #
TMNTR#: 3
          0
             0 TMXTR= 27 0 0
                                 DTMNRC# 6 22 0
ACTIVITY GROUP 1 NAGR 1 DTMXAGR 0
                                     1 30
 ACTIVITY I ACTIVITY GROUP 1
  DTACT = 0
             1 30 DTAMRC#
                            O O_ O DTMNNA#
 NARCM # 1
               NARCD # 1
                             ICONE = 0
  TASETS 2
               ITSETS O
                             IATT
               IFIXRS= 2
  TRES: # 4
                             VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  NASROD#1 NCAN =1
  ICAN #1 * * * *
              0
                 O DTD
  TRS:
           0
                                1 30
  CPD # 0 CD = 2 SOTCD# 1
OTMNCO# 0 3 0 DTMXCD# 0 A
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
  YASROD#I NCAN =2
  ICAN =2 3 . .
           0 0 30 DTD
  TRS
                         = 0 n 30
              CD = 0 STCD= 0
  LOCAL RESORC SET 1 ACTIVITY 1
                                  ACTIVITY GROUP1
  RESNO =
           2
                 QUNREQ=
                         1,000
        #
           0
              0
                 מלם 0
                             0_1 33
  LOCAL RESORC SET 2 ACTIVITY 1
                                  ACTIVITY GROUP1
  RESNO # 5
                 QUNREG=
                              1.000
  TRS
           0
              0
                 סלם ס
                             0 1 30
  LOCAL RESORC SET 3 ACTIVITY 1
                                ACTIVITY GROUP1
                 QUNREG=
  RESNO = 6
                              1.000
           0 0 30 DTD =
        *
  TRS:
                             0 ñ 30
  LOCAL REBORC SET 4 ACTIVITY 1
                                ACTIVITY GROUP1
  RESNO # 9
                 QUNREG=
                              1.000
        = · 0 0
                 O DTD =
                             0
  FIXED RESORC SET 1 ACTIVITY 1
                                ACTIVITY GROUP 1
                 UNREG =
                              1.800
  IFIXNO#
          2
  FIXED RESORC SET 2 ACTIVITY 1
                                 ACTIVITY GROUP 1
  IFIXNO*
                 UNREG =
          3
                             10.000
ACTIVITY GROUP 2 NAGE 1 DTMXAGE 0 1 30
 ACTIVITY 1 ACTIVITY GROUP 2
             1 30 DTAMPC
                            O O O DTMNNA"
 DTACT # _0
                                               0
 NARCM # 1
               NARCD # 1
                             ICONE = 0
 IASETS# 2
               ITSETS# 0
                             IATT
                                   = 0
 IRES # 4
              IFIXRS= 2
                             VT
                                   = 0
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  NASRODEL NCAN #1
  1CAN #2 *
           0
              0
  TRS.
                 0
                    DTD
                         4
                             0
  CPO
        = 0
              CD = 2
                       SDTCD# 1
  OTYNCD O
              3
                 0
                    DTMXCD= 0
```

```
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
 VASRODE1 NCAN =2
       #1 3 # # # #
  ICAN
              a 3a DTD
                         = 0 n 30
  TRS
        = 0
  CPO
             CD = 0 SDTCD= 0
 LOCAL RESORC SET I ACTIVITY I
                                  ACTIVITY GROUP2
  RESNO = 9
                 QUNREQ=
                           1.700
  TRS
       = 0 0 0 DTD _=
                              0 3 30
 LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
                 QUNREQ=
                          1.000
  RESNO =
           2
 TRS = 0 0 0 DTD = 0 1 30
LOCAL RESORC SET 3 ACTIVITY 1 AC
                                   ACTIVITY GROUPS
 RESNO =
           5
                 QUNREQ# 1.000
 TRS = 0 0 0 DTD = 0 1 30
LOCAL RESORC SET 4 ACTIVITY 1 AC
                                 ACTIVITY GROUP2
                 QUNREQ# 1.000
  RESNO = 6
 TRS = 0 0 30 DTD = 0 0 30 FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  IFIXNO= 2
                 UNREQ # 1.000
 FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 2
                UNREG =
                              10.000
  ifixNo= 3
ACTIVITY GROUP 3 NAGE 1 DTMXAGE 0 1 30
 ACTIVITY 1 ACTIVITY GROUP 3
DTACT = 0 1 30 DTAMRC# 0 0 0 DTMNNA 0
                                                     0
                                                  0
                              ICONE = 0
NARCM = 1
               NARCD = 1
               ITSETS# 0
                              IATT # 0
 IASETS= 2
               IFIXRS= 2
                              ۷Ť
 13ES = 4
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
  NASROD#1 NCAN #1
  ICAN #3 * * * *
        # O O O DTD
  TRS
                         = 0, 1.30
      TO CD = 2 SUICE
TO = 0 DTMXCD= 0 A
TIVITY 1 ACTIV
              CD = 2 SDTCD= 1
  CPO
  DITYNCD= 0
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
  NASRODEL NCAN =2
  TCAN =1 2 + + +
        = 0 0 30 DTD
                          °= 0 ñ 30
  TRS
 SPO # 0 CD = 0 SDTCD= D
LOCAL RESORC SET 1 ACTIVITY 1
                                   ACTIVITY GROUPS
  RESNO =
                 QUNREQ= 1.000
           2
      # 0 0 0 pTp # 0 1 30
  TRS
  LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
  ESNO # 9 GUNREQ= 1.000
RS # 0 0 0 DTD # 0 3 30
OCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUPS
  RESNO =
                 QUNREQ= 1.000
  RESNO = 5
                 0 DTD. #
           0 0
 LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
  RESNO # 6 QUNREQ# 1.000
TRS: # 0 0 30 DTD # 0 0 30
FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 3
          2
                 UNREQ =
                               1.000
  FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 3
                 UNREG =
                              10.800
  ifixno= 3
```

```
DETAILED EXOP DEFINITION
        METABOLIC ACTI
M171B
                                                 43
         193 DES
                       90 PRO
                               E
                                    100 DIF
PRISTYS
        3 NXOPCM# 3 NXOPCD# 3 CODE
                                    = 1
NAGXOPE
             PRET1 = -0 TBFOR2=
                                     PRET2 = *
18F0R1=
                                DTMNRC# 5 22 30
TMNTR# 4
          0 0 TMXTR= 28 0 0
 ACTIVITY GROUP 1 NAGR 1 DTMXAGE 0
                                    1 25
 ACTIVITY 1 ACTIVITY GROUP 1
                           O O O DTMNNA = O
 DYACT = 0 1 25 DTAMRC
               NARCD = 1
  NARCM # 1
                            ICOME = 0
                            IATŤ
               ITSETS# 0
  TASETS# 2
               IFIXRS= 2
                            VT
                                  = 0
  TRES
       = 4
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   ICAN =1 + + + +
           0 0 0 DTD
                         =
                            0
   TRS
   CPO
              CD = 2
                      SDTCD= 1
        # D
  DTMNCD# 0 3 0 DTMXCD= 0
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   VASROD=1 NCAN =2
   ICAN =2 3 + + + +
           0 0 30 DTD = 0 0 40
        Ę
   TRS.
   ČPO
        = 0
              cp = 0 SpTcD= 0
                                 ACTIVITY GROUP1
  LOCAL RESORC SET 1 ACTIVITY 1
                            37,000
   BESNO #
                 QUNREQ=
           1
        = 0 0 0 DTD
   TRS
                      2
                            0_1 25
  LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP1
                 QUNREG=
                             1.000
   RESNO # 9
   TRS
        #
           0 0 0 DTD
                            0 1 25
   LOCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUPS
   RESNO # 5
                 GUNREG=
                             1,000
   TRS = 0 0 0 DTD = 0 1 25
                                 ACTIVITY GROUP1
                 QUNREQ=
                          1,000
   RESNO #
          6
          Ö Ö 30 D₹D =
                            0 6 40
   TRS:
                               ACTIVITY GROUP 1
   FILXED RESORC SET 1 ACTIVITY 1
                         1.000
                 UNREQ =
           2
   IF!XNO=
   FIXED RESORC SET 2 ACTIVITY 1 _ ACTIVITY GROUP 1
                            10.000
               : UNREQ =
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 0
                                    1 25
  ACTIVITY TACTIVITY GROUP 2
                              O O DTMNNA#
                                            0 0
                                                  0
  DTACT =
  NARCH # 1
               NARCD = 1
                             ICONE = 0
               ITSETS 0
                             IATT
                                  # 0
  IASETS 2
  18E5 8 4
               IBIXES= 5
                                  = 0
                             VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
   NASRODE1 NCAN =1
   1C4N #2 # # # #
                         2
                             0
         # O O
                 O DTD
   PRS
              ep = 2
   èPo
         s Ö
                       SpTcD= 1
                 O DTMXCD= 0
   BTYNCD# ...O
```

```
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  VASRGD21 NCAN =2
           3 * * * * *
0 0 30 DTD
       81
  ICAN
                          = 0 ñ 40
  TRS
              CD = 0 SDTCD= 0
        = 0
  LOCAL RESORC SET 1 ACTIVITY 1
                                    ACTIVITY GROUP2
                          37.000
  RESNO = 1
                  QUNREQ=
 TRS
       •
           0
                  0 DTD =
                              0_1 25
 LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
 RESNO = 9 GUNREG= 1.0000
TRS = 0 0 0 DTD = 0 1 25
COCAL RESORC SET 3 ACTIVITY 1 AC
                                    ACTIVITY GROUP2
                  QUNREQ= 1.000
  RESNO #
           5
 TRS = 0 0 0 DTD = 0 1 25
COCAL RESORC SET 4 ACTIVITY 1 AC
                                    ACTIVITY GROUPS
  RESNO =
                  QUNREQ=
                            1.000
 TRS = 0 0 30 DTD = 0 0 40 FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 2
                  UNREQ =
                                1.000
  IFIXNO= 2
 FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  IFIXNO= 3
                               10.000
                  UNREQ =
ACTIVITY GROUP 3 NAG= 1 DTMXAG= 0 1 25
 ACTIVITY & ACTIVITY GROUP 3
              1 25 DTAMRC#
                              O O O DIMANA
                                                  Ω
 DPACT = __O
 NARCH = 1
                NARCD = 1
                               ICODE = 0
                ITSETS# 0
                               IATT
                                      = 0
 IASETS= 2
               IFIXRS= 2_
                               VT
 TRES = 4
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
  YASRODE1 NCAN #1
       #3 # # # #
  ICAN
               O O DTD
           0
  TRS
               CD = 2
                        SDTCD= 1
        8 ()
  CPO .
  OT MNCD . 0
               3 0 DTMXCD= 0 8 0
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
  NASROD#1 NCAN =2
       #1 2 * * *
  TCAN
        # 0 0 30 DTD
                              0, <u>ñ</u> 40
                           E
  TRS
               CD = 0 SOTCD# 0
                                    ACTIVITY GROUPS
  LOCAL RESORC SET 1 ACTIVITY 1
  RESNO =
                  QUNREG=
                               37.000
          1
  TRS: # 0 0 0 DTD # 0 1 25
LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
                                1.000
                  QUNREG=
           9
  RESNO #
  TRS: # 0 0 0 DTD # 0 1
LOCAL RESORC SET 3 ACTIVITY 1
                               0 1 25
                                     ACTIVITY GROUPS
                                1.000
                  QUNREG=
  RESNO 5
  TRS 0 0 0 DTD 0 1 25
LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
                  QUNREG=
                               1.000
  RESNO # 6
  TRS # 0 0 30 DTD # 0 0 40 FIXED RESORC SET 1 ACTIVITY 1 AC
                                    ACTIVITY GROUP 3
                                1.000
  IFIXNOS 2
                  UNREG =
  FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 3
                               10,000
                  UNREG =
  IF IXNOB
           3
```

```
DETAILED EXOP DEFINITION
MITIC .
        METABOLIC ACTI
                   S NXOPCDS 3 CODE
PRIOTY
         193 DES 4
                                      100 DIF
                                                    43
         3 NXOPEME
NACKDPB
                                     a 1
             PRET1 = -0 IBFOR2=
IBFORID
                                       PRET2 = 0
THNTRE 6 12 0
                 YMXTR# 28 0 0
                                  DTMNRC# 5 22. 0
 ACTIVITY GROUP 1 NAGE 1 DTMXAGE 0 2
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT = 0 2 0 DTAMRC#
                             0 0 0 DTMNNA# 0 0
  NARCM # 1
                NARCD F 1
                              IcopE = 0
                ITSETS 0
                              IATT = 0
  IASETS 2
   REST A IFIXER 2 VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  TRES = 4
   VASROD#1 NCAN =1
   ICAN #1 * * * *
         # 0 0 0 DTD
   TRS
   CPO # 0 CD # 2 SOTCD# 1
OTMNCD# 0 2 0 DTMXCD# 0 &
                                    0
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD#1 NCAN =2
   1CAN #2 3 + + + *
         # 0 0 15 DTD # 0 1 30
   TRS'
   CPO # 0 CD = 0 SOTCD= 0
LOCAL RESORC SET 1 ACTIVITY 1
                                   ACTIVITY GROUP1
   REGNO # 1
                  QUNREQ=
                              37.000
              Ó
   TRS
                  0 070
   LOCAL RESORC SET 2 ACTIVITY 1
                              0 2 0
                                 ACTIVITY GROUP1
   RESNO = 9
                  QUNREQ=
                          1.000
   TRS: # 0 0 0 DTD # 0 2 0
LOCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUP1
                  QUNREQ= 1.000
   RESNO = 5
                  O DTD #
   TRS
        3 0 0
                              0
                                 2 0
   LOCAL RESORC SET 4 ACTIVITY 1
                                ACTIVITY GROUP1
                  QUNREQ=
                          1.000
   RESNO # 6
   PRS
        # 0 0 15 DTD #
                             0 1 30
   BIXED RESORC SET 1 ACTIVITY 1
                                ACTIVITY GROUP 1
                               1,000
   FIXNOF 2
                  UNREQ #
   FINED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 1
                              10.000
                  UNREQ =
   IFIXNO*
 ACTIVITY GROUP 2 NAGE 1 DTMXAG= 0 2
  ACTIVITY & ACTIVITY GROUP 2
  DTACT = 0 2 0 DTAMRC
                               O O DTMNNA#
                                              0 0
               NARCD # 1
  NARCM # 1
                             ICONE = 0
  TASETS= 2
                ITSETS# 0
                              IATT = 0
   RES # 4 INIXRS 2 VT # 0
ASTRONAUT SET 1 ACTIVITY GROUP ?
  TRES = 4
   NASRGD=1 NCAN =1
   ICAN #2 0 0 0 0
         a 0 0 0 0TD
   TRS
                       SETCD# 1
   ē₽0:
   BTMNCD# 0 3
                  O BTMXCD = O B O
```

```
ASTRONALIT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
 VASRGD 1 NCAN 2
ICAN 21 3 + + + *
       = 0 0 15 DTD
 TRS
                            0 1 30
       = 0 CD = 0 SDTCD= 0
 LOCAL RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUPS
 RESNO =
                            37.000
                QUNREQ=
 TRS
       = 0 0 0 DTD =
                           0 2 0
 LOCAL RESORC SET 2 ACTIVITY 1
                                 ACTIVITY GROUP2
                         1.000
 RESNO =
          9
                QUNREQ=
 TRS = 0 0 0 DTD = 0 LOCAL RESORC SET 3 ACTIVITY 1
                            0. 2 0
                               ACTIVITY GROUP2
 RESNO # 5
                QUNREQ= 1.000
 TRS: # 0 0 0 DTD # 0 2 0
LOCAL RESORC SET 4 ACTIVITY 1 _ ACTIVITY GROUP2
                        RESNO = 6
                QUNREQ=
      # 0 0 15 DYD #
 TRS
                           0 1 30
 FIXED RESORC SET 1 ACTIVITY 1
                                ACTIVITY GROUP 2
                             1.000
 IFIXNO= 2
                UNREQ =
 FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  IFIXNO =
                UNREQ =
                            10.000
ACTIVITY GROUP 3 NAG= 1 DTMXAG= 0 2
ACTIVITY I ACTIVITY GROUP 3
DTACT = 0 2 0 DTAMRC#
                           O O O DTMNNA=
                                              0
NARCM # 1
              NARCD = 1
                            ICONE = 0
TASETS# 2
              TSETS* 0
                            IATT = 0
 RES: # 4 IFIXRS# 2 VT # 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
 TŘES: # 4
 NASRODEL NCAN =1
  ICAN =3 * * * *
            0 0
                 DTD
                            0__
 TRS
          0
                        23
       # O
             CD = 2 SDTCD= 1
 CPO
 STYNCD = 0 3 0 DTMXCD=
 ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
 NASROD=1 NCAN =2
 ICAN #1 2 + + + +
         0 0 15 DTD
 TRS
                        = 0 1 30
       m D CD = O SOTCD= Q
                                 ACTIVITY GROUPS
 LOCAL RESORC SET 1 ACTIVITY 1
 RESNO # 1
                QUNREQ=
                        37.ñ0à
 TRS: # 0 0 0 DTD = 0 2 0 CTIVITY GROUPS
 TRS
       # ,0 0 0 DTD _=
                QUNREG= 1.000
 RESNO = 9
 TRS
          0 0
                סלם ס
                            0 2 0
 LOCAL RESORC SET 3 ACTIVITY 1
                                ACTIVITY GROUPS
                            1.000
                QUNREQ=
 RESNO #
 TRS
                סדם ס
                       2
                            0. 2 0
 LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
 BESNO =
          6
                QUNREQ=
                         1.000
          0 0 15 DTD =
                            0 1 30
 FILTED RESORC SET 1 ACTIVITY 1 _ ACTIVITY GROUP 3
 IFIXNO . 2
                UNREQ =_
                             1.000
 FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 3
 IFIXNOS 3
                UNREG =
                            10.000
```

PRECEDING PAGE BLANK NOT FILMED BODY MASS MEASUREMENT (M172)

A. OBJECTIVE

- Demonstrate feasibility of body mass measurement in zero-g.
- Validate design and function of body mass measurement device.
- Support biomedical experiments requiring mass measurements.

B. · OPERATIONS

- Calibration of mass measurement devices.
- Body mass measurement of an individual crewman at specified intervals.

C. PLANNING LIMITATIONS

• Body mass measurements performed every day during meal period after sleep with M071, M073, and M074; calibration measurements taken three times: early, middle, and late in mission.

D.	PERFORMANCE	Minimum No.	Duration of	No. of Crewmen
	<u>Operation</u>	of Performances Performance		
	 Body mass measurement 	Once a day/Cm	5 min	1
	• Calibration measurements	3	15 min	1

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
MI 72
        BODY MASS MEAS
PRIOTY
        189 DES =
                                    100 DIF
                       92 PRO
                                ¥
                                                  41
NAGYOPE 1 NXOPCME 24 NXOPCD = 26 CODE = 1
ISFOR1=
             PRET1 = -0 IRFOR2=
                                     PRET2 # *
TMNTR# 2 16 0 TMXTR# 28 0 0
                                 DTMNRC= 0 22 0
 ACTIVITY GROUP 1 NAGE 1 DIMXAGE 0 1 20
 ACTIVITY I ACTIVITY GROUP 1
 DTACT # 0 1 15 DTAMRC
                            O O O DTMNNA
 NARCM # 1
               NARCD # 1
                             ICORE = 0
  IASETS# 3
               ITSETS# 0
                             IATT = 0
  IRES # 1
               IFIXRS# 0
                             VT
                                  = 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   VASRODE1 NCAN =1
  ICAN #1 * * * *
  TRS
        # 0 0 57 DTD
                         2
  CPO # 0 CD = 2 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   VASROD=1 NCAN =1
   ICAN #2 * + + *
  TRS = 0 1 4 DTD = 0 7
CPO = 0 CD = 2 SDTCD= 0
  ASTRONAUT SET 3 ACTIVITY 1 ACTIVITY GROUP 1
   VASRODE1 NCAN =1
   1CAN =3 # #
        = 0 1 9 DTD
   ŤRS
                        = 0 ñ
        # 0 CD = 2 SQTCD# 0
  LOCAL RESORC SET I ACTIVITY I ACTIVITY GROUPS
  RESNO # 1
               QUNREQ= 4, ño ĝ
      2
           0 0 59 DTD =
  TRS
                            0 7 15
```

HABITABILITY/CREW QUARTERS (M487)

A. OBJECTIVE

- Evaluate OWS crew quarters and habitability in large volume spacecraft.
- Provide baseline data for design criteria for advanced space stations.
- Support physiological and physical well-being of astronauts.

B. OPERATIONS

- Provide astronauts' operational waste management, water management, personal hygiene, food, sleep restraint, and other habitability systems.
- Habitability Support System (HSS) is preinstalled in the OWS.

C. PLANNING LIMITATIONS

None

D. PERFORMANCE

• Time of performance is not defined; activation activities are included in this experiment and are scheduled to occur on the first and second mission days.

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
                      99 PRO = 100 DIF =
                                               24
         621 DES =
PRISTY
        1 NXOPEME 1 NXOPED= 1 CODE = 1
NAGXO 2
            PRET1 = -0 iBFOR2=
                                   PRFT2 = *
IBFOR1=
                      3 0 0 DTMNRC# 0 0 0
THNTR I 8 0 TMXTR=
 ACTIVITY GROUP 1 NAG= 2 DTMXAG= 1
                                   6
  ACTIVITY 1 ACTIVITY GROUP 1
                         O O O DTMNNA O O
 DTACT = 0 5 15 DTAMRCE
                           ICORE = 0
              NARCD # 2
  NARCM # 2
              ITSETS# 0
                           IATT = 0
  TASETS# 1
              IFIXRS# 0
                                = 0
  19ES # 0
                           VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASRODES NCAN =3
   ICAN #1 2 3 * * *
TRS # 0 0 0 DTD = 0 5 15
   ACTIVITY 2 ACTIVITY GROUP 1
  DTACT = 0 3 45 DTAMRC 0 0 0 DTMNNA 0 0 0
  NARCM = 1
              NARCD = 1
                           ICONE = 0
  IASETS 1
                           IATT = 0
               ITSETS= 0
  TRES = 0 IPIXRS 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   VASRODES NOAN =3
   ICAN #1 2 3 + * *
        # 0 0 0 DTD = 0 3 45
   TRS:
              cp = 0 SpTcD= 0
        CPO
```

GRAVITY SUBSTITUTE WORKBENCH (M507)

A. OBJECTIVE

• Explore the merits of using aerodynamic and electrostatic forces as gravity substitutes.

B. OPERATIONS

• Two different astronauts disassemble and reassemble an M508 Task Module using the aerodynamics workbench (AWB) and the electrostatic workbench (EWB).

C. PLANNING LIMITATIONS

• Experiment will be performed in three sessions by two different crew members; one astronaut will perform sessions 1 and 3, the other will perform Session 2.

D.	PERFORMANCE	Minimum No.	Duration of	No. of
	Operation	of Performances	Performance	Crewmen
	 Session 1 (set up AWB; disassemble/reassemble module) 	1	60 min	1
	 Session 2 (disassemble/ reassemble module on AWB; assemble EWB; disassemble reassemble module on EWB) 	1	78 min	1
	 Session 3 (disassemble/ reassemble module on EWB; stow) 	. 1	60 min	1

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
         GRAVITY SUBSTI
PRIOTY
                          55 PRO
                                                       30
                                        100 DIF
           84 DES
         1 NXOPCMB 1 NXOPCD= 1 CODE # 1
NAGKOPE
              PRETI = -0 IBFOR2=
                                         PRET2 = #
IBFORIE .
TMNTR# 7 0 0 TMXTR# 27 0 0 DTMNRC# 0
 ACTIVITY GROUP 1 NAG= 3 DTMXAG= 0 5 30
  ACTIVITY I ACTIVITY GROUP 1
  DPACT # 0 1 0 DTAMRCS
                              O O O DTMNNA# O
 NARCH # 1
                               ICODE = 0
                NARCD = 1
  IASETS# 1
                               IATT = 0
                ITSETS= 0
                IFIXRS= 1
                               VΤ
   ASTRONAUT SET & ACTIVITY 1 ACTIVITY GROUP 1
   YASRODET NOAN =1
   ICAN #3 0 4 4 4 4
         # 0 0 0 DTD
   TRS:
   CPO # 0 CD = 0 SOTCD= 0
                                    ACTIVITY GROUP1
   RESNO # 1 QUNREQ= 112 000
   LOCAL RESORC SET 2 ACTIVITY 1
                                    ACTIVITY GROUPS
   RESNO = 6 GUNREG= 1.000
   TRS: = 0 0 0 DTD
                               0... 1 0...
  TREE SOURC SET 1 ACTIVITY 1 ACTIVITY GROUP 1 IFIXNO 2 UNREG = 1,000
  ACTIVITY 2 ACTIVITY GROUP 1
  DYACT & O 1 18 DTAMRCS
                              O O O DTMNNA#
                               ICODE = 0
  IASETS: 1
                ITSET SE O
                               IATT = 0
                IPIXABS 1
                               VT
   ASTRONAUT SET 1 ACVIVITY 2 ACTIVITY GROUP 1
   NASRODUI NCAN =2
   ICAN #2 1 * # # #
                   0 DTD = 0 1 18
         = 0 0
   TRS:
   CPO: # 0 CD # 0 SOTCD# 0
CDCAL REBORC SET 1 ACTIVITY 2 ACTIVITY GROUP1
                              112,000
   RESNO 1 GUNREGE
   TREST TO DO DTD TO 1 18 CTIVITY GROUPS O 1 18 CTIVITY GROUPS O DTD TO 1 18 CTIVITY GROUPS O DTD TO 1 18 CTIVITY GROUPS O DTD TO 1 18
```

```
FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 1
 İFİXNO=
           2 UNREQ =
                             1.000
ACTIVITY 3 ACTIVITY GROUP 1
DTACT = 0 1 0 DTAMRC#
                            0 0 0 DTMNNA = 0
               NARCD = 1
NARCM = 1
                               ICONE = 0
TASETS= 1
               ITSETS= 0
                               IATT = 0
12ES = 2
              IFIXRS= 1
                              VΤ
                                     = 0
 ASTRONAUT SET 1 ACTIVITY 3 ACTIVITY GROUP 1
 VASROD=1 NCAN =1
 1C4N =3 * * * *
       = 0 0 0 DTD
 TRS
                         = 0 1 0
       = 0 CD = 0 SDTCD= 0
 COCAL RESORC SET I ACTIVITY 3 ACTIVITY GROUPS
RESNO = 1 GUNREG= 37,000

TRS = 0 0 0 DTD = 0 1 0

COCAL RESORC SET 2 ACTIVITY 3 ACTIVITY GROUP1

RESNO = 6 GUNREG= 1,000
 TRS = 0 0 0 DTD = 0 1 0
FIXED RESORC SET 1 ACTIVITY 3 ACTIVITY GROUP 1
 IFIXNO= 2
                UNREG =
                           1,000
```

PRECEDING PAGE BLANK NOT FILMED

ASTRONAUT EVA HARDWARE EVALUATION (M508)

A. OBJECTIVE

• Evaluate and/or measure astronaut skills, astronaut performance, and selected pieces of EVA and IVA hardware.

B. OPERATIONS

- Two crewmen will perform the following four mechanical tasks under various conditions of restraint, while wearing different pressurized space suits and in shirtsleeves:
 - Precise hand movement task
 - Two-hand fine manipulative task
 - Gross and precise force and torque application task
 - Operational maintenance task

The three restraint conditions involve a Flexible Waist Tether, Dutch Shoes, and a combination of both.

 Task sequence will be performed with unlimited and limited access to the work panel.

C. PLANNING LIMITATIONS

None

D.	PE	RFORMANCE	Minimum No.	Duration of	No of
	<u>Operation</u>	of Performances	Performance	No. of Crewmen	
	•	Task sequence-shirtsleeve; lim/unlim access	2	3hrs 30min	1
	•	Task sequence-operational pressure suit; lim/unlim access	2	4hrs 20min	2
	•	Task sequence-constant volume pressure suit; lim/unlim access	2	4hrs 20min	2

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
M508
                      EVA: HARDWARE E
                           97 DES
PRIOTYP
                                                             65 PRO
                                                                                  =
                                                                                              100 DIF
                                                                                                                                30
NAGKOPE
                      2 NXOPCM# 1 NXOPCD# 1 CODE
                                                                                               = 1
                                  PRET1 = -0 |BFOR2=
IBFOR1=
                                                                                                PRET2 =
TMNTR=: 9
                           0
                                  0 TMXTR# 27 0 0
                                                                                    DTMNRC=
  ACTIVITY GROUP 1 NAGE 2 DTMXAGE 10
     ACTIVITY & ACTIVITY GROUP 1
     DTACT = 0 3 30 DTAMRCH
                                                                       O O O DTMNNA#
    NARCH = 1
                                       NARCD = 1
                                                                          ICONE = 0
     IASETS# 1
                                       ITSETS= 0
                                                                          IATT = 0
     TRES = 5
                                       IFIXRS# 1
                                                                          VT
       ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
       YASROD#1 NCAN =1
       1CAN #2 # # # #
       TRS
                      = _0 0 0 DTD
                                                                               3 30
                                                                 = 0
                      # 0 CD # 0 SOTCD# 0
       CPO:
       LOCAL RESORC SET 1 ACTIVITY 1
                                                                                      ACTIVITY GROUPS
       $E$NO # 1 QUNREQ= 420 000
TRS = 0 0 0 DTD = 0 9 30
LOCAL RESORC SET 2 ACTIVITY 1 AC
                                                                                      ACTIVITY GROUPS
                                            QUNREQ=
       RESNO #
                                                                            1.000
       TRS:
                     n 0 0
                                                                         0_ 3 30
                                            0 DTD =
      LOCAL RESORC SET 3 ACTIVITY 1 __ACTIVITY GROUP1
       RESNO = 6
                                            QUNREG# 1.000
      TRS: # 0 0 0 DTD # 0 3 30
LOCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUP1
       RESNO . 7
                                            QUNREQ# 13.000
      TRS . D
      TREE . O O O DTD . . O 3 30 CTIVITY GROUP1
                                           GUNREG=
       SESNO 8 8
                                                                         18.000
      PRS: # 0 0 0 DTD # 0 3 30
PRIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP: 1
       IF!XNOR
                          2
                                           UNREG =
                                                                       2,000
    ACTIVITY 2 ACTIVITY GROUP 1
    DTACT # 0 4 20 DTAMRC#
                                                                      O O DTMNNA#
                                                                                                                 0
   NARCM = 2
                                      NARCD # 2
                                                                         ICONE # 0
                                      ITSETS= 0
                                                                         IATT = 0
      RES B 5 IPIXRS# 2 VT B 0
ASTRONAUT SET I ACTIVITY 2 ACTIVITY GROUP 1
    19ES: 8 5
      NASRGD#2 NGAN #2
      ICAN #2 3 * * * *
     TRS: 5 0 0 0 DTD = 0 4 20 CPO S 0 CD # 0 SOTCD 0 CD # 0 SOTCD 0 CD # 0 SOTCD 0 CD # 0 ACTIVITY GROUP1
      RESNO 5 1
                                           QUNREG 420. ñoñ
     QUNREQ= 1,000
      reano • 5
     THE STORES OF THE STACTIVITY OF THE STACTIVITY GROUPS OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACTIVITY OF THE STACT
```

```
LOCAL RESORC SET 4 ACTIVITY 2 ACTIVITY GROUPS
               QUNREQ=
 RESNO = 7
                           13.000
       = 0 0 0 pTp =
 TRS
                          0 4 20
 LOCAL RESORC SET 5 ACTIVITY 2 ACTIVITY GROUPS
 RESNO = 8
               QUNREQ= 18.000
     = 0 0 a ptp =
                         0 4 20
 FIXED RESORC SET I ACTIVITY 2 ACTIVITY GROUP 1
 IFIXNO= 2 UNREQ = 2.000
FIXED RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP 1
               UNREQ = 140.000
 IFTXNG= 3
ACTIVITY GROUP 2 NAG= 2 DIMXAG= 10 0 0
ACTIVITY 1 ACTIVITY GROUP 2
DÍACÍ = O 3 30 DIAMRC# O O D DIMENA? O O O
NARCM = 1
             NARCD = 1 ICONE = 0
TASETS= 1
TRES = 5
             ITSETS= 0
                           IATT = 0
             IFIXRS= 1
                          VT
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
 NASROD=1 NCAN =1
 1CAN =3 # # # #
       = 0 0 0 0TD = 0 3 30
 TRS
 CPD
       = 0 CD = 0 SDTCD= 0
 LOCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUPS
 RESNO = 1
               QUNREQ= 420.000
       = 0 0 0 0 0 0 = 0 3 30
 TRS
 LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUPS
               QUNREG= 1.000
 RESNO = 5
 TRS = 0 0 0 0TD = 0 3 30
  _nCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUPS
  RESNO = 6
               QUNREQ= 1.000
          0 \ 0 \ 0 \ DTD = 0 \ 3 \ 30
  INCAL RESORC SET 4 ACTIVITY 1 ACTIVITY GROUPS
 RESNO = 7
               QUNREG= 13.000
 TRS = 0 0 0 DTD = 0 3 30
LOCAL RESORC SET 5 ACTIVITY 1 ACTIVITY GROUPS
 ACTIVITY 2 ACTIVITY GROUP 2
DTACT = 0 4 20 DTAMRC = -0 0 0 DTMNNA = 0 0
NARCM = 2 NARCD = 2 ICCDE = 0
IASETS = 1 ITSETS = 0 IATT = 0
IRES = 5 IFIXES = 2 VT = 0
 ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 2
 NASROD=2 NCAN =2
 ICAN =2 3 + + + +
 TRS
       GTG 0 0 0 =
                      = 0 4 20
       = 0 CD = 0 SDTCD= 0
 LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
 RESNO = 1
               QUNREG= 420.000
 TRS
       = 0
            0 \ 0 \ DTD = 0 \ 4.25
```

LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP2
RESNO = 5 QUNREQ = 1.000
TRS = 0 0 0 DTD = 0 4 20
LOCAL RESORC SET 3 ACTIVITY 2 ACTIVITY GROUP2
RESNO = 6 QUNREQ = 1.000
TRS = 0 0 0 DTD = 0 4 20
LOCAL RESORC SET 4 ACTIVITY 2 ACTIVITY GROUP2
RESNO = 7 QUNREQ = 13.000
TRS = 0 0 0 DTD = C 4 20
LOCAL RESORC SET 5 ACTIVITY 2 ACTIVITY GROUP2
RESNO = 8 QUNREQ = 18.000
TRS = 0 0 0 DTD = 0 4 20
FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 2
IFIXNO = 2 UNREQ = 2.000
FIXED RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP 2
IFIXNO = 3 UNREQ = 140.000

C.2

ASTRONAUT MANEUVERING EQUIPMENT (M509)

A. OBJECTIVE

- Determine feasibility of, and compare the performance of, several maneuvering methods (direct jet, rate gyro/jet, control moment gyro and hand held maneuvering unit) using the Automatically Stabilized Maneuvering Unit (ASMU).
- Obtain correlation data between ground simulation and space flight.

B. OPERATIONS

• Crewmen will test each maneuvering method while in shirt sleeves and suited, while both tethered and in free flight.

C. PLANNING LIMITATIONS

None

D.	PERFORMANCE	Minimum No.	Duration of	No. of
	<u>Operations</u>	of Performances	Performance	Crewmen
	• Run 1 (Astronauts 2 & 3)	1	4hrs 45min	2
	Run 2 (Astronauts 1 & 3)	. 1	4hrs 45min	2
	Run 3 (Astronauts 2 & 3)	1	4hrs 55min	2
	Run 4 (Astronauts 1. & 2)	1	3hrs 35min	2

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
M509
         ASTRONAUT MANE
77 DES =
                         45 PRO
                                  = 100 DIF =
PRIOTY=
                                                     34
NAGXOPE
         4 NXOPCMª
                    1 NXOPCD= 1 CODE = 1
IBFOR1:
              PRET1 = -0 18FOR2=
                                       PRET2 = #
TMNTR= 26 0 0 TMXTR= 28 0 0 DTMNRC= 0
 ACTIVITY GROUP 1 NAG= 2 DTMXAG= 0 5 0
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT = 0 0 18 DTAMRCS
                             O O O DIMNNA O
  NARCM = 1
                NARCD = 1
                             ICORE = 0
                              IAT\bar{T} = 0
  TASETS= 2
                ITSETS= 0
  IRFS = 0
               IFIXRS= 0
                              VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=2 NCAN =2
   ICAN #2 3 * * * *
         = 0 0 0 DTD = 0 n
= 0 CD = 0 SDTCD= 0
   TRS
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASRGD#1 NCAN =2
   ICAN =2 3 + * *
            0 0
   TRS.
                  3 DTD = 0 n 15
   ČPO:
         = 0
               CD = 0 SDTCD= 0
  ACTIVITY 2 ACTIVITY GROUP 1
 DTACT = 0 4 25 DTAMRCS
                            O O, Õ DTMNNA# O
 NARCM = 1
                NARCD = 1
                              ICONE = 0
  TASETS= 1
                ITSETS= 0
                              IATT = 0
                IFIXRS= 1
  17ES = 3
                              VT
   ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   NASROD=2 NCAN =2
   ICAN =2 3 + + + +
   TRS:
         * 0 0 0 DTD
                          = 0 4 25
         = 0 CD = 0 SDTCD= 0
  LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
                  QUNREQ=
                           206. ñon
   RESNO = 1
   TRS: = 0 0 0 DTD = 0.4 25
LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP1
   RESNO =
            3
                  QUNREQ# 1.000
  TRS = 0 0 0 DTD = 0 4 25
LOCAL RESORC SET 3 ACTIVITY 2 ACTIVITY GROUP1
                               1.000
   RESNO *
            6
                  QUNREG=
                  0 070 =
   ŤRS:
            n
               0
                              0
                                 4 25
```

```
FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 1
                          10.000
  IFIXNO 2
                UNREG #
ACTIVITY GROUP 2 NAG# 2 DTMXAG# 0 5
 ACTIVITY 1 ACTIVITY GROUP 2
DTACT = 0 0 18 DTAMRC=
                           0 0 0 DTMNNA = 0
                                            0
NARCM = 1
              NARCO = 1
                            ICODE * 0
TASETS= 2
              ITSETS= 0
                           IATT = 0
              IFIXRS= 0
                           ۷Ť
                              = 0
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  VASROD#2 NCAN =2
  ICAN #1 3 + + +
  TRS
       = 0 0 0 DTD = 0
                              ñ 3-
 CPO = 0 CD = 0 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 2
  NASROD#I NCAN =2
  ICAN #1 3 + + + +
  TRS.
       = 0 0 3 DTD = 0 n 15
      # 0 CD # 0 SDTCD# 0
 Ĉ₽0∈
 ACTIVITY 2 ACTIVITY GROUP 2
DTACT = 0 4 25 DTAMRC
                         0 0 0 DTMNNA# 0 0 0
NARCM # 1
TASETS# 1
              NARCD # 1
                          ICOBE # 0
              IPSETS= 0
                           IATT = 0
 IRES: = 3
              IFIXRS= 1
                           VT
 ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 2
 VASRGD=2 NCAN =2
 TCAN #1 3 + + + +
       * O O O DTD
                       = 0 4 25
 TRS:
       # 0 CD = 0 SDTCD= 0
 CPO
 LOCAL RESORC SET 1 ACTIVITY 2
                               ACTIVITY GROUP2
 RESNO # 1
                QUNREQ= 206.000
 TRS: # 0 0 0 DTD # 0 4 25
LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUPS
 RESNO # 3
                QUNREG= 1.000
                0 DTD = 0 4 25
 TRS
       * 0 0
 LOCAL RESORC SET 3 ACTIVITY 2 ACTIVITY GROUP2
                QUNREQ=
 RESNO #
                         1.000
 TRS
          0
             0
                0.07D = 0.4.25
```

```
FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 2
  iFIXNO= 2
               UNREQ = 10.000
ACTIVITY GROUP 3 NAG= 2 DTMXAG= 0 5 15
ACTIVITY 1 ACTIVITY GROUP 3
DTACT = 0 0 18 DTAMRC
                            O O DTMNNA=
                                                 0 0
NARCH = 1
               NARCD = 1
                              ICONE = 0
TASETS 2
               ITSETS= 0
                             IATT
17E5 * 0
 REST # 0 IFIXES O VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
  NASROD=2 NCAN =2
 ICAN =2 3 + + +
       = 0 0 0 DTD
 TRS:
 TRS: = 0 0 0 DTD = 0 0 3
EPO = 0 CD = 0 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 3
 VASROD#1 NCAN =2
 ICAN #2 3 # # # #
          0 0
                 3 pTp = 0 \tilde{n} \tilde{1}5
 TRS
 čP3 = 0 CD ≈ 0 SpTcD= 0
ACTIVITY Z ACTIVITY GROUP 3
DTACT = 0 4 35 DTAMECT
                          .0 0 0 DTMNNA# 0. 0
NARCM # 1
               NARCD = 1
                             ICODE = D
IASETS= 1
               ITSETS= 0
                             IATT = 0
19ES: = 3
              IFIXRS= 1
                                   = 0
                             VT
 ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 3
 NASROD#2 NCAN =2
 ICAN =2 3 * *
 TRS
       = 0 0 0 DTD
                             0 4 35
       * 0 CD = 0 SDTCD= 0
 LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
                 QUNREG# 206.000
 RESNO # 1
 TRS: # 0 0 0 DTD # 0 4 35
LDCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUPS
 RESNO =
          3
                 QUNREQ=
                          1.000
 TRS
          0 0 0 DTD _=
                             0. 4 35
 LOCAL RESORC SET 3 ACTIVITY 2
                                ACTIVITY GROUPS
          6
                 QUNREQ=
                              1.000
 RESNO *
 TRS:
                 OTO
                             0
                                4 35
```

```
FIXED RESORC SET 1 ACTIVITY 2 _ ACTIVITY GROUP 3
                           10.700
                UNREQ =
 IFIXNOP 2
ACTIVITY GROUP 4
                 NAG= 2 DTMXAG=
                               ñ 4
ACTIVITY 1 ACTIVITY GROUP 4
                                          0 0
                                                 0
DTACT & O O 18 DTAMRC
                           O O O DTMNNA
NARCM # 1
              NARCD = 1
                            ICONE = D
 IASETS= 2
              ITSETS# D
                           IATT # 0
  RES = 0 IFIXES O VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 4
 TRES = 0
  VASROD=2 NCAN =2
  ICAN =1 2 + + +
       $
          0 0 0 0 0
                        = 0 ñ
                                3
 CPO:
      # 0 CD # 0 SOTCD# 0
  ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 4
  VASRODEL NCAN #2
  ICAN #1 2 + *-*-*
  ริสร์
       # 0 0 3 DTD
                            D ñ 15
             CD = 0 SDTCD= 0
 CPO.
       8 D
 ACTIVITY & ACTIVITY GROUP 4
 DYACT E D 3 15 DTAMRC
                           O O Ö DTMANA# O
                                              n
 NARCH B 1
              NARCD # 1
                            ICONE = 0
 TASETS: 1
              ITSETS 0
                                 = 0
                            IATT
             IFIXRS# 1
                            ۷Ť
  ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 4
  VASROD#2 NCAN =2
  ICAN #1 2 + + + +
                       = 0 3 15
          O O O DTD
  TRS:
        H O CD H O SDTCDH O
  CPO:
  LOCAL RESORC SET 1 ACTIVITY 2
                                ACTIVITY GROUP4
  RESNO # 1
                QUNREQ# 206.000
  TRS # 0 0 0 DTD # 0 3 15
  LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP4
  RESNO # 3
                QUNREQ= 1.000
  TRS: # 0 0 0 DTD # 0 3 15
LOCAL RESORC SET 3 ACTIVITY 2 ACTIVITY GROUP4
                QUNREG" 1.000
  RESNO # 6
      8 U O
                            0 3 15
  ŤRS:
                0 070 #
  BUNED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 4
                UNREG =
  IFIXNOB 2
                            10.000
```

PRECEDING PAGE BLANK NOT FILMED

NUCLEAR EMULSION (S009)

A. OBJECTIVE

- Study charge spectra of cosmic ray particles.
- Obtain detailed composition of heavy primary nuclei.
- Search for rare particles.
- Study these phenomena as function of solar cycle.

B. OPERATIONS

• Emulsion package is activated as soon as possible into the mission, and deactivated at the end of the mission and placed in experiment container and stored in CM for return.

C. PLANNING LIMITATIONS

None

D.	PERFORMANCE	Minimum No. Duration of		No. of
	Operation Operation	of Performances	Performance 23 min	Crewmen 1
	Activation of emulsion package	1		
	 Deactivation and retrieval 	1	12 min	1

E. POINTING REQUIREMENTS

 Must point into space, with line-of-sight clear of the earth's atmosphere, for at least 50 percent of the experiment time.

```
DETAILED EXOP DEFINITION
5009
        NUCLEAR EMULSIO
                         69 PRO = 10C DIF =
PYTCIPA
        75 DES =
                                                      21
NAGNOPE 1 NXOPCME 1 NXOPCD= 1 CODE = 1
              PRET1 = -0 IBFOR2=
                                        PRET2 = *
TMNTR#: 2 12 0 TMXTR= 29 0 0 DTMNRC= 0 0 0
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 26 2 0
  ACTIVITY 1 ACTIVITY GROUP 1
DTACT = 26 1 0 DTAMRC= 0 0 0 DTMNNA# 0
                                                  0
                                                      0
  NARCM = 1
               NARCD = 1
                               ICONE = 0
  IASETS= 2
                ITSETS= 0
                               IATT = 0
               IFIXRS= 0
  IRES = 0
                               VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =3
   ÍCAN "1 2 3 * * *
         = 0 \ 0 \ 0 \ DTD = 0 \ \tilde{n} \ 23
   TRS:
   CPD: = 0 CD = 0 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =3
   ICAN =1 2 3 * * *
        = 26 0 48 DTD = 0 <math>\vec{n} \vec{1} 2
   TRS
         = 0 CD = 0 SDTCD= 0
   CPO
```

ZERO-G SINGLE HUMAN CELLS (SO15)

A. OBJECTIVE

• Observe the effects of zero gravity on living human cells in a tissue culture.

B. OPERATIONS

• Perform necessary biopack feed, label, rinse and fix cycle.

C. PLANNING LIMITATIONS

• Perform on fourth and tenth days.

D.	PERFORMANCE	Minimum No.	Duration of Performance	No. of Crewmen
	<u>Operation</u>	of Performances		
	 Preparation, first lab injection 	pel 2	15 min	1
	• Rinse, second label in	njection 2	10 min	1
	 Rinse, fixative inject shutdown 	cion, 2	25 min	1

A 45-minute delay is needed between the first and second operations, and 50 minutes is required between the last two operations.

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
S015'
         ZEROGG SINGLE
         71 DES = 60 PRO = 100 |
1 NXOPCM = 2 NXOPCD = 2 CODE = 3
PRET1 = -0 IBFOR2 = PRE
                                        100 DIF
                                                       23
NAGKOPS
                                         PRET2 = #
IBFOR15
THNTR THXKR
     Õ.
        ñ
            5 0 0
 ACTIVITY GROUP 1 NAGE 3 DTMXAGE 0 2 30
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT # 0 0 15 DTAMRC#
                              O O O DIMNNA O
                                                  0 45
  NARCM # 1
                 NARCD # 1
                                ICOBE # 0
  TASETS# 1
                 ITSETS 0
                                IATT
   REST & O TRIXES O VT = O ASTRONAUT SET I ACTIVITY 1 ACTIVITY GROUP 1
  IRES & O.
   NASRODEL NCAN =3
   ICAN #3 2 1 * * *
         * 0 0 0 DTD = 0 0 15
       ĈPO:
  ACTIVITY 2 ACTIVITY GROUP 1
 DTACT # 0 0 10 DTAMRC# 0 0 0 DTMNNA# 0
  NARCH # 1
                NARCD # 1
                              ICONE # 0
                ITSETS= 0
  IASETS# 1
                               IATT = 0
                               VŤ
  IRES # 0
                IFIXRS= 0
   ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   NASROD#1 NCAN =3
   ICAN 83 2 1 + + +
  TRS: # 0 0 0 DTD # 0 0 10 CPO # 0 CD = 0 SOTCD# 0 ACTIVITY GROUP 1
 DTACT = 0 0 25 DTAMRC = NARCH = 1 NARCD = 1
                              O O O DIMNNA
                              1000E = 0
  TASETS= 1
                ITSETS# 0
                               IATT = 0
                IFIXRS* 0
                               VŤ = 0
  IRES: = 0
   ASTRONAUT SET & ACTIVITY 3 ACTIVITY GROUP 1
   NASRODEL NCAN =3
   ICAN #3 2 1 + * *
              D O DTD # 0
   TRS:
         # O
               CD # 0 SDTCD# 0 4
   CPO-
         # O
```

UV STELLAR ASTRONOMY (S019)

A. OBJECTIVE

• Obtain UV photographic exposures of 27 star fields on celestial sphere.

B. OPERATIONS

- Locate and photograph preselected UV areas.
- Six exposures per star field; programmed exposure times will be 30 seconds, 1 minute, and 2 minutes (2 exposures for each time).

C. PLANNING LIMITATIONS

- e Experiment must be performed during dark side passes (experiment will remain on airlock during day portion of orbit but will not require attention of astronaut; experiment should be demounted and stowed between observing periods separated by more than 12 hours to minimize exposure, to radiation).
- At least two separate observing periods be allotted to this experiment with an interval of at least five days between the two.
- It is assumed that two target fields (i.e., 12 exposures) may be photographed during one night time pass.

D.	PERFORMANCE	Minimum No.	Duration of	No. of
	Operation	of Performances Performance	Crewmen	
	 Installation of specto- graph and mirror system 	2	30 min	1
	Photograph star field	27	15 min	1
	Post-operational tasks	2	60 min	1

E. POINTING REQUIREMENTS

- OA orientation: ±2 degrees attitude hold.
- Experiment has mirror system to aid in UV acquisition.

```
DETAILED EXOP DEFINITION
S019 ... UV STELLAR ASTR
PRIOTYP
          48 DES
                        52 PRO
                                     100 DIF
                                                   18
       1 NXOPCM# 2 NXOPCD# 2 CODE # 1
18F3R1=
             PRET1 = -0 IBFOR2=
                                      PRET2 A
TMNTR 11
          0 0 TMXTR= 27 0 0
                                 DTMNRC= 9
 ACTIVITY GROUP 1 NAG= 3 DTMXAG= 5 0
  ACTIVITY I ACTIVITY GROUP 1
 DTACT # 0 0 30 DTAMRC#
                            O O DTMNNA#
 NARCH = 1
               NARCD = 1
                            IconE = o
               ITSETS= 0
  IASETS= 1
                             IATT = 0
  REST O INTERNATION VT O ASTRONAUT SET I ACTIVITY 1 ACTIVITY GROUP I
  TRES : 0
  NASRODE1 NCAN =3
  TCAN #3 2 1 * * *
        # 0 0 0 DTD
  TRS
                         = 0 ñ 30
              CD = 0 SDTCD= 0
        # ()
  CPO
 ACTIVITY 2 ACTIVITY GROUP 1
 DTACT = 0 1 30 DTAMRCS
                            O O O DTMNNAS
                             ICOBE # 0
 NARCO = 1
               ITSETS= 1
                             IATT = 1
              IFIXRS= 0
 TRES = 0
                             VT
  ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  YASRGDH1 NCAN =3
  ICAN #3 2 1 + # #
  TRS:
        * 0 1
                    DTD
                 0
                         # 0 n 30
        = 0
              CD = 0
                      SDTCD# 0
  TRAJECTORY SET 1 ACTIVITY 2 ACTIVITY GROUP
                 BODNAM= SUN LTF
  300Y # SUN
                                   - # O
      · • 0 0 0
                      DID.
  ATTITUDE SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  MODEC . I
  PRS:
             1
                 O DTD
                            0 0 30
 ACTIVITY 3 ACTIVITY GROUP 1
 DYACT # 0 1
NARCH # 1 N
                O DTAMRCE
                            O O O DYMNNAS
               NARCD 8:1
                             ICODE # 0
 TASETS 1
               ITSETS# 0
                             IATT # 0
 IRES = 0
               INIXRS# 0
                             ۷Ť
  ASTRONAUT BET 1 ACTIVITY 3 ACTIVITY BROUP 1
  NASROD#1 NCAN #3
  ICAN #3 2 1 + + +
              0
                 O DTD
              CD = 0 SDTCD= n
```

UV/X-RAY SOLAR PHOTOGRAPHY (SO20)

A. OBJECTIVE

 Photographically obtain spectograms of solar radiation between 10-200 angstroms over two ranges and resolutions during active and inactive solar conditions.

B. OPERATIONS

- Obtain solar photographs of "quiet" sun using pre-established exposure periods; 10 exposures, two each of the following lengths: 60 minutes, 30 minutes, 15 minutes, 8 minutes and 5 minutes (the 60-minute exposures may be broken down into two 30-minute exposures).
- Obtain additional exposures during periods of solar activity when informed by ground that a solar flare is to occur.

C. PLANNING LIMITATIONS

- Perform during daylight, between 5 minutes after OA sunrise and 5 minutes before OA sunset.
- Preferable to photograph one sequence of each exposure length as early as possible in the mission and the remainder as late as possible.

D.	PERFORMANCE	Minimum No.	Duration of	No of
	<u>Operation</u>	of Performances	Performance	No. of Crewmen
	Experiment setup in SAL	2	35 min	1
	 5-exposure sequence (include 6-minute prepar for each exposure) 	2 ration:	2 hr 30 min	. 1
	 Stow film/shut down syst 	cem 2	45 min	. 1

E. POINTING REQUIREMENTS

Attitude hold: ±-.25 degree when photographing solar disc.

```
DETAILED EXOP DEFINITION
S020
        X-RAY SOLAR PH
                                                    29
                         58 PRO
                                      100 Ulr
BYTCIRC
                                  弄
          84 DES
                  Ξ.
NAGXOPE
        1 NXOPCM# 2 NXOPCD= 2 CODE
                                      = 1
                                       PRE12 # #
IBFOR18
              PRET1 = -0 IBFOR2=
              0 TMXTR= 27 U 0
                                  DTMNRC= 15
TMNTR# 3
 ACTIVITY GROUP 1 NAG= 6 DTMXAG= 26
 ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 0 0 35 DTAMRC=
                             O O O DTMNNAF
                                                 0
 NARCM # 1
                NARCD = 1
                              ICODE = 0
                ITSETS# 0
  TASETS= 1
                              IATT
                                    = 0
                IFIXRS# 0
                              VT.
  IRES: = 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD#1 NGAN
                 = 3
   ICAN #3 2 1 * * *
                                 0 35
           0. 0 0 DTD
   TRS:
  CPO = 0 CD = 0 SDTCD:
ACTIVITY 2 ACTIVITY GROUP 1
                       SDTCD= 0
              0 36 DTAMRC=
                             O O O DTMNNA=
  DTACT = 0
 NARCM # 3
                NARCD # 3
                              ICODE = 0
                ITSETS= 1
                              IATT = 1
  IASETS= 1
                                    = 0
                IFIXRS= 0
                              VT
  IRES # 1
   ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   NASROD=1 NCAN =3
   ICAN #3 2 1 * * *
         = 0 0
                  O OTD
   TRS
               CD = 0
                      SDTCD= 0
   CPO
         # 0
   TRAJECTORY SET 1 ACTIVITY 2 ACTIVITY GRUUP
                                 LTF # 0
        # SUN
                  BODNAM= SUN
   YCOS
         # 0 0 5 `
                                 0 0 41
                        DTD 2
   ATTITUDE SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   MODEC # 1
```

```
= 0 0 0 0 TU = 0 0 36
TR5
LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
               QUNREG=
                         7.000
RESNO =
         1
     =
               อ อริย
           0
                           0 0 36
TRS
         0
ACTIVITY 3 ACTIVITY GROUP 1
DTACT = 0 0 21 DTAMRC=
                         O O O DTMNNA=
                           ICODE = 1
             NARCD = 1
NARCM = 1
             ITSETS= 1
                                 = 1
                           IATT
TASETS= 1
1RES = 1
                           VT
                                 = 0
             IFIXRS= 0
 ASTRONAUT SET 1 ACTIVITY 3 ACTIVITY GROUP 1
 NASROD=1 NCAN
              = 3
 ICAN =3 2 1 * * *
         ט ס ס ס ס ס
                              0 21
 TRS
      =
                      = 0
      = 0 CD = 0 SDTCU= 0
 SPO
 TRAJECTORY SET 1 ACTIVITY 3 ACTIVITY GROUP COS TO THE SUN LTF = 0
      = 0 0 5
                     DTD = 0 0 26
 TRS
 ATTITUDE SET 1 ACTIVITY 3 ACTIVITY GROUP 1
 40)EC = 1
      = 0
            0
              טדט ם
                     = 0
 TRS
 LOCAL RESORC SET 1 ACTIVITY 3 ACTIVITY GROUP1
               GUNREG=
 RESNO = 1
                            7.000
 TR5 =
            0
        0
               ด อริง
                           0 0 21
ACTIVITY 4 ACTIVITY GROUP 1
                         O O O DIMNNA =
DTACT = 0 0 14 DTAMRC=
             NARCD = 1
                           ICODE = 1
NARCM = 1
                                 = 1
             ITSETS= 1
IASETS= 1
                           IATT
             IFIXRS= 0
                                 = 0
                           VT
IRES = 1
 ASTRONAUT SET 1 ACTIVITY 4 ACTIVITY GROUP 1
 NASROD=1 NCAN =3
 ICAN =3 2 1 * * *
           0
               D DTD
      = 0
                       = 0 0 14
 TRS
      = 0 CD = 0
                    SDTCD= 0
 CPO
 TRAJECTORY SET 1 ACTIVITY 4 ACTIVITY GROUP
               BOUNAM= SUN LTF = 0
 NUZ = YCOE
      = 0 0 5
                     DTD
                                 0 19
                              ٥
 ATTITUDE SET 1 ACTIVITY 4 ACTIVITY GROUP 1
 MOJEC = 1
```

```
TRS^{\circ} = 0 \ 0 \ 0 \ DTD = 0 \ 0 \ 14
LOCAL RESORC SET 1 ACTIVITY 4 ACTIVITY GROUP1
              QUNREQ=
RESNO = 1
                       7.000
    = 0 0 0 pTD
                    = 0 0 14
TRS
ACTIVITY 5 ACTIVITY GROUP 1
                       O O O DTMNNA U O
                                              0
DTACT = 0 0 11 DTAMRC=
                         ICODE = 1
NARCM = 2
            NARCU = 2
TASETS= 1
            ITSETS= 1
                         IATY = 1
            IFIXRS= 0
IRES = 1
                         VT
 ASTRONAUT SET 1 ACTIVITY 5 ACTIVITY GROUP 1
NASROD=1 NCAN =3
 ICAN =3 2 1 * * *
      = 0 0 0 0 DTU = 0 0 11
 TRS
      = 0 CD = 0 SDTCD= 0
 TRAJECTORY SET 1 ACTIVITY 5 ACTIVITY GROUP
              BODNAM= SUN LTF = 0
 NUS = YCOE
     = 0 0 5
 TRS
                   DTD = 0 0 16
 ATTITUDE SET 1 ACTIVITY 5 ACTIVITY GROUP 1
 400EC = 1
                    = 0 0 11
      = 0 0 0 DTU
 TRS.
 LOCAL RESORC SET 1 ACTIVITY 5 ACTIVITY GROUP1
              QUNREQ= 7.000
 RESNO = 1
    =
         üTa 0 0 0
                        0 0 11
 TRS
ACTIVITY 6 ACTIVITY GROUP 1
                       O O O DTMNNA# U
DTACT = 0 0 45 DTAMRC=
                         ICODE = 0
NARCM = 1
            NARCU = 1
            ITSETS= 0
                         IATT # 0
IASETS= 1
         IFIXRS= 0
12ES = 0
 ASTRONAUT SET 1 ACTIVITY 6 ACTIVITY GROUP 1
 VASRQD=1 NCAN =3
 ICAN *3 2 1 * * *
         0 0 0 DTD = 0 0 45
 TRS
           CU = 0 SDTCD= 0
 CPD
```

PARTICLE COLLECTION (S149)

A. OBJECTIVE

• Determine distribution, composition, and morphologies of micrometeorites in near-earth space.

B. OPERATIONS

• Cassettes are exposed for a period of 72 hours to near-earth space for collection of micrometeorites.

C. PLANNING LIMITATIONS

None

D.	PERFORMANCE	Minimum No.	Duration of	No. of Crewmen	
	<u>Operation</u>	of Performances	Performance		
	o Unstow, set up, and extend to operating syste	1 em	43 min		
	Expose cassettes	1	72 hr	1*	
	Retrieve and stow	1	15 min	1	

^{*} Crewman necessary for first 5 minutes only to backup with onboard activation if ground control monitoring malfunctions.

E. POINTING REQUIREMENTS

Experiment hardware will be positioned by deployment of the TO27 extension device out of the SAL on the anti-sun side of the OWS.

```
DETAILED EXOP DEFINITION
       MICROMETERORITE
                        66 PRO
PRISTY
          95 DES
                                     100 DIF
                                                   29
                                 2
NAGKOPE 1 NXOPCME 1 NXOPCD= 1 CODE # 1
IBFOR1
                                      PRETZ # #
          PRET1 = -0 1BFOR2=
TMNTR# 2 0 0 TMXTR# 27 0 0
                                 DTMNRC= 0 0
 ACTIVITY GROUP 1 NAG= 2 DTMXAG= 3 3 0
 ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 3 0 43 DTAMRC = 0 0 0 DTMNNA 0
 NARCM = 1
               NARCD = 1
                            ICOÑE = 0
  IASETS: 1
                             IATT = 1
               ITSETS# 0
  19ES = 1
               IFIXRS= 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASRODE1 NCAN =3
   ICAN 51 2 3 * *
  TRS # 0 0 0 DTD # 0 CP3 # 1 CD # 0 SQTCD# 0
  ATTITUDE SET 1 ACTIVITY 1 ACTIVITY GACUP 1
  MODEC # 1
  TRS = 0 0 0 DTD = 3 0 43
COCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP1
  RESNO = 1
                             50 ก็ออ
                 GUNREG=
  TRS = 0 0 0 DTD =
                             3 ñ 43
 ACTIVITY 2 ACTIVITY GROUP 1
 DTACT # 0 0 19 DTAMRCS 0 0 DTMNNAS D
NARCM # 1 NARCD # 1 ICODE # 0
 IASETS# 1
               ITSETS O
                             IATT # O
 TRES # 0 INIXES 0
                             ۷Ť
  ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  VASROD®1 NCAN =3
  ICAN #1 2 3 # # #
        # 0 0 0 DTD
                         × 0
  TRS:
              CD = 0 STCD# 0
   ĈPO.
```

MULTISPECTRAL PHOTOGRAPHIC FACILITY (S190)

A. OBJECTIVE

Obtain multispectral photographic data to provide for a wide range of user oriented studies and determine the extent to which precision and repetitive multispectral photographic data from space can be effectively applied to earth resources discipline.

B. OPERATIONS

Photography in local vertical attitude over prescribed land mass targets.

C. PLANNING LIMITATIONS

- Sun elevation angle greater than 30 and 20 degrees in the summer and winter hemispheres, respectively.
- Exposures limited to daylight passes only.
- Approximately 20 percent of the exposures made with sun less than 60 degrees above horizon.
- Targets are preselected land mass areas; distribution will be 70% to 80% over the United States with the balance over other countries.
- Cloud cover should not exceed TBD% unless under specific instructions from the ground.

D. PERFORMANCE

- The number of performances will depend upon the availability of targets during the mission; mimimum number of performances is 45 for the 3 missions. Each performance has the following operations, requiring one crewman:
 - Preparation (unstow, position camera, install film) 25 minutes
 - Photography (exposures of prescribed land masses) 10 minutes
 - Post-operational (remove film, stow camera) 25 minutes

E. POINTING REQUIREMENTS

- ullet Alignment of the camera array principal axes to be within ± 2.5 degrees of the nadir.
- Drift not to exceed 0.1 deg/sec.

```
OFTAILED EXOP DEFINITION
SIPO MULTISPECTRAL P
                         64 PRO
                                = 100 DIF =
                                                    16
          51 DES =
PRIOTYS
NAGXDPR 4 NXOPCMR 1 NXOPCDF 1 CODE # 1
                                       PRETZ = +
IBFOR1
             PRET1 = -0 IBFOR2=
                                  DTMNRC= 0
TMNTR# 5 0 0 TMXTR# 27 0 0
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 23 0 0
  ACTIVITY I ACTIVITY GROUP 1
                             D O O DTMNNA# 0 0
 DTACT # 0 1 0 DTAMRC#
                              ICONE = 0
 NARCH = 2
                NARCD # 4
                              IATT
                ITSETS= 1
  IASETS# 1
  TAES: + 1
                IFIXRS# 0
                              VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASRODE1 NCAN =2
   ICAN =3 2 + + +
         = 0 0 0 DTD = 0 1
   TRS
   CPO = 0 CD = 0 SOTCD= 0
TRAJECTORY SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   BODY # LANDMK BODNAME ANOMLY ITF = 1
         # 0 0 29 DÎD # 0
# 0 9 0 DTMAX # 0
   TRS:
                        DTMAX = n 16 0
   TAIN . O
   LOCAL RESORC SET 1 ACTIVITY 1 _ ACTIVITY GROUP1
                  QUNREG* 1,000
   RESNO = 10
            0 0 0 0 0 =
                              0 1 0
   តុំដូន្ធ 🖘
 ACTIVITY GROUP 2 NAGR 1 DTMXAGR 23 0 0
  ACTIVITY 1 ACTIVITY GROUP 2
  DTACT FO I ODTAMRC 0 0 0 DTMNNAG 0 0 0
                NARCD # 6 ICONE # 0
  NAROM # 4
                              IATT = 0
                ITSETS= 1
  IASETS# 1
               IFIXRS# O_
                              VT
  TRES = 1
   ASTRONAUT SET & ACTIVITY & ACTIVITY GROUP ?
   NASRODEL NCAN =2
   ICAN #3 2 * * * *
         = 0 0 0 DTD = 0 1
   TRS
   CPO # 0 CD # U SDICUT U ACTIVITY GROUP
         # 0 CD # 0 STCD# 0
   BODY # LANDMK BODNAM# TEXAS THE # 1
                                 ñ Ó
         = 0 0 29 DTD
                              2
   PRS:
   PRS: 0 9 0 DTMAX * 0 10 U
DTMIN = 0 9 0 DTMAX * 0 10 U
DCAL RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP2
RESNO = 10 QUNREQ 1,000
   ₹89 # 0 0 0 0 0 0 PD #
 ACTIVITY GROUP 3 NAGE 1 DTMXAGE 23 0 0
  ACTIVITY 1 ACTIVITY GROUP 3
  DTACT = 0 1 0 DTAMRC = 0 0 0 DTMNNA* 0 0
NARCM = 3 NARCD 8 5 ICORE = 0
```

```
TASETS= 1
              ITSETS= 1
                            IATT
                                 ¤ ()
 RES: # 1 ... IFIXRS= 0 VT # 0 GROUP 3
 TRES: # 1.
 NASROD=1 NCAN =2
 ICAN #3 2 # # #
       # 0
                O DTD
 TRS:
             Ō
                        = 0 1
 CPD
       # O
             CD = 0 SDTCD= n
 TRAJECTORY SET 1 ACTIVITY 1 ACTIVITY GROUP 3
 BODY # LANDMK BODNAM= ONTAR! LTF # 1
                      DTD = 0 0 2
DTMAX = 0 16 0
             0 29
 TRS
       # O
 ATMIN . 0
             9 0
 COCAL RESORC SET 1 ACTIVITY 1 _ ACTIVITY GROUPS
                QUNREQ=
 RESNO = 10
                            1,000
                            0 1
 ŤRS:
       #
          0
                מלמ 0
             0
ACŤIVÍTÝ GROUP 4 NAGE 1 DÍMXAGE 23 O
ACTIVITY & ACTIVITY GROUP 4
DTACT : 0 1
               O DTAMRCE
                           O O D DTMNNAF
              NARCD = 2
NARCM = 1
                            ICONE = D
IASETS: 1
              ITSETS= 1
                            IATT = 0
                                  = 0
 TRES = 1
              IRIXRS= 0
                            VT
 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 4
 VASROD#1 NCAN
               =2
 TCAN #3 2 4 #
 TRS
             Ď
                O DTD
                        =
 ÇP0
             CD = 0 SDTCD= 0
       = 0 ...
 TRAJECTORY SET 1 ACTIVITY 1 ACTIVITY GROUP
 BODY # LANDMK BODNAM= GANDER L'TF
                                    = 1
       B 0 0 29
 TRS:
                      D\hat{T}D = \hat{0} = 0
                                     2
 OTMIN .
                      DYMAX = n 16
          0
 COCAL RESORC SET 1 ACTIVITY I ACTIVITY GROUP4
 TRS.
          0
             Õ
                0 070
                            0
                               4
```

PRECEDING PAGE BLANK NOT FILMED

IN-FLIGHT AEROSOL ANALYSIS (T003)

A. OBJECTIVE

- Measure the aerosol particle concentration and size distribution inside the spacecraft as a function of time.
- Collect the measured aerosol particles for postflight analysis.

B. OPERATIONS

- As early as possible after OWS activation, the instrument will be removed from its storage location and samples taken; measurements will be continued periodically in the CM, forward dome, and crew quarters until mission completion as per the following schedule:
 - After securing nephelometer to CS-12 immediately following OWS activation, astronaut performs experiment at this station every eight hours (±2 hours) thereafter.
 - On days 4, 14, and 24, immediately following a reading at CS-12 he will move the experiment to CS-10, CS-1, and CS-11 and take one reading with the instrument hand held at each of these stations, respectively; the nephelometer is to be always returned to CS-12 with the experiment performed at the aforementioned frequency.
 - One reading should also be taken on days 4, 14, and 24 whenever crewman enters stations CS-15 (before food preparation and after eating), CS-16 (before and after use of sanitary facilities), and CS-14 (immediately after change and/or suit donning).
 - At astronaut's discretion, 10 readings may be made during the flight at times and positions that may be a source of particulate generation.

C. PLANNING LIMITATIONS

• Experiment is not to be performed if the cabin temperature is above 90°F or 85 percent relative humidity or if visible fogging exists.

D.	PERFORMANCE	Minimum No.	Duration of	No. of Crewmen	
	<u>Operation</u>	of Performances	<u>Performance</u>		
	 Reading at CS-12 Readings at CS-10, CS-1, CS-11 	66 3	3 min 15 min	1	
	Readings at CS-15, CS-16, CS-14	3	24 min	1	
	• Astronaut selected readings	10	7 min	1	

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
         INFLIGHT NEPHE
TOOSA
PRIOTY=
         88 DES = 82 PRO = 100 DIF
2 NXOPCM= 3 NXOPCD= 3 CODE = 3
                                                        21
IBFOR1=
               P9E71 = -0 [BFOR2=
                                          PRET2 = *
TYNTR TMXKR
  4 2 6
            5 0
 ACTIVITY GROUP 1 NAGE 1 DTMXAGE 1 0 0
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT # 0 0 18 DTAMRC#
                               0 16 0 DTMNNA 0
                                                    0
  NARCM = 2
                 NARCD = 2
                                 ICONE = 0
                                I_{\Delta}T\bar{T} = 0
                 ITSETS= 0
  TASETS= 1
   RES = 0 IFIXRS= 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  1RES = 0
   VASRGE = 1 NCAN = 3
   ICAN =1 2 3 + + +
   TRS = 0 0 0 DTD = 0 n 18
SP3 * 1 CD = 2 SDTCD= 1
   ñ o =doxmtd o o o =conmtc
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 0 1
  ACTIVITY 1 ACTIVITY GROUP 2
  DÍACT É O O 18 DTAMRCÉ O O Ö DTMANAR O
                                                     0
  NARCM = 1
                               IconE = 0
                 NARCD = 1
  TASETS= 1
                 ITSETS= 0
                                IATT = 0
   RES = 0 IFIXRS= 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  [RES = 0
   NASROD=1 NCAN =3
   ICAN #1 2 3 * * *
   TRS
         = 0 0 0 DTD
                                0 ñ 18
                           22
         = í
   ČP3
                CD = 1 SOTCD= 0
```

```
DETAILED EXOP DEFINITION
Y0038
        INFLIGHT NEPHE
PRISTY
        124 DES =
                        82 PRO
                                I
                                     100 DIF
                                                   30
        2 NXOPCMB 22 NXOPCD= 23 CODE # 1
NAGXDPE
             PRET1 = -0 IBFOR2=
IBFOR1=
                                      PRET2 = #
          0 0 TMXTR= 28 0 0
THNTR# 2
                                 DTMNRC= 0
ACTIVITY GROUP 1 NAG= 1 DTMXAG= 1 0 .0
 ACTIVITY 1 ACTIVITY GROUP 1
 DTACT B O O 3 DTAMRCE
                            0 17
                                 O DTMNNA = O
                                               0
                                                   0
               NARCD = 2
 NARCH = 2
                             ICONE = 0
 TASETS= 1
               ITSETS= 0
                             IATT
  IRES # 0
               IFIXRS= 0
                             VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  VASRGD#1 NCAN #3
1CAN #1 2 3 * * *
  TRS:
              # _ O
                                  -3
  ČPO:
  DTMNCD# 0
             0 0 DTMXCD= 0
ACTIVITY GROUP 2 NAG= 1 DTMXAG=
                                  0 1
 ACTIVITY 1 ACTIVITY GROUP 2
 DPACT = 0 0 3 DTAMRC
                            O O O DIMNNA
 NARCH = 1
               NARCD = 1
                             ICODE = 0
 TASETSE 1
               ITSETS 0
                             IATT = 0
 IRES . O
               IFIXRS O
                             VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  NASRODE1 NCAN =3
  ICAN
        #1 2 3 * *
  TRS:
                 OTO 0
        F: 0
              0
                                   3
  CPO-
              CD = 1 SOTCD= 0
```

PRECEDING PAGE BLANK NOT FILMED

FOOT CONTROLLED MANEUVERING UNIT (TO20)

A. OBJECTIVE

- Determine feasibility of the Foot Controlled Maneuvering Unit (FCMU)
- Obtain operational data for future design and compare with other EVA maneuvering concepts.

B. OPERATIONS

- Perform preselected maneuvers (suited and unsuited) using the FCMU with and without a Propulsion Gas Umbilical (PGU).
- One astronaut operates FCMU while a second astronaut acts as observer and safety man; upon completion of a series of maneuvers by one astronaut, the two men will exchange places and repeat the maneuvers.
- A period at the beginning of each series of maneuvers will be devoted to practicing to develop a feel for the prescribed experiment maneuvers.

C. PLANNING LIMITATIONS

• Experiment will be performed in three runs; each of the three runs should be conducted on separate days, minimizing the dumping of OWS gas overboard.

D.	PERFORMANCE	Minimum No.	Duration of	No. of Crewmen	
	<u>Operation</u>	of Performances	Performance		
	 Run 1 (Astronauts 1 & 2 test/shirtsleeve, Astronaut 1 tests/suited) 	1	150 min	.2	
	Run 2 (Astronaut 2 tests/ suited)	1	90 min ·	2	
	 Run 3 (Astronaut 3 tests/ shirtsleeve) 	1	66 min	2	

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
Ť020
        FOOT CONTROLLE
                                                 36
PRISTY
         126 DES
                       70 PRO
                                    100 DIF
        1 NXOPCM# 1 NXOPCD# 1 CODE # 1
NAGXOPE
                                     PRET2 =
             PRET1 = -0 iBFOR2=
IBFOR1=
TMNTR= 14 0 0 TMXTR= 27 0 0 DTMNRC= 0
 ACTIVITY GROUP 1 NAG= 3 DTMXAG= 8 0
                                       0
  ACTIVITY 1 ACTIVITY GROUP 1
                          O O O DTMNNA#
  DTACT = 0 2 30 DTAMRC#
               NARCD = 1
  NARCM = 1
                            ICONE = 0
               ITSETS= 0
  IASETS= 2
                            IATT
  19ES = 3
               IFIXRS= 2
                                  = 0
                            VT
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   ICAN =1 + + + +
        = 0 0 0 DTD = 0 2 30
   TRS
        = 0 CD = 0 SDTCD= 0
   ASTRONAUT SET 2 ACTIVITY 1 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   1CAN =2 * * * *
        = 0 0 9 DTD
                        = 0 1 51
   TRS
        = 0 CD = 0 SDTCD= 0
   LOCAL RESORC SET 1 ACTIVITY 1
                                 ACTIVITY GROUP1
                 QUNREG=
                           126,000
   RESNO = 1
   TRS = 0 0 9 DTD = 0 1 51
   LOCAL RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP1
                 GUNREG=
   RESNO = 3
                             1.000
   TRS = 0 0 9 DTD = 0 1 51
LOCAL RESORC SET 3 ACTIVITY 1 ACTIVITY GROUP1
       0 = 6 QUNREQ= 1,000
= 0 0 9 DTD = 0 1 51
   RESNO F
   TRS
   FIXED RESORC SET 1 ACTIVITY 1 ACTIVITY GROUP 1
                             1,800
   IFIXNO= 2
                 UNREQ =
   FIXED RESORC SET 2 ACTIVITY 1 ACTIVITY GROUP 1
                 UNREG =
                             14,000
   ifixNo= 3
  ACTIVITY 2 ACTIVITY GROUP 1
  DTACT = 0 1 30 DTAMRC#
                            O O O DTMNNAR
                             ICONE = 0
  NARCM = 1
               NARCD = 1
               ITSETS= 0
                             IATT = 0
  IASETS= 2
               IFIXES= 2
  12ES = 3
                             VŤ
   ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
   NASRGD=1 NCAN =1
   ICAN =2 # # # #
         = 0 0 0 0 DTD = 0 130
   TR5
        = 0 CD = 0 SOTCD= 0
   ASTRONAUT SET 2 ACTIVITY 2 ACTIVITY GROUP 1
   NASROD=1 NCAN =1
   ICAN #1 * * * *
         = 0 0 10 DTD
   TRS
         = 0 CD = 0 SoTCD = 0
```

```
LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUPS
RESNO = 1
                 QUNREG=
                            126,000
TRS # 0 0 10 DTD # 0 6 50
LOCAL RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP1
                            1,000
RESNO =
                 QUNREQ=
          0 0 10 040 =
 TRS: #
                             0 ñ 50
LOCAL RESORC SET 3 ACTIVITY 2 ACTIVITY GROUP1
RESNO = 6
                QUNREG=
                            1.000
TRS: # 0 0 10 DTD # 0 0 50
FIXED RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP 1
IFIXNOR 2 UNREQ = 1.000
PT KED RESORC SET 2 ACTIVITY 2 ACTIVITY GROUP 1
 IFIXNO "
          3
               UNREQ =
                             14,000
ACTIVITY 3 ACTIVITY GROUP 1
DTACT = 0
NARCM = 1
            1 5 DTAMRCE
                             O O O DTMNNA#
               NARCD = 1
                              ICONE = 0
IASETS= 2
               ITSETS# 0
                              IATT = 0
              IFIXRS= 2
                                    = 0
TRES: = 3
                              ۷Ť
 ASTRONAUT SET 1 ACTIVITY 3 ACTIVITY GROUP 1
 NASROD#1 NCAN #1
 ICAN #3 # # # #
       = 0 0 0 DTD = 0
 TRS
 CPO = 0 CD = 0 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 3 ACTIVITY GROUP 1
 EPO.
 NASRODE1 NCAN =1
 ICAN =2 + # + # #
       = 0 0 10 DTD
                          ≥ 0 ñ 25
 PRS
 CPO:
              CD # 0 SDTCD# 0
       = 0
 LOCAL RESORC SET 1 ACTIVITY 3 ACTIVITY GROUPS
                 QUNREQ= 126.000
 RESNO #
          1
 TRS: 7 0 0 10 DTD # 0 0 25
LOCAL RESORC SET 2 ACTIVITY 3 ACTIVITY GROUP1
                         ■ 0 n 25
                 QUNREQ= 1.000
 RESNO =
          3
 TRS
       =
          0 \ 0 \ 10 \ DTD = 0 \ \tilde{0} \ 25
 L'OCAL RESORC SET 3 ACTIVITY 3 ACTIVITY GROUP1
                           1.000
                 QUNREQ=
 RESNO = 6
 TRS: #: 0 0 10 DTD # 0 0 25
FIXED RESORC SET 1 ACTIVITY 3 ACTIVITY GROUP 1
                 UNREG = 1.000
 FIXED RESORC SET 2 ACTIVITY 3 _ ACTIVITY GROUP 1
 IFIXNO 3
                 UNREQ = -
                              14.000
```

PRECEDING PAGE BLANK NOT FILMED

ATM CONTAMINATION MEASUREMENT (T027)

A. OBJECTIVE

- Determine change in optical properties of windows, mirrors, gratings, etc., resulting from deposition of contaminants.
- Measure sky brightness background caused by solar illumination of the particle contaminants found about the OA.
- Provide a deployment mechanism for S149.

B. OPERATIONS

• Two systems employed to accomplish above objectives:

SAMPLE ARRAY SYSTEM - a sample array containing optical surfaces which are exposed to collect contaminants; deployed out of SAL for five days, then returned to earth for analysis.

PHOTOMETER SYSTEM - consists of a photoelectric and a photographic photometer which provide photometric and photographic data on the background brightness as a function of angular displacement of sun; deployed out of SAL on sunside to scan celestial sphere for total of four orbits.

C. PLANNING LIMITATIONS

- Sample array should be exposed for five days; waste dump should be scheduled during first 24 hours of sample array exposure.
- Photometry system should scan celestial sphere once during day portion of orbit and once during night portion of same orbit for a total of four orbits (preferably consecutive).
- Schedule photometry system operation when β <40 degrees, where β is the angle between the OA -Z axis and the solar vector (if scheduled to be performed when β >40 degrees, a pitch maneuver is required).
- Experiment is not to conflict with S019, UV Stellar Astronomy.

D.	PE	RFORMANCE	Minimum No.	Duration of	No. of Crewmen	
	<u>0p</u>	eration	of Performances	Performance		
	0	Activate sample array	" 1	19 min	1	
	0	Deactivate sample array	1	33 min	1	
	0	Set up and activate Photometer System	1	43 min	1	
	9	Calibrate; daylight/night data scans	4	85 min	1	
	9	Remove film, photometer, stow	1	29 min	1	

E. POINTING REQUIREMENTS

- \bullet Required reference orientation is X-POP orientation mode provided Photometer System is scheduled for performance while β <40 degrees.
- 9 Photometer System is deployed out of SAL on sunside of OA.

```
DETAILED EXOP DEFINITION
TO27 CONTAMINATION M
PRISTY
                       68 PRO
          84 DES =
                               =
                                   100 DIF
                                                24
        2 NXOPCM# 1 NXOPCD# 1 CODE # 1
NAGXODE
18F5R1=
            PRET1 = -0 IBFOR2=
                                    PRET2 =
THNTR# 3 0 0 TMXTR= 11 0 0 DTMNRC= 0 0
ACTIVITY GROUP 1 NAG= 3 DTMXAG= 8 0 0
 ACTIVITY 1 ACTIVITY GROUP 1
 DTACT = 0 0 43 DTAMRC#
                          O O DTMNNA O
 NARCM = 1
              NARCD = 1
                           IconE = 0
 IASETS= 1
              IPSETS= 0
                           IATT = 0
 TRES = 0
              IFIXRS= 0
                           ۷Ť
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  NASROD=1 NCAN =3
  1CAN #3 2 1 # # #
      = 0 0 0 DTD
  TRS
                       = 0 n 43
  ČPO ∓ O
             CD = 0 SDTCD= 0
 ACTIVITY 2 ACTIVITY GROUP 1
 DTACT = 0 1 33 DTAMRC#
                         O O O DTMANA# O
                                             0
 NARCH = 3
              NARCD = 4
                           ICODE = 0
 TASETS= 1
              ITSETS= 1
                           IATT = 1
 TRES : 1
             IFIXRS 0
                           VT
  ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  VASROD=1 NCAN =3
  ICAN =3 2 1 * * *
                7 DTD = 0 1 25
  TRS
       # 0 0
       = 0 CD = 0 SDTCD= 0
  TRAJECTORY SET 1 ACTIVITY 2 ACTIVITY GROUP
  BODÝ = SUN
                BODNAM# SUN ITF # 0
      # 0 0 0 0 PD #
  ATTITUDE SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  MODEC # 2
       * 0
            0 7 070
                       2 0 1 25
  LOCAL RESORC SET 1 ACTIVITY 2 ACTIVITY GROUP1
  RESNO = 1
                QUNREG=
                           66.800
  TRS
       # 0
             0 7 DTD
                           0 7 25
 ACTIVITY 3 ACTIVITY GROUP 1
 DTACT & O O 29 DTAMRC
                          O O O DTMNNA# O
 NARCH # 1
            NARCD = 1
                           ICONE # 0
 IASETS= 1
              ITSETS= 0
                                 = 0
                           IATT
 TRES = 0 IFIXES 0 VT = 0
ASTRONAUT SET 1 ACTIVITY 3 ACTIVITY GROUP 1
  VASRODE1 NCAN =3
  ICAN #3 2 1 * * *
       a 0 0 0 DID
  PR8
  ēP3
             CD # 0 SpTcD# 0
```

```
ACTIVITY GROUP 2 NAG= 2 DTMXAG= 6 0 0
 ACTIVITY I ACTIVITY GROUP 2
                            0 0 0 DTMNNA 5
DTACT = 0 0 19 DTAMRC
                             ICONE = 0
               NARCD = 1
 NARCM = 1
               ITSETS= 0
                             LATT
 IASETS# 1
  REST TO VT = 0 ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY 2
 19E5 = 1
  NASROD=1 NCAN =3
  ICAN =3 2 1 # # #
                             0 ñ 19
       # 0 0 0 DTD
  TRS
       = 0 CD = 0 SDTCD= 0
  CP3
 LOCAL RESORC SET I ACTIVITY I ACTIVITY GROUPS
                           13.600
5 ñ o
  RESNO = 1 QUNREQ=
  TRS = 0 0 19 DTD =
 ACTIVITY 2 ACTIVITY GROUP 2
                                                   0
 DTACT = 0 0 33 DTAMRCE
NARCM = 1 NARCD = 1
                            O O O DIMANA O
                                               0
                             ICONE = 0
               ITSETS= 0
                             IATT = 0
 TASETS= 1
               IFIXRS= 0
                             VŤ
 IRES = 0
  ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 2
  NASRODEI NOAN =3
  ICAN =3.2 1 # # #
        = 0 0 0 \text{ DTD} = 0 \tilde{n} 33
  TRS
              CD = 0 SDTCD= 0
        = 0
  ĈP D
```

CLUSTER DEACTIVATION (CDS)

A. OBJECTIVE

- Perform CM/SM systems checkout and return stowage.
- Perform stowage management in OWS and in MDA/AM.
- Deactivate OWS and MDA/AM systems.

B. OPERATIONS AND PERFORMANCE

The specific functions and the times associated with the above tasks have not yet been identified; mission days 28 and 29 have been reserved for these deactivation activities.

C. PLANNING LIMITATIONS

None

D. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
ÇQS
        WORKSHOP DEACTI
PRIOTY 613 DES = NAGXOP 1 NXOPCMB 1 N
                     = 99 PRO = 100 0
1 NXOPCD= 1 CODE = 1
                                                         23
                                         100 DIF
IBFORÍS
               PRET1 = -0 IBFOR2=
                                          PRET2 = *
TMNTR# 28
            0 0 TMXTR= 29 0 0 DTMNRC#
                                               0
 ACTIVITY GROUP 1 NAGE 2 DTMXAGE 1
  ACTIVITY 1 ACTIVITY GROUP 1
  DTACT = 0 5 15 DTAMRC=
                              O O O DTMNNA#
                                                  0
                                                      0
  NARCM = 1
                 NARCD = 1
                                 ICONE = Q
                                 IATT = 0
  IASETS# 1
                 ITSETS= 0
  TRES = 0
   RES' # 0 IFIXRS# 0 VT # 0
ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   VASROD#3 NCAN =3
   ICAN #1 2 3 * * *
         # 0 0 0 DTD = 0 5 15
   TRS
   ĈPO
         # 0 cD = 0 SpTcD= 0
  ACTIVITY 2 ACTIVITY GROUP 1
  DTACT . 0 4 0 DTAMRC
                             O O O DTMNNA=
                 NARCD # 1
                                ICODE = 0
  NARCM = 1
                 ITSETS= 0
                                IATT = 0
  TASETS= 2
   RES: # O IRIXRS# O VT # O
ASTRONAUT SET 1 ACTIVITY 2 ACTIVITY GROUP 1
  TRES: # 0
   NASROD#2 NCAN #2
   ICAN #2 3 + + + *
   TRS: = 0 0 0 DTD = 0 4 0
CPO: = 0 CD = 0 SOTCD= 0
ASTRONAUT SET 2 ACTIVITY 2 ACTIVITY GROUP 1
   NASROD#1 NCAN #1
   ICAN #1 # # #
          = 0 030 0TD = 0 330
   PRS:
         # 0' CD = 0 SDTCD# 0
   ČP)
```

PERSONAL HOUSEKEEPING (RR/PHK)

A. OBJECTIVE

• To provide free time during each day for the astronaut's personal use.

B. OPERATIONS

None

C. PLANNING LIMITATIONS

None

D. PERFORMANCE

- Up to 1 hour and 30 minutes allocated for each astronaut per day.
- Astronaut time is allocated in 30-minute blocks.
- E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
RB/PHK
        PERSONAL HOUSE
PRISTY
                                                37
          74 DES
                       40 PRO
                                   100 DIF
NACXOPE
        3 NXOPCM= 25 NXOPCD= 27 CODE
                                   a 1
                                    PRET2 .
            PRET1 = -0 TBFOR2=
IBFOR1#
                               DTMNRC# 0 15 0
TMNTR# 2 0 0 TMXTR 29 0 0
 ACTIVITY GROUP 1
                 NAG= 1 DTMXAG= 0 7 0
 ACTIVITY I ACTIVITY GROUP 1
 DPACT # 0 0 30 DTAMRC
                           O O O DTMNNAF
                                              0
              NARCD # 3
 NARCM = 1
                            ICOBE = 0
              ITSETS= 0
  TASETS# 1
                            IATT # 0
              IFIXRS= 0
                                 = 0
  IRES: # 0
                            VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
  VASRODET NCAN =1
  1CAN #1 # # #
        #: 0
  TRS
              0
                0
                   DTD
                        22
              CD = 1
7 0 DTM
                      SDTCD# 1
  DTYNCD* 0
                0
                   DTMXCD= 0 19
 ACTIVITY GROUP 2 NAG= 1 DTMXAG= 0 7 0
 ACTIVITY 1 ACTIVITY GROUP 2
                         O O O DTMNNA# O
 DTACT # 0 0 30 DTAMRC#
 NARCH & 1
              NARCD = 3
                            ICODE # 0
               ITSETS= 0
  IASETS= 1
                            IATT = 0
              IFIXRS= 0
  IRES: = 0
                            VT
  ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
  VASROD#1 NCAN =1
   ICAN #2 * * * *
  TRS: F O O
                       0
                  DTD
  ćPO ≈ D
              CD = 1 SDTCD= 1
  STANCE 0 7 0
                   DTMXCD= 0 15
 ACTIVITY GROUP 3 NAGE 1 DTMXAGE 0 7
 ACTIVITY 1 ACTIVITY GROUP 3
 DTACT P 0 0 30 DTAMRC#
                           O O O DTMNNA#
 NARCH B I
              NARCD # 3
                            ICORE # 0
              ITSETS # 0
 IASETSE 1
                            IATT # 0
  RESU DO INIXED O VI DO CROUP 3
 TRES = O_
  VASRODE1 NCAN =1
  1CAN #3 # # # #
                   DTD
        8 0
              0 0
                        # 0 n 30
  TRS:
        * 0
             CD = 1
                      SDTCD= 1
  CPO:
             7
                O DTMXCD# 0 15
  OTANCD = 0
```

SYSTEMS HOUSEKEEPING (SHK)

A. OBJECTIVE

• To provide astronaut time each day for systems monitoring and maintenance.

B. OPERATIONS

None

C. PLANNING LIMITATIONS

None

D. PERFORMANCE

- Up to 1 hour and 30 minutes allocated for each astronaut per day.
- Astronaut time is allocated in 30-minute blocks.

E. POINTING REQUIREMENTS

```
DETAILED EXOP DEFINITION
       SYSTEMS HOUSEKE
SHK
                                   100 DIF
PRIDIY
                       40 PRO
                                                37
          75 DES
                =
                              2
        3 NXOPCM# 25 NXOPCD= 27 CODE
                                   = 1
NAGXOPE
            PRET1 = -0 PBFOR2=
                                    PRET2 # #
IBFOR1=
TMNTR# 2 0 0 TMXTR# 29 0 0
                               DTMNRC# 0 15
 ACTIVITY GROUP 1 NAG= 1 DTMXAG= 0 6 0
 ACTIVITY 1 ACTIVITY GROUP 1
                          O O DTMNNA#
                                                0
 DPACT # 0 0 30 DTAMRC#
 NARCH = 1
              NARCD = 3
                           ICONE = 0
                           IATT = 0
              ITSETS= 0
  TASETS= 1
              IFIXRS= 0
                           VŤ
                                 = 0
  IRES = 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 1
   VASRGD#1 NCAN =1
   1CAN #1 * * *
   TRS # 0
             O O DTD
                           0 0 30
   ACTIVITY GROUP 2 NAGE 1 DTMXAGE 0 6
  ACTIVITY 1 ACTIVITY GROUP 2
                         O O O DTMNNAP
                                                0
  DTACT # 0 0 30 DTAMRC#
                                          0
              NARCD = 3
                            ICONE 7 0
  NARCM = 1
                           IATT # 0
  IASETS= 1
               ITSETS= 0
              IFIXRS= 0
                           ۷T
  TRES = 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 2
   NASRODHI NCAN =1
   ICAN #2 * * * *
   TRS:
              0
                O DTD
           0
              CD = 1
                      SDTCD# 1
        # 0
   CPO-
                  DTMXCD= 0 7
          0 1 0
   OT MNCD #
 ACTIVITY GROUP 3 NAGE 1 DTMXAGE 0
  ACTIVITY & ACTIVITY GROUP 3
  DTACT # 0 0 30 DTAMRC#
                           O O O DTMNNA
               NARCD # 3
                            ICODE = 0
  NARCH # 1
                           IATT # 0
  TASETS 1
               ITSETS= 0
              IFIXRS# 0
  TRES: # 0
   ASTRONAUT SET 1 ACTIVITY 1 ACTIVITY GROUP 3
   NASRODEL NCAN #1
   ICAN #3 # # # #
           0 0
                O DTD
   TRS:
                       =
                            0, 5 30
              CD = 1 SDTCD= 1
        * 0
              1 n DTMXCD= 0
   DTYNCD# D
```

A P P E N D I X B SKYLAB SUMMARY BASELINE PRINT

This appendix presents an ESP summary of the astronaut, local resource, and attitude profiles for the 29-day Skylab 1/2 mission scheduled in this study. The computer print that constitutes this appendix is a sample of the off-line summary print obtained from Route 13 of ESP. Included in the appendix is a status of the non-replenishable resource supply at the end of the mission.

ASTRONAUT TIMELINES

The astronaut planning baselines list chronologically each of the three astronauts' activities for the entire mission. The events are designated by the astronaut utilization code (UC) in the following manner:

UC = 0

00	•	
UC =	1	Astronaut sleeping
UC =	2	Astronaut eating
UC <u>></u>	10	Astronaut time committed to performing an activity of an EXOP.

Uncommitted time

When an astronaut is committed to work on an EXOP, the acronym for that EXOP, the EXOP Cycle Number (ER), the Activity Group Number (AG), the Activity Number (A), and the Activity Cycle Number (AR) are printed along with the start time of the activity. That activity is assumed to continue until the astronaut utilization code changes. The typical astronaut day was used to initialize the astronaut baselines for the entire mission length although that typical day was not followed for the days of launch and recovery. The time is referenced to the astronaut scheduling day and not ground elapsed time, i.e., 1 DAY 0 HOURS O MINUTES SCHEDULING TIME IS LIFTOFF, OR ZERO GROUND ELAPSED TIME. It should be noted that the astronaut timelines presented in this appendix reflect the same crew activities schedule illustrated in Figure 1 of the attached report.

•	•					AS	TRON	AUT	PL,	NUTNG.	BASEL	INES
.	н	М	£XOP	ER	AG	A	AR	1	2	3 4 V: IL124	5 NCITA	6 7 CODES
1	18	30 45	M487	1	1	1	1	10	10			
5	0	0	M17134 RR/PHK	1	1	1	1	12	0 12	10 0 12		
5	1	15	RR/PHK	1	1 2	1	1	10	10		•	
5	1 1 1	15 18 45	TOO3B RR/PHK	1	1 3	1 1 1	1			10 10		
5.	1	45	RR/PHK RR/PHK	11111	3 1 2 3	1	2	10	10	. .		
5,	1 2	48 15	RR/PHK RR/PHK			1 1	2 3	10		10		
5.	2 2 2	15 15 18	RR/PHK RR/PHK	1 1 1	1 2 3	1 1 1	1 12 2 2 3 3 3		10	10		
2	2	45 48	M487		·	1		0 10	0 10			
× × × × × × × × × × × × × × × × × × ×	2 2 2 8 9	0	M17134 T0038	1	1 2	1 1	2 2 1	12	12	10 12 11		
5	9	18 15	M17134		1	2	1	12	12	11 12 12		
2	18	12	M172 M172	1 1 1	1	1	1	12	2	2		
2	18	24 30	M172 S009	1	1	1 1	1	10	2	12		
2:	18	30 30	SHK TOO3B	1	2	1 1	1 2	10	10	10		
2	18	33 53	SHK SHK	1	3	1	1 '	4.0		10 10		
2	19	0	SHK	1	13123	1	2	10	10	1 (1		
2	19	23	SHK	11111111111		1	2 2 3 3 3	10	4.5	10		
2	19	30 33	SHK	1	1 2 3 1	1 1 1	3	4 -	10	10		•
2:	19	53	SHK	ļ	1	1	ج	10		•		

						AST	RON	AUT	PLA	NHTNC	BASEL	INES
)	20 H	M 0	EXOP	ER	ΔG	Δ	AR	1	2	4 U! <u>IL</u> I4	TION	6 7 CODES
2223333333333333333333	20 20 11	3 23 0 15 15	M487 M17134 RR/PHK T027	1 2 2 1	1 1 1 2	2 1 1	1 1 1	10 12 10	10 12 10	U 1U 12		
3 3 3 3	1	15 18 34 45 58	T003B T027 RR/PHK RR/PHK RR/PHK	2 1 2 2 2 2 2 2 2 2 2 2	1 1 2 1 3 2 1	1 1 1 1	1 1 2 1	10	10	π 0 ΤΩ ΤΩ		
3 3 3 3	1112222223	4 15 28 34	RR/PHK RR/PHK RR/PHK		2 1 3 2 1	1 1 1 1	1 2 3 2 3	10	10	ıū		
3 3 3	2 2 3 3	45 58 4 20	S020 T027	1		1 2	1	10	0	ŭ Į		•
3. 3.	4 4	15 45 53	M092	1 1 1 1	1 1 2	2 1 2	1 2 1	10	10	10		
3 3 3 3 3 3 3	5 6 6 6	31 18 26 47	M092	1	1	1	3	10	10	iñ		
3	7 7 7 7	16 31 51 56	M093	1.	. 1	1	1	10	10	ō		
3 3 3 3 3	8 9 9	0 15 18 15	M17134 T003B	2 2	1 2	1 1	2	12 1	12	14 11 1		
3 3 3 3	17 18 18 18	15 12 19 24 30	M17134 M172 M172 M172	2 2 2	1 1 1	2 1 1 1	1 1 1	12 12 2	12 12 2	12 2 12		
3 3 3	18 18 18	30 30 30 33	2003B 2HK 1003B	2 2 2 2	1 1 2 1	1 1 1	1 1 1 2	10	10	10 0 10		
3	18	51 0 0	T027 SHK SHK	1 2 2	1 1 2	2 1 1	4 2 2	10	10	ığ		

						AST	ron	AUT	PLA	NNTNC	BASEL	INES
0333333	H 19 20 20 20 20 20	M 30 30 0 0 16 17	EXOP SHK SHK S149 ATM	ER 2 2 1 1	AG 1 2 1 6	A 1 1 1	AR 3 3 1 1	1 10 10	2 10 10	U 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	5 ATION	6 7 CODES
3 3: 3:	50 50	46 48 16	T027 SHK	1 2	3	3	1	0		0 10 10 0 10		
3 3 3	21 21 21	30 45 55	M092 S020	1	3	1 2	1	10	0	iñ		
3' 3.	22	31 46	SHK			1	2	0	0	ΪŌ		
3 3 3 3 3	23	15 16 30 46 55	MO93 SHK	2 12	3 2 3	1	3	10	10	<u>0</u>		
4	0 1 1 1	0 15 15 18	M17134 S015 T003A RR/PHK	3 1 1 3	1 1 1 2	1 1 1	1 1 1	12	0 12 0	12 1 <u>u</u>		
4 4 4 4 4	1 1 1 2	30 32 33 48 2	DOOB RR/PHK RR/PHK	1 3 3	2 3 2	1 1 1	1 1 2	0 10 0	10	10		
4 4 4 4	2	48 235 155 155 45	M131A S015 RR/PHK M131A	1 1 3 1	1 1 3 2	1 2 1 1	1 1 2 1	10 10	10	10		
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	3 3 3 3 4 4	55555055555555555555555555555555555555	M131A S015 M131A RR/PHK RR/PHK RR/PHK S020 M171A M171A	111333111	3 1 3 2 1 3 1 1	131111211	1 1 1 3 1 3 2 1 1	10 10	10 10 10	10 10 0	·	

					•	AST	RONA	UT	PLA	NNING	BASEL	INES
) 4 4 4 4	H55666	M 41 45 0	EXOP S020 M093 RR/PHK ATM	ER 1 1 3	AG 1 3 1 6	A 2 1 1	AR 3 1 2 2	1 10 10	2 10 10	4 1 <u>1</u> ,174 1 <u>0</u>	5 TION	6 7 CODES
4 4 4 4 4 4 4	6 6 7 7 7 7 8 9	25 30 55 14 39 05 15	D008 RR/PHK S020 S020 S020 M17134 T003A	1 3 1 1 3 1	1 1 1 1 2	1 1 3 4 5 1	1 3 1 1 2 1	10 10 0	12	0 10 10 10 12 11		
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 17 18 18 18 18 18 19 19 19 19 19 20	35294000890000404 1412333345 334 1	M17134 M172 M172 M172 SHK 34 SHC030 SHKKSHKK SHKKSHKK SHKKSHKK SHKKSHKK	33333131333333333	11111211112123533	211111561111111	111112211223311	12 12 2 10 10	12 2 12 2 10	11 12 2 12 10 10		
4 4 4 4 4 4 4 4 5 5 5 5 5 5	20	44 14 13 13 13 14 13 15 15	SHK M171A D008 M171A ATM M17134 RR/PHK RR/PHK	3 12 1 4 4 4 4 4	2 2 2 5	1 1 1 1 1 1 1 1 1	2 3 1 1 1 2 1 1 1 1	0 10 10 12	10 0 12 10	10 0 10 10 10 10 10 12		
5 5	1 1 1	15 18 45	TOO3B RR/PHK RR/PHK	4	1 2 1 3 1	1 1 1	1 1 2	10		10 10		

					ASTRONAUT			PLANNING BASELINE		INES	
) H 5 1	M 45 48	EXOP RRZPHK	ER 4	AG 2	A 1	AR 2	1	2 10) UI <u>I</u> LI2	4 5 ATION	6 7 CODES
H 1 1 2 2 3 3	15 0 2	\$190 M1318 M1318 RR/PHK	1 1 4	3 1 2 3	1 1 1	1 1 2	10	10 10	1 <u>0</u>		
	32 45 45	RR/PHK RR/PHK RR/PHK	4	3 1 2	1 1 1	3 3 3	10	10	֖֖֖֖֖֖֖֖֖֖֖֖֖֞֞ ֪֖֖֖֖֖֖		
3334444556666678997	15 15 45 15	ATM M171A M171A	1 1 1	6 3 3	1 1 1	3 1 1	0 10 0	10	10		
5 5 5 6	45 0	M131B	1	3	1	1	10	0	10		
5: 6 5: 6 5: 6	4 19	D008	2	1	1	1		10		-	
5 6 5 7	30 45	ATM DOD8	1 3	5 1 1 2	1	3 1 2	0 10	10	10		
5: 8 5: 9	0 15 18	M17134 T003B	3 4 4	1 2	1 1 1	2	12 1	12	12 11		
5: 18	18 15 12 19	M17134 M172 M172	4	1 1 1	2 1 1	1 1 1	12 12 2	12 2 12	11 12 2		
5: 18 5: 18	24 30	M172 SHK	4	1	1	1	10	12 2	12		
5 18 5 18 5 18 5 19	30 30 33 0	SÅK TÖDJB SHK SÅK	4 4 4 4 4 4 4 4 4 4	11121312	1 1 1 1	1 1 2 1 2 2	10	10	10 10		
5: 19 5: 19	0 3	SHK SHK	4	-	1		10	10	10		÷
5: 19 5: 19 5: 20	30 30 33 0 34	SHK SHK ATM	4 1	3 1 2 3 6	1 1 1 1 1	2 3 3 4	0	10	10		
5 20 5 20 5 20	50	S190 D008	1 3	4	1	1	10		1 <u>0</u>		
5: 21 5: 21	20 30 34	M171B	1	1	1	1	10		ñ		

		i				AS	TRON	AUT	PL	THUTNE	BASEL	INES
<u>ي</u> 5	H 21	M 45	EXOP	ER	ΔG	A	AR	1	2	UIĪĻIZ	4 5 ATION	6 7 Codes
5 5 5	22 22	0 0 40	M171B \$190	1	1 2	1 1	1		10	ıñ		
5	22	55 0						0		υ .		
556666666	0	0 15	M17134 RR/PHK	5 5	1	1 1	1	12	12	0 12		
5	1	15	RR/PHK	5555155252525255212	1 2	1	1 1	10	10			
5	1	15 18	70038 \$190	5	1 3	1 1	1 2 2			1 U 1 Ū		
5	1	45 45	RR/PHK	5	1	1	2	10		72		
5	1 2	15	RR/PHK M131A	2	2	1	2	10	10 10			
5 5	2	15 45	RR/PHK M1314	5 2	3	1	1	10	10	10	•	,
5	2	45	RR/PHK	5	3	1	1 2 1		± Q	ıŭ		
5555555	22223333	15 15	M131A RR/PHK	5	3 2 3 3 2 3 1 3	1	3	10	10	•	•	,
5	3	15 45	M131A RR/PHK	2	3 1	1	1 3 3	10	0	īÕ		
	3	45	RR/PHK	5		1				źñ		
5 5	4	15 15	MU92 ATM	1	1 3 2	1	1	10	10	10		•
5	5 6	31 47	M092	2	2	1	1	10	10	-		
5	7	16	M093	2	1	1	1	0 1 0	10		•	
5 5	7 7	31 56		:				۵	0			
5 5	8 9	0 15.	M17134 T0038	5 5	1 2	1 1	2	12 1	12	12		
5	9	18								11 1 12		
5 5	17 18	15 12	M17134 M172	5 5	1	2	1 1	12 12	12	12 2		•
5	18 18	19 24	M172 M172	5 5	1	1	1	12	2 12 2			
5.	18	30	SHK	5	1	1	1	10		12		
6	18 18	30 30	SHK T003B	55555555555	1 1 2 1 3 1 2 3 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111212223		10	10		
6	18 19	33	SHK SHK	5	3	1	1 2	10		į Ö i Ö		
5	19	0	SHK	5	2	1	2	4 U	10			
5 6	19	3 30	SHK	5	ر 1	1	3	10		įΰ		

						ASTRONAUT		PLANNING BASELINES			
5	H 19	M 30	EXOP SHK	ER 5	AG 2	A 1	AR 3	1	2	UILLIZATION CODES	5
6 6 5	19 19 20	33 50 0	S190	1	4	1	2.	- 0	0	1 <u>0</u>	
5 6	50 50	43 50	5149 SHK	1 5	1 3	2	1 3	10	Ū	<u>10</u>	
5 5 5	21 21 20	58 15 20	S190	1	2	1	2	0	10	O	
6	21 22	30 15	MQ92	2	3	1	1	10	0	0 10	
6 6	22 22	46 52	\$190	1 2	2 2	1	3	0		1 <u>0</u>	
6	23 23	15 30	M093	2	2	1	1	10	10	n	
6 5 7 7	23 23 0	52 55 0	M17134	6	1	1	1	12	0 12	<u>0</u> 12	
7	1	15 15	RR/PHK RR/PHK	6	1 2	1	1	10	10		
7	1 1	15 18 45	T0038 M507 RR/PHK	6 1 6	1 1 1 2	1 1 1 1 1	1 2	10		10 10	
77777777	112222	45 15	RR/PHK	6	1	1	111112231152	10	10		
7	2	18 18 45	M507 RR/PHK ATM	1 6 1 6	1 3 6 3	1 1 2 1 1 1	1 1 5	10	10	10	
777	2 3 3	48 18	RR/PHK		3	1	2	10	·	10 0	
7	3 3	36 36	RR/PHK M507	5	2	1 3	3 1		10	10	
777	4	6 15 30	M171B	1	2	1	1	0	10		
7	4	36 45	RR/PHK M171B	6 1	3 2	1	3	10		10	
777	5 5 5	6 25 40	ATM	1	6	1	6	0	10	Q	
7	5 6	40 10	M171B M171B	1	6 3 3	1	1	10	w	10	
7	6	50 5	M093	2	3	1	1	10		jū	

						AS	TRON	AUT	PLA	NNTNC	BASEL	INES
) 7 7 7	H 7 7 7	M 20 25 45	EXOP	ER	ΑG	A	AR	1 0	0	U ILIZI	5 ATION	6 7 CODES
,777	8 9	0 15	M17134 T0036	6 6	1 2	1 1	2	12	12	U 12 11		
ファファファファファファファファ	97 18 18 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	1529400030030030303030303030303030303030303	M17134 M172 M172 M172 SHK TOU3B SHK SHK SHK SHK SHK SHK SHK	6 6 6 6 6 6 6 6 6 1	111112131231235	2111111111111111	1 1 1 1 1 2 1 2 2 2 3 3 3 4	12 12 2 13 10	12 12 10 10	11 12 2 12 10 10 10		
7 7 7	20 21 21	31 30 31	S190 M171C	1	2	1	1	10	0	1 <u>0</u>		
77777	21 22 23 23 23	45 7 7 15 30	M171C S190	1	1 2	1	1 5	2	10	i Ö i Ö		•
8 8 9	0 1 1 1	0 15 15	M17134 RR/PHK T003B	7 7 7	1 1 1	1 1 1	1 1 1	12 10	12	12 10 0		
8 8 8 8 8	1 1 1 2	18 25 34 45	S190 T027 RR/PHK	1 1 7	3 2 1	1 2 1	3 · 1 2	10	10	ığ		
8 8	111222233	15 25 45	M131A RR/PHK M131A	3 7 3	1 3 2	1 1 1	1 1 1	10 10	0 10 10	10		
5 5 8	3	55 15 15	M131A RR/PHK	3 7	3 2	1	1	10	10	ñ		

			•		AS	STRONAUT		PLANNING		BASELINES		
J.	Н	M	EXOP	ER A	G A	AR	1.	2	ع د ۱۹۲۲ ا	5 TION	6 7 CODES	
8 8	3 3	15 45 45	M131A RR/PHK	3	3 1	1 3	10	1.0	וַטַ יִי			
8	3 4	45 15	RR/PHK	45 RR/PHK	7	2 1 3 1 2 1	2 2 1	. 0	10	10		
8	4	15 30	RR/PHK M171C	1 7 1	3 1 2 1 3 1 2 1	3	10	**	10			
8 8 8	4 6 6	45 0 15 45	ATM RR/PHK	1 7	2 1	1 3	10	10	0 1 <u>0</u>			
8 8	8 9	0 15	M17134 T003B	7	1 1 2 1	2	12 1	0 12 1	12 11 1	·		
8	17 18	18 19 12	M17134 M172	7 7 7 7 7	1 1	. 1	12 12	12	12 11 12 2			
8 8	18 18 18	19 24 30	4 M172	7 7	1 1 1 1 1 1 2 1	1 1 1	10	12	12			
88	18 18 18	30 30 33	SÄK TÖQ3B SHK	7 7 7	2 1 1 1 3 1	. 1		10	10 10			
5 8	19 19 19	0 0 3) SHK) SHK	SHK 7 SHK 7	1 1 2 1 3 1 1 1 2 1	2 2 2	10	10			•	
8 8	19 19	30 30	SHK SHK	7 7	1 1 2 1	3	10	10	10			
8 8 8	19 19 20	33 48 0	\$190 ATM	1 1 7	2 1 5 1 3 1		10	10	1 <u>0</u>			
8	20	48 18	SHK						10 0		•	
8	21 21 21	28 30 45	\$190 M171C M171C	1 1 1	3 1 3 1 3 1	1 1	0 10	10	10			
8	22 23 23	28 15 30			•		0	0	n			
8-9-	0	0 15	M17134 RR/PHK	8 8	1 1	. 1	12 10	12	12 12		·	
9	1	15	RR/PHK T003B RR/PHK	8 8 8	1 1 1 1 1 1 3 1	. 1		10	10 10			
9	4	45	RRIPHK	8 8	3 1	1 2	10		= 2			

						ASTRONAUT		PLANNING		BASELINES		
799999999999999999999999999999	H 1 1 2 2 2 2 2 3 4 5 6 7 7 7 7 8 9 9 7 8 8 8 8 9 9 9 9 9 9 9 9	M5855856651761660585294003000000	PRRRRRR SAMM M MT MMSTDSSSSSSSSSSSSSSSSSSSSSSSSSSS	R88888 11333 3 88 8888888888888888888888	AG23123 1312 1 12 111121121321	A11111 1 11 11 2111111111111	RONA R 223333 1211 1 21 11111212111322	10 10 10 10 10 10 10 11 12 12 12 12 10 10	PLA 2 10 10 0 100 100 100 100 100 100 100 1	10 10 10 10 10 10 11 12 12 12 12 12 10 10 10 10 10 10 10 10 10 10 10 10 10		6 7 CODES
					1 3 3	1 1 1 1 1	2 2 3 3 5	10	0	10		
99999	20 21 21 22 23 23	50 30 45 46 15 30	M092	3	3 2	1	1	0 10 0 10	.0	o 10 g		٠
9 10 10	23	55 0 15	M17134 S015	9	1	1	1.	12	0 12	12		

						AS	r R'ON	TUA	PLA	NNTING	BASEL	INES
) 10 10 10	H 1 1	M 15 158 130	EXOP M508 T0038	ER 1 9	AG 1 1	۵ 1 1	AR 1 1	1	10	10 0 11114		6 7 CODES
10 10 10 10 10	112222333	30 15 25 55 55	RR/PHK RR/PHK S015 RR/PHK RR/PHK	9 9 9	1 1 3 1	1 1 2 1 1	1 2 1 1 3	10 10				
10 10 10	3 3 3	0 15 34 40	SO15 RR/PHK	2	1 3	3	1 2	0 10 0		10		
10 10 10 10	4 4 4 5 5 6	4 31 45 15 45 15	RR/PHK ATM RR/PHK RR/PHK RR/PHK	9 1 9 9	3 2 2 2 2	1 1 1 1	3 2 1 2 3	10	10 10 10	10		
10 10 10	6 6 7	31 45 0	M093	3	3	1	1	0 10 0	Ü	10 10		
10 10 10	7 8 9	25 0 15 18	M17134 T003B	9	1 2	1	2	12	12	12 11 12 12 2		
10 10 10 10	17 18 18 18 18	15 12 19 24 30	M17134 M172 M172 M172 SHK	9 9 9 1	1 1 1 1 1 1	211111	1 1 1 4	12 12 2	12 12 12 0	12		
10 10 10 10 10 10 11	18 18 19 19 20	30 30 30 30 53 53	TÖÖJB MBOB SHK SHK ATM SHK	9999919199119999	1 1 1 1 3 2 3 2 3	121111	4212331	10 10 10	10	10 10		
10 10 10	22 23 23 23	23 23 53	SHK SHK	-	,	1	1 2 2		10	10 10 10		
11: 11: 11:	0	0 15 15	M17134 RR/PHK RR/PHK	10 10 10	1 2	1 1 1	1 1 1	12 10	12	14	·	

						ASTRONAUT		TU	PLANNING		BASELINES	
2	· H	М	EXOP	ER	ΑG	À	AR	1	2	١٤١٤١٤	5 4 NCITA	6 7 CODES
11 11 11 11 11 11 11	1 1 1 1 2	1585555500 1445555500	T003B S019 RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK ATM S019	10 10 10 10 10 1	1 1 1 2 3 1 2 5 1	1 1 1 1 1 1 1 2	1 1 2 2 1 3 6 1	10	10 10 10	10 10 0		
11 11 11 11	4 4 5	15 40 45 10	M171A S019 M171A	2 1 2	1 1 1	1 2 1	1 2 1	10	0	ñ ŦÑ		
11 11 11 11 11	556677	15 45 17 47 45	ATM S019 RR/PHK RR/PHK	1 1 10 10	2 1 3 3	1 2 1 1	3 3 2 3	10	0 10	1 U 1 U 1 U		
11 11 11	7 8 9	47 0 15 18	M17134 T003B	10 10	1 2	1 1	2	12	12 1	12 11 1		
11 11 11	17 18 18	15 12 19	M17134 M172 M172	10 10 10	1 1 1	2 1 1	1 1 1	12 12 2	12 2 12	12		
11 11 11	18 18 18 18	24 30 30 30	M172 SHK SHK TÜ038	10 10 10 10	1 1 2 1	1 1 1	1 1 1 2	10	2 10	10		
11 11 11	18 18 19	33 42 0	S019 SHK	10	1	2	4 2 2	10		τΩ Ω		
11 11 11	19 19 19	0 12 30	SHK SHK	10 9 10	1 2 3 1	1 1 1	2 1 3 3	1 0	10	źδ		
11 11 11	19 19 20	30 42 0	SHK SHK ATM	10 9	2 3 5	1 1 1	2 7	10	10	10		
11 11 11	20 20 21	12 42 12	SU19 SHK	1 9	3	2				10 10 0		
11	21	30	M171A	2	2	1	1	D	10		,	

						AST	ron	ΑŲΤ	PLA	NNING .	BASEL	INES
) 11 11 11	22 22 22	M 48 0 18 30	EXOP \$019 M171A	ER 1 2	AG 1 2	A 2 1	AR 6 1	10	2	U ÎL 14AT UU Û	5 NC1	6 7 CODES
11 11 11	23 23 23	0 18 48	\$019	1.	1	2	7		0	10 0	•	
12 12 12 12 12 12 12	01111122223	05551518575	M17134 RR/PHK RR/PHK T003B S019 RH/PHK S190 RR/PHK	11 11 11 11 11	112111113	1 1 1 3 1 1 1	1 1 1 1 2 2 3	12 10 10	12 10 0 10	12 10 10		
12 12 12 12 12 12 12 12	3 3 4	15 45 7 15 7 15 7 45 7	RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK ATM	11 11 11 11 11	3 2 3 2 3	1 1 1 1 1	1 2 2 3 3 4	0	10 10	10 10 10 10		
12 12 12 12 12 12 12 12 12 12 12 12 12	4 5 6 7 7 7	15 31 47 16 31 45	M092 M092 M093	4	1 2	1	1 1	10 10 0 10	10 10 10 0	<u>õ</u>		
12 12 12	7 8 9	56 0 15 18	M17134 T003B	11 11	1 2	1	2	0 12 1	12	12 11 12		
12 12 12 12 12 12 12 12 12 12 12 12 12 1	17	15 12 19 24 30 30 30 33	M17134 M172 M172 M172 SHK SHK T003B SHK	11 11 11 11 11 11	11111213123	2 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 2 1	12 12 2 10	12 2 12 2 10	12 12 12 10 10		
12: 12: 12: 12:	19 19 19	0 3 30	SHK SHK SHK	11 11 10 11	1 2 3 1	1 1 1 1 1	1212223	10	10	10		

		,	٠			ASTRONAUT		PLANNING		BASELINES		
) 12 12 12	H 19 19 20	M 30 33	EXOP SHK SHK ATM	ER 11 10	AG 2 3 4	A 1 1	AR 5 5	0	2 10 10	iñ AlIria	5 A T I O N	6 7 CODES
12 12 12	20 21 22	3 30 46	M092	4	3	1	1	10		0 10 0		
12 12 12	23 23 23	0 15 30	M093	4	2	1	1	10	0 10			
12222222333333	23 0 1 1 1	55 15 15 15	M17134 RR/PHK RR/PHK T0038	12 12 12 12	1 1 2 1	1 1 1	1 1 1	12 10	0 12 10	12 10		
13 13 13 13 13 13 13	11112222	18 3 4 5 5 5 5 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7	S190 RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK	1 12 12 12 12 12 12	1 1 2 1 2 3 2	1 1 1 1 1	3 2 2 3 3 1 4	10 10	10 10 10	10		
13 13 13	2 2 3	53 59 59	S190	1	1	1	4			10 10 10		
13. 13. 13.	4 4 4	15 45 45 15	M171A M171A ATM	2 1	3. 3 4	1 1 1	1 1 2	1 0	10	1 <u>0</u>		
13 13 13 13	5 6 6	45 15 25	RR/PHK M093	12	3	1	2	10		וֹהַ יה		
13 13 13	6 7 7	40 5 35	RR/PHK	12	3	1	3	0		1 <u>0</u>		
13 13 13	7 8 9 9	45 0 15 18	M17134 T003B	12 12	1 2	1	2	12	0 12 1	12 11 12 12		
13 13 13 13 13 13	17 18 18 18	15 12 19 24 30	M17134 M172 M172 M172 SHK	12 12 12 12 12	1 1 1 1	2 1 1 1	1 1 1 1	12 12 2	12 2 12 2	12 2 12		·

						ASTRONAUT		PLANNING		BASEL	INES	
13 13 13 13 13 13 13 13 13 13	H 18 18 19 19 19 19 20 20	M 30 30 30 30 30 30 30 30 30 30 30 30 30	EXOP SHK SHK SHK SHK SHK SHK SHK SHK SHK SHK	ER 121 12 11 12 11 12 11 12 11	AG 213123123	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AR 12 12 22 33 33 1	10 10	2 10 10 10 0	1 <u>0</u> 1 <u>0</u> 1 <u>0</u> 1 <u>0</u>	4 5 ATION	6 7 CODES
13 13 13 13	22 23 24 25 27	3 30 0 40 55	ATM M171B M171B	1 2 2	2 1 1	1 1 1	1 5 1 1	10	10	ō	·	
14 14 14 14 14 14 14	1111223	15 15 24 33 33 33	M17134 T020 T003A T020 RR/PHK RR/PHK RR/PHK	13 1 2 13 13 13	1 1 1 3 3	1 1 1 1 1 1	1 1 1 1 2 3	12 10	12 0 10	12 10 10 10 10 0		
14 14 14 14 14 14 14	333444555	15 45 15 15 45 40 40	RR/PHK RR/PHK RR/PHK M171B M171B RR/PHK RR/PHK M171B	13 13 13 13 2 13 13 13 2	2 1 2 1 2 2 1 2 3	1111111111	1 1 2 2 1 1 3 3	10 10 10 10	10 10 10	10		
14.	5 6 6 7	55 10 50 5		2	3	1	1	10 0	0			
14 14 14 14 14 14 14	8 9 17 18 18	0 15 33 15	M17134 T003A M17134 M172	13	1 2	1 1 2 1	1	12	12 12 12	0 12 11 12 12 2		
14 14 14	18 18 18	12 19 24	M172 M172 M172	13 13 13	1 1 1	1 1 1	1 1 1 1	12 12 2	12 12 2	12		

		•				AST	ron,	AUT	PL,A	NNTNG	BASEL	INES
)	н	М	EXOP		ΑG	A	AR	1	2	<u>.</u> ۱۱ <u>۱</u> ۲۲	4 5 NC174	6 7 CODES
14 14 14	18 18 18	30 30 30	SHK SHK T003A	13 13 2	1 2	1 1 1	1 2 2	10	10	10		
14 14	18 19	48 0	SHK		1 3 1	1	1 2	10		ĮŪ		
14 14 14	19 19 19	0 18 30	SHK SHK	12 13 13 12 13 12	123123	1 1 1 1 1 1	1 2 2 3 3 3	10	10	10		
14 14 14 14 14	19 19 20	30 48 0	SHK SHK	13 12	2	1	3 3	0	10	ţŪ		
14	20 21 21	18 30 45	ATM M171C M171C	1 2 2	4 1 1	1 1 1	3 1 1	10		jŪ		
14 14 14	23	15 18	144740		•	.	•	_	10	ñ		
14 15 15	23 0 1	30 0 15	M17134 RR/PHK	1 4 1 4	1	1 1 1	1	0 12 10	12	12		
15 15 15	1 1 1	15 15 18	RR/PHK TOO3B RR/PHK	14 14 14 14 14	11213123123	1 1 1	11111222333		10	1 <u>0</u>		
15 15 15	1111	18 45 45 48	RR/PHK RR/PHK RR/PHK	14 14 14	1 2 3	1111111	2 2 2	10	10	ijŪ		
15	2 2 2	15 15 18	RR/PHK RR/PHK RR/PHK	14 14 14	1 2 3	1 1	3 3	10	10	10		
144555555555555555555555555555555555555	122222456	45 48	ATM	155	3 1 2		5 1	0	0	10		
15	5	15 31 47	M092	5	2	1 1 1	1	10 10 0	10	n		•
15 15 15	6 7 7	48 16 31	M093	5	1	1	1	10	10	ō		
15555555555555	7 8 9	56 0 15	M17134 T0038	14 14	1 2	1 1	2.	0 12 1	12	12 11		
15 15 15	9 17 18	15 18 15 12	M17134 M172	14 14 14	1	2	1	12 12	12	12 11 12 12 2		
15 15	18	19 24	M172 M172	14	1 1 1	1 1 1	1	2	12 2 12 2	12		

						ASTRONAUT		PLANNING		BASELINES		
) 15.	H 18	M 30	EXOP SHK	ER 14	AG 1	A 1	AR 1	1 10	2	UILLICA	TION	6 7 CODES
15 15	18 18 18	30 30 33	SHK TOO3B SHK	14 14 13	2 1 3	1 1 1			10	10 10		
15 15 15	19 19 19	0 0 3	SHK SHK SHK	14 14 13	1 2 3	1 1	1 2 1 2 2 3 3 3	10	10	ijŪ	•	
15555555555555555555555555555555555555	19 19 19 20	30 30 33 0	SHK SHK SHK ATM	14 14 13	1 2 3 4	1 1 1 1 1	3 3 4	10	10 10	10		
	20 21 22	3 30 46	M092	5	3	1	1	10		1 <u>0</u> 0		
15 15 15 15 15 16	23 23 23 23	0 15 30 55	M093	5	2	1	1	10	10			
15 15 15 15	0 1 1	0 15 15	M17134 RR/PHK RR/PHK	15 15 15	1 1 2	1 1 1	1 1 1	12 10	12	12	•	
16 16 16	1 1 1	15 18 45	T003B RR/PHK RR/PHK	15 15 15	1 3 1	1	1 1 2	10		10 1 <u>0</u>		
16 16 16	1 2 2	45 48 15	RR/PHK RR/PHK M131B RR/PHK	15 15 2 15	1 3 1 2 3 1 3	1 1 1 1	1 1 1 2 2 2 1 3	10	10	10		
16 16 16	1 2 2 2 3 3	18 48 0 45	M1318 M1318		•		1	10 10	10	Ö		
16 16 16 16 16	3	45 45 15	RR/PHK M131B M171C	2 2 15 2 2 2	232322	111111	1 3 1 1		10	10		•
16 16 16 16	4 6 6	30 15 30	M171C M093 RR/PHK	2 5 15	3	1 1 1	1 1 3	10 0 10	<u>.</u> 0	10		
16	6 7 8	55 0 0	M17134	15			2	0	12	<u>0</u> -		
16 16 16 16	9 9 17	15 18 15	T0038 M17134	15 15	1 2 1	1 1 2	1	12	12	11		

						ASTRONAUT		PLANNING		BASEL I NES		
111111111111111111111111111111111111111	H888888999990011330111122555566778	M2940003003030303055005585558858888888	P MM M S S T S S S S S S S S S S S S S S	R5555545545541 22 6661466116 1		A111111111111 11 111211121 2111	R 1 1 1 1 1 2 1 2 2 2 3 3 3 3 6 1 1 1 1 1 1 2 2 3 5 1 1 1 2 3 1	1 12 2 10 10 10 10 10 10 10 10 10	2 12 10 10 10 10 10	1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	HASEL ATION	CODES
17 17 17	8	38 0 15 18 15	M17134 T003B	16 16	1 2	1	2	12	0 12 1			
177777777777777777777777777777777777777	9 17 18 18 18 18 18	18 12 19 24 30 30	M17134 M172 M172 M172 SHK SHK T003B	16 16 16 16 16 16	1 1 1 1 2 1	2 1 1 1 1 1 1 1	1 1 1 1 1 2	12 12 2 10	12 12 12 2	12 11 12 2 12 12		

						ASTRONAUT		PLA	NNING	BASEL	INES	
17 17 17 17 17 17 17 17	H 18 19 19 19 22 22 23 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	M 33 0 0 30 30 33 33 33	00 M	ER 16161615555555555555555555555555555555	AG 2 1 2 1 2 1 3 3 3 3	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AR 1 2 2 3 3 1 1 2 3	1 10 10 10	10 10 10	10 10 10 10 10 10 10 12	4 5 ATION	6 7 CODES
17881888888888888888888888888888888888	20111111112222245667	3 055585585585851786	M17134 RR/PHK RR/PHB RR/PHK RR	17 17 17 17 17 17 17 17 17 17 17 17 17 1	11213123123 312 1	111111111111111111111111111111111111111	11111222333 7111	12 10 10 10 10 10 10	12 10 10 10 10 10 10			
18 18 18 18 18 18 18 18 18 18 18 18 18 1	77899718 1818 1818 1919	31 50 50 51 51 51 51 51 51 51 51 51 51 51 51 51	M17134 T003B M17134 M172 M172 M172 SHK T003B SHK SHK SHK SHK	17 17 17 17 17 17 17 17 17 17 17 17 17 1	12 11111213123	11 211111111111111111111111111111111111	2 1 1 1 1 1 1 2 1 2 2 2	0 12 1 12 12 2 10	12 12 12 12 10	12 11 12 12 12 10 10		

•		٠				AS	ron	AUT	PLA	NNTNC	BASEL	INES
18 18 18 18	H 19 19 19 20 20	M 30 30 33 0 3	EXOP SHK SHK SHK ATM	ER 17 16 1	AG 1 2 3	A 1 1 1	AR 3 3	100	2 10 10	1 <u>0</u>	4 5 ATION	6 7 CODES
18	21 22	30 46	M092	6	3	1	1	10 0		i Ö		
18 18 18 18	23 23 23	0 15 30	M093	6	2	1	1	10	10			
111111111111111111111111111111111111111	23 0111111112222244	495585855 44114455	M17134 RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK RR/PHK	18 18 18 18 18 18 18 18 18 18 18 18 18 1	11213123123 211	111111111111111111111111111111111111111	111112223333	12 10 10 10	10 10 10 10	12 10 10 10 10 10		
-		15 45 50 30 15	M093 ATM M17134 T003B	5 1 18 18	35	1 1 1	1 8	0 10 10 0 12	10 0 12 1	1 <u>u</u> 0 12 11		
19999999999	9 17 18 18 18 18 18 18 19	15 18 15 19 23 30 33 0	M17134 M172 M172 M172 SHK T003B SHK SHK SHK	18 18 18 18 18 18 17 18	111112131	2 1 1 1 1 1 1 1 1 1	1 1 1 1 2 1 2 1 2	12 12 2 10	12 2 12 2 10	11 12 2 12 10 10		

			•			ASTRONAUT		PLA	NNTNG	BASEL	INES	
19 19 19 19	H 19 19 19	M 0 3 30 30	EXOP SHK SHK SHK	ER 18 17 18	AG 2 3 1 2	A 1 1 1	AR 2 2 3 3	10	2 10	1 <u>0</u>	4 5 ATION	6 7 CODES
19 19 19 19 19	19 19 20 20 20 21	33 44 0 19 55 25	S020 ATM S020 SHK	2 1 2 18	1 5 1 3	1 1 2 1	1 9 1 3	10	10	10 10 10 0		
19 19 19	21 21 22 22 22 22	30 31 0 7 30	M171A S020 M171A	3 3	2 1 2	1 2 1	1 2 1	0 10 0	10	10		
19 19 19 19 20 20 20	23 23 0 1 1	0 4 40 0 15 15	S020 S020 M17134 RR/PHK RR/PHK	2 19 19 19	1 1 1 2	2 3 1 1 1 1	3 1 1 1	12 10	0 12 10	10 10 12		
20 20 20 20	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 18 45 45 48 15	TOO3B RR/PHK RR/PHK RR/PHK RR/PHK	1999199911112	111121312312361	1 1 1 1 1 1 1 1	1 1 1 1 2 2 2 3 3	10	10	10		
20 20 20 20 20	11112222233	15 18 45 48 2	RR/PHK RR/PHK ATM SQ20	19	2 3 6 1	1 1 1 4	3 7 1	10	10	10 10 0 10		
20 20 20 20 20 20	3 4 4 4	44 55 6 15 30	S020 S020 S020 M171A	2 2 3	1 1 1 3	5 5 6 4	1 2 1 1		10	10 10 10		
20202020	4 4 5 5 7	45 51 15 45 15	M171A ATM	3 1:	3	1	1 7	10	10	ō		·
20	8	0	M17134 T003B	19 19	1 2	1	2	0 12 1	0 12 1	12 11	·	

						ASTRONAUT		IAUT	PLA	NUTUC	BASEL	INES
D! 20	H 9	M 18	EXOP	ER	AĢ	A	AR	1	2	UIILI4	4 5 ATION	6 7 CODES
20000000	17 18 18 18 18	15 12 19 24 30 30	M17134 M172 M172 M172 SHK T003B	19.9.9.9.19.1 1.9.9.9.19.1	111111	2 1 1 1 1	1 1 1 1 2	12 12 2	12 2 12 2 0	12 2 12		
202020	18 18 19 19	33 43 0 8 30 38 38	TÖZÖ TÖZÖ SÄK SÄK SÄK SÄK	119991918	1 1 1 2 1 2 3	113311111	1 1 2 1 3 2 1	10	10 10 10	10		
20 20 20 20 20 20 20	77 77 70 70 70 70 70	0 8 8 38	SHK SHK SHK ATM M171B M171B	19 18 18 13 3	233411	1 1 1 1 1 1	3 2 3 7 1 1	10	10 0	10 10 10		
20: 21: 21:	22 0 1	55 0 15	M17134 RR/PHK	20 20	1	1	1	0 12 10	12	12		
21: 21: 21:	1	18	RR/PHK TOO3B RR/PHK	20 20 20	1 3	1 1	1 1 1 2	10	10	10 10		
21 21 21 21	1	45 45 48 15	RR/PHK RR/PHK RR/PHK RR/PHK	20 20 20 20	131231	1 1 1 1 1	11112223	10	10	10		
21: 21: 21:	2	15 18 45	RR/PHK S019 ATM	20 20	2 1 5 3	1 1 1	3 1 10	10	10 10	10		
21: 21: 21:	3 3	48 18 57	S019	20 2 7	3 1 1	2	1 1	. ,	· -	10 10		
21: 21: 21:	4 5	15 27 27 31	M092	7 2 7	1 2	1 2 1	2 1	10	10	<u>0</u>		• .
21: 21: 21:	5	31 57 47	M Q 92:		2			‡0 0	10	ō		

ASTRONAUT PLANNING BASEL	INES
D H M EXOP ER AG A AR ULILIZATION 21 7 4 SQ19 2 1 2 3 10 10 21 7 31	6 7 CODES
21: 7 34 21: 7 56	
21 8 0 M17134 20 1 1 2 12 12 12 21 9 15 T003B 20 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
a B B Manina and	
21 17 15 M17134 20 1 2 1 12 12 12 12 21 18 12 M172 20 1 1 1 1 2 12 2 2 2 2 1 18 19 M172 20 1 1 1 2 12 2 12 21 18 24 M172 20 1 1 1 2 12 2 12 21 18 30 SHK 20 1 1 1 10 2 12 10 21 18 30 SHK 20 2 1 1 10 21 18 30 T003B 20 1 1 2 10	
21 18 30 SHK 20 2 1 1 10 21 18 30 T003B 20 1 1 2 10 21 18 33 SHK 19 3 1 1 10	
21 19 0 SHK 20 1 1 2 10	
21 19 0 SHK 20 1 1 2 10 21 19 0 SHK 20 2 1 2 10 21 19 3 SHK 19 3 1 2 10 21 19 30 SHK 20 1 1 3 10 21 19 30 SHK 20 2 1 3 10 21 19 30 SO19 2 1 2 4 10 21 20 0 ATM 1 4 1 8 0 10 21 20 0 SHK 19 3 1 3 10	
21 20 0 ATM	
21: 21 0 5019 2 1 2 5 10 21: 21 30 M092 7 3 1 1 10 10	
21 22 46 0 0 0 21 23 0 0 21 23 15 M093 7 2 1 1 10 10	
21 23 30 0 21 23 55 0 22 0 0 M17134 21 1 1 1 12 12 12	,
22: 1 15 RR/PHK 21 1 1 1 10 22: 1 15 RR/PHK 21 2 1 1 10	
22 1 18	
22 1 45 RR/PHK 21 2 1 2 10 22 1 45 RR/PHK 21 2 1 2 10 22 2 12 RR/PHK 21 3 1 1 10	
22 2 15 M131A 4 1 1 1 10 10 22 2 42 RR/PHK 21 3 1 2 10 22 2 45 M131A 4 2 1 1 10 10	

			•			ASI	RON	AUT	PLAI	NuTNE	BASEL	INES
D.	Н	M	ËXOP	ER	ΔG	A	AR	1	2	د ا ا ا ا ا ا	4 5 ATION	6 7 CODES
22 22 22 22	3 3 3 3	12 15 15 15	M131A S019 M131A	4 2 4 21	3 1 3 1 2	1 2 1	1 7 1	10	10	10		
22:	3 3 3	45 45 45	RR/PHK RR/PHK 5019	21	1 2 1 2	121113111	1331113	10	10 10	10		
22° 22° 22° 22° 22°	4 4 5	15 45 45 15	M1718 M1718 RR/PHK	2 3 21	1 2 2 3	1 1	1 3	0 10	±0	10 0		
22: 22: 22: 22: 22:	55556	15 25 40 40 10	ATM M1718 M1718	1 3	6 3 3	1 1 1	8 1 1	10	10	īŌ		A .
22: 22: 22: 22:	6 7 7 7	50 5 20 25	MQ93	7	3	1	1	10	0	10		
22 22 22 22 22 22	7 7 8 9	25 45 15 18	M17134 T003B	21 21	1 2	1	2	12	12	12 11 12 12 12 12		
22 22 22 22 22	17	15 12 19	M17134 M172 M172	21 21 21	1 1 1	2 1 1	1 1 1	12 12 2	12 2 12			
22: 22: 22: 22:	18 18 18	24 30 30 30	M172 SHK SHK T003B	21 21 21 21	1 2 1	1 1 1	1	10	2 10	12		
55.	18 19 19	33	SHK SHK SHK	20 21 21 20 21	3 1 2	1 1 1	1 2 2	10	10	10 10		
フファ	19 19 19 20	30 30 33	SHK SHK SHK	20 21 21 20	2	1 1 1 1 1 1 1 1 1 1 1	2 3 3	10	10	10		· ·
22: 22:	51 50	0 3 30	ATM M171C	3	•	1 1	8	0 10	0	10.		
22 22 22 23	23 23 23	45 15 30 0	M171C M17134	22				0	10 0	<u>1</u> 5		

						AST	STRONAUT		PLANNING		BASEL	INES
0: 23: 23:		M 15 15	EXOP RŘ/PHK RŘ/PHK	22 22	AG 1 2	A 1 1	AR 1	1 10	2	UIILIA.	4 5 ATION	6 7 CODES
23 23 23 23 23 23	1	15 18 45 45 40	TOO3B RR/PHK RR/PHK RR/PHK RR/PHK	22 22 22 22 22	1312313	1 1 1 1 1	1 12 2 2 1 3	10	10	10	,	
23: 23: 23:	2 2 2	15 16 48	M131B RR/PHK	22		1	1 3	10	10	10		
23 23 23 23	2 2 3	0 45 45 45	M1318 M1318 RR/PHK M1318	3 22 3	2 3 2 3	1 1 1	1 1 3 1 1 1 1	10 10	10	10	· ·	
23: 23: 23:	4	15 30 0	M171C M171C RR/PHK	3323332 233322	23232215	1 1 1 1 1 1 1	1 1 3 11	10 10	10	ğ i		
23: 23: 23: 23:	6 7 8	15 30 45 0	ATM M17134	22				0	10 0 12	10 0 12		
23 23 23 23	9 9 17	15 18 15 12	TQ038 M17134 M172	22 23 23	1211	1 1 2 1	2 1 1 1	1 12 12	12 2			
23 23 23 23	18	19 24 30 30	M172 M172 SHK SHK_	22 22 22 22	1112131	1 1 1 1 1 1 1 1 1 1	1 1 1 2	10	12 2 10	12		
23: 23:	18 18 19	30 33 0	10038 SHK SHK SHK	22 21 22 22	1 3 1 2	1 1 1 1	2 2	10		10		
23: 23: 23:	19	30 30	SHK SHK	21 22 22	3 1 2 3 3	1	2	10	10	10		,
23	19 20 20	33 0 3	SHK ATM Ma71c	3		1 1 1		0 .	10	1 <u>0</u> 0 1 <u>0</u>		
23: 23: 23:	23	45 15 30	M	3 ;	3 3	1 1:	1	10	4.5	<u>0</u>		
24	0	0	M17134	3 2	1	1.	1	12	12	Ť÷		

						AS	TRON,	AUT	PLA	NNTNG	BASEL	INES
044444444444444444444444444444444444444	1112245566666777899788888899033330	M 553555053333333305352940080008888058	RTMRRA MRMRMRR MT MMMMSTMSSASS MDG EROSKRT 18181817 70 7777K00KKMKK 72/ EROSKRT 1818187/ 70 7777K00KKMKK 72/ EROSKRT 1818187/ 70 7777K00KKMKK 72/	ENTITUDE SESSES SESSES SESSES SESSES SESSES SESSES	GIIVIII6 IN WAN WAN IN IIIIIII WALLAN	A112111 11111111 11 211111211111	AR111239 111211123 21 111112223011	1 10 10 10 10 10 10 10 10 10 10 10 10 10	PL 2 0 10 10 10 10 10 10 10 10 10 10 10 10 1	NNING 1 10 10 10 10 10 10 10 10 10 10 10 10 10	BASEL 5 ATION	TNES CODES
24· 24· 24·	23 23 23 01 66 66 77 77 8	8 8 38 0	SHK SHK M17134		323 11123123 1		10 1 1 1 1 1 2 2 2 2 2	12	0	12 12		

25 17 15 M17134 24 1 2 1 12 12 12			ASTRONAUT	PLANNING	BASELINES
25: 18 19 M372 24 1 1 1 2 12 12 12 12 15: 18 24 M372 24 1 1 1 1 2 12 12 12 12 15: 18 30 SHK 23 2 1 1 1 1 0 10 25: 18 30 SHK 23 3 1 1 1 10 25: 19 0 SHK 23 2 1 2 10 10 25: 19 0 SHK 23 3 1 2 10 25: 19 0 SHK 23 3 1 2 10 25: 19 30 SHK 23 3 1 2 10 10 25: 19 30 SHK 23 3 1 2 10 10 25: 19 30 SHK 23 3 1 3 10 25: 19 30 SHK 23 3 1 3 10 25: 19 30 SHK 23 3 1 3 10 25: 19 30 SHK 23 3 1 3 10 25: 19 30 SHK 23 3 1 3 10 10 25: 19 30 SHK 23 3 1 3 10 10 10 10 10 10 10 10 10 10 10 10 10	12222 12	222222222222222222222222222222222222	A A R 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 12 12 12 12 12 12 12 12 12 12 12 12	4 5 6 7

						AST	RONAL	JΤ	PLAI	NNING	BASEL	INES
26 26 26 25	20	M 30 0	EXOP SHK \ ATM SHK	ER 24 1 24	AG 2 3	A 1 1	AR 3 11	10	2 10 10	3 U! <u>I</u> LI4	4 5 ATION	6 7 CODES
26 26 27 27 27 27 27	23 0 1 1 1 1 1	13 4 0 5 15 13 4 3 5 4 3 5 4 3 5 4 3 5 4 3 5 4 5 4 5	SHK M17134 RR/PHK M509 M509 M509 RR/PHK	26 25 11 1 26	13 113331	1 1 1 1 2 1 1 1	1 1 1 1 1 2 3	0 12 10	12 10 10 10	10 12 10 10 10		
27 27 27 27 27 27 27 27 27	6 6 6	15 45 8 8 38 45	RR/PHK ATM RR/PHK RR/PHK RR/PHK RR/PHK	26 26 26 26 26 26	13331132323	1 1 1	12 1 1 2 2	10 10	10	1 <u>0</u>		
27 27 27 27 27 27	7 7 8	8 38 0 15 15	RR/PHK RR/PHK M17134 M17134	26 26 26 26	2 3 1 1	1 1 1	3 3 2 1	12 1 12	10 0 12 1	10 0 12 12 12 12 2		·
27 27 27 27 27 27	18	12 19 24 30 30 33	M172 M172 M509 SHK M509	26 26 25 25	111434433		1 1 1	12 2 10 10	12 2 10 0	2 12 1 <u>0</u>		
27 27 27 27 27 27	18 19 19 20 22	48 0 30 0 3	SHK SHK SHK	1155 25 25 25 25 25 25 25 25	433		1 2 3	10	10	10 10 0		
27 27 27 27 27 27 28 28	. 55	33 33 3 3 33	SHK SHK SHK SHK SHK SHK SHK	25 25 25 25 25	1 2 1		2 3 3	10	10 10 0 2	9		
28 28	0 1 1	0 15 15	RR/PHK	27 27	1	1	1	0 2 10	10	Ż		

						AS	TRON	IAUT	PL	ANNTHE BASE	LINES
26 28 28 28	H 1 1 1 1 1	M 15 45 45	EXOP RR/PHK RR/PHK RR/PHK RR/PHK	ER 27 27 27 27	AG 3 1 2	A 1 1 1	AR 1 2 2	10	2	J 4 5 UIILIZATION	6 7 CODES
28 28 28 28 28 28	1 2 2 2 2 8	15 15 15	RR/PHK RR/PHK RR/PHK CDS	27 27 27 27	1 2 3 1	1 1 1 1	2 3 3 3 1	10	10		
28 28 28	9 17 18 18	0 15 15 30 30	SHK SHK	26 26	1 2	1	1	2 1 2 10	2 1 2 10	10 10 2 1 2	
28 28 28 28	18 19 19	30 0 0	SHK SHK	26 26 26	3 2 3	1 1 1	1 2 2	0	10	10 10	
28 28 28 28	19 19 19	18 30 30 30	SÖO9 Säk Säk Säk	26.6.6.6.1	2 3 2 3 1 1 2 3	111112	1122123331	10 10	10	10	•
28 28	50	0	SHK CDS	2 <u>6</u>	1	1 2	3	10	10	10	

LOCAL RESOURCE TIMELINES

Ten items were identified as Skylab replenishable resources and equipment which presented potential scheduling conflicts if required by more than one EXOP simultaneously. Each local resource was characterized as a queue of available units. When an activity required a certain amount of the resource, that amount was taken from the queue over the interval of the activity. At the end of the activity the amount was returned to the queue for reuse. Many activities could be scheduled over an interval as long as there were enough units remaining in the queue to satisfy the activity's request. The ten resources identified, and the initial number of units in the queue, are as follows:

Resource Number	Туре	Initial Amount
1.	Constant electric power available from all sources	1000 watts
2.	Ergomete r	1
3.	Hasselblad camera	2
4.	ATM equipment	1
5.	VKG vest and Vectorcardiogram equipment	1
6.	Movie camera	2
7.	Analog telemetry channels	50
8.	Digital telemetry channels	50
9.	Razor	1
10.	Multispectral camera	1

The initial number of units available may not be the number of units currently assigned for Skylab. However, the resulting profiles provide an indicator of the usage of each resource.

REB D H	OURCE 1 M QUANTITY AVAILABLE	RESOURCE 2 D H M GUANTII AVAILAE		RESOURCE 4 D H M QUANTITY AVAILABLE
9979990113944 999906777997 22222233555555555555555555555555555555		3 23 15 5 5 5 5 5 6 6 23 15 5 5 5 6 6 23 15 5 5 5 6 6 23 15 5 5 7 7 7 7 9 9 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 6 9 23 15 5 5 5 5 6 9 23 15 5 5 5 5 6 9 23 15 5 5 5 5 5 6 9 23 15 5 5 5 5 6 9 23 15 5 5 5 5 5 6 9 23 15 5 5 5 5 5 6 9 23 15 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0U 14 1 24 1:000 0U 14 3 15 2:000 0U 17 5 48 1:000 0U 17 6 38 2:000 0U 20 19 8 2:000 0U 20 19 8 2:000 0U 20 15 58 2:000 0U 20 15 58 2:000 0U 20 15 33 2:000 0U 20 15 48 1:000 0U 20 15 48 1:000 0U 20 1 33 2:000 0U 27 6 8 2:000 0U 27 6 8 1:000 0U 0U 0 0 1.000 .000	

·.				· ·	RC= BASELINE		
D	RESOURCE	E 1 QUANTITY AVAILABLE	RESOURC D H M	QUANTITY AVAILAELE	RESOURCE 3 H M QUANTITY AVAILABLE	RESOURCE D H M	E 4 QUANTITY AVAILABLE
333333333333333333333333333333333333333	5 1060510550522555506157 12222222 11222355555606157	986,400 986,400 986,400 936,400 931,400 931,400 931,400 936,400 937,400 938,400	7 9 3 1 4 5 5 5 5 6 6 5 5 5 5 5 6 6 6 5 5 5 5 5	1.0000 1.00000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.00000 1.0000		9 46 11 1 0 0 5 5 5 5 0 0 0 0 0 0 11 1 1 1 1	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000

REBOURCE: 1 D M M GUANTI AVAILA		RESOURCE: 3 H M QUANTITY AVAILABLE	RESOURCE 4 D H M QUANTITY AVAILABLE
7 4 9 9 9 3 5 5 6 9 9 9 3 5 5 6 9 9 9 3 5 5 6 9 9 9 3 5 5 6 9 9 9 3 5 5 6 9 9 9 3 5 5 6 9 9 9 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	400 22 1 55 1.000 400 22 7 5 1.000 400 27 9 0 1.000 400 400 400 400		17 2 45

REBOURD D 4 M	CE 1 QUANTITY AVAILABLE	RESOURC D H M	E 2 QUANTITY AVAILAULE	RESOURI J. H. M	CE 3 QUANTITY AVAILABLE	RESOUR D H M	CE 4 QUANTITY AVAILABLE
1223345516605524930055058865 12233545567769785055058865 111122333011331 1111222233011331	936,400 756,400 756,400 936,400 931,400 931,400 931,400 931,400 931,400 936,400					23 6 15 23 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	.000 1.000 .000 1.000 1.000 1.000 1.000 1.000 1.000

D	RESOURCE H M	E 1 QUANTITY AVAILABLE	RESOUR D H M	CE 2 QUANTITY AVAILABLE	RESOUR H M	CE 3 QUANTITY AVAILABLE	RESOURCE D H M	QUANTITY AVAILABLE
ファファファファファファファ	4 5 5 5 5 5 7 7 9 9 7 8 9 1 1 2 4 9 0 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	949 400 949 400 936 400 986 400 986 400 986 400 986 400 986 400 986 400 986 400	•					
75566666666	23. 15 1. 15 2. 15 2. 15 2. 15 3. 15 4. 15	949,400 986,400 986,400 986,400 1000,000 820,000 820,000 1000,000 963,000						
8 8 8 8	0 15 17 15 18 12 18 14 18 29 21 30	1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 963,000						

D	RESOURC H M	E 1 QUANTITY AVAILABLE	D H M QU	2 ANTIŢY Ų AILAŅĻĖ	RESOURCE H M	RESOURCE D H M	E 4 QUANTITY AVAILABLE
899999999999999999999999999999999999999	15166055249330055055455 115166055249330055055455 11116912232014697	1000 996 000 997 000 996 000 997 000 900 9					

	REBOURCE: 1	RESOURCE	2	RESOURCE	=	Desallers	: 4
D		DHM	ANVILVAPE GNENTITĂ Ď	н м	QUANTITY AVAILABLE	RESOURCE D H M	QUANTITY AVAILABLE
10 10 10 10 10	17 15 996,000 16 12 1000,000 16 14 996,000 16 29 1000,000 16 33 580,000	• •					·
	996,000 1:13 1000,000 8:0 996,000 9:13 1000,000 17:15 996,000 18:14 996,000	•					
12 12 12 12 12	4·15 995,000 5:31 990,000 9:35 995,000						
12 12 12 12 12 12	17 15 996,000 18 12 1000,000						

RESOURCE 2
D H M. QUANTITY

RESOURCE 3
UNITED H M QUANTITY
AVAILABLE

RESOURCE 4
D H M QUANTITY
AVAILABLE

D L	RESO ≈I			NT I I L A	TY BLE
111111111111111111111111111111111111111	21 22 3 5 1 5 1 2 7 8 9 7 1 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 1	5505524905054550B055	9 10 9 10 9 10 9 10 9 10 9 10 9 10 9 10	9050909090909090706650909	

RI	ESOURC	E : 4	R	SOURC	E 2	R	ESOURC	E. 3	RESOURC	CE 4
	H: M	GAYALILA		H M	PITTAND		н м	QUANTITY	D. H. M	QUANTITY
		AVAILABLE			AVAILABLE			AVAILABLE		AVAILABLE
									•	
10. 1	0 14	996,000								
14 1	0 29	2000,000		÷		•				
	3 30	943,000								
14 2:	3: 30	1060,000			,					
15	0 : 0	996,000					•	•		
15	1:15	1000,000								
15	4. 15 9. 31	995,000								
17.	8:80 3 31	990,000								•
15	9: 39 6: 31	995,000	•							
কু কু কু হৌ:	7:16	000,0004								
4 []	7 56	\$000,000								•
511555	8 0	996,000						4		
15	0 9 15	\$000,000								
19 1	7 15	986,000								
19 1	0 12	8000,000								
19: 1	924	996,000								
15 1	8 29	\$000,000								
15 2	1:30	995,000						•		
13 3	2: 90	1000,000								
19 2 19 2	I: 15 I: 55	990,000								
19 %). 95 8	\$000,000						•		
16	0 0	996,000						•	•	
16 16	1: 15	\$000,000 963,000								
	6.15	950,000						·		
16	6 5 5	1000,000								
	8 0	996,000								
Tō.	a. O	* * O O O O		•						

RESOURCE 3 U H M QUANTITY AVAILABLE

RESOURCE D H M

QUANTITY AVAILABLE

RESOURCE 2 D H M QUANTITY AVAILABLE

D	RES	SOURC M	CE 1 QUANTITY AVAILABLE
111111111111111111111111111111111111111	689788882014356	149 30 158 188 15	1000,000 996,000 1000,000 963,000 1000,000 1000,000 1000,000 1000,000 1000,000 1000,000 1000,000 1000,000 1000,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000

RESOURC D H M	CE 1 QUANTITY AVAILABLE	RESOUR D H M	ANVILVAPTE S CE S	RESOUR J H M	RCE 3 QUANTITY AVAILABLE	RESOUR D H M	CE 4 QUANTITY AVAILABLE
5 0552490055505550552499517400 7 8 9 7 8 18 18 18 18 18 18 18 18 18 18 18 18 1	100,000 996,000 1000,000 996,000 1000,000 995,000 1000,000 995,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 1000,000 996,000 996,000 1000,000 996,000 996,000 996,000 996,000 998,000 998,000 998,000 998,000 998,000 998,000 998,000 998,000 998,000						

RESOURCE	E 1	RESOURC	E 2	RESOURC	E 3	RESOURC	E 4
D H M	QUANT!TY	DHM	QUANTITY	ੂ ਮੰਪ	GUANTITY	D H M	QUANTITY
	AVAILABLE		AVAILAĖLĖ	-	AVAILABLE		AVAILABLE
•							
30 0 4	096.000						
20 0 1 20 1 15	996,000 1000,000						
20 2 48	993,000						
20 3 2	1000,000						
20 3:44	993,000		•				
20 3 55	993,000						•
20 4 6	1000,000						
20 8 O	996,00U						
20 9 15	1000,000						
20 17 15	996,000	•					
20 18 12	1000,000	•					•
20 18 14	996,000						
20 10 29	1000,000			,			
20 18 43	874,000	•					
20 19 8	1000,000						
20 21 30	963,000						
20 22 55	1000,000						
21 0 0 21 1 15	996,000			٠			
21 1 15 21 4 15	1000,000 995,000		•				
21 5 31	990,000						
21 5 35	995,000		•				
21 6 51	1000.000						
21 7 16	950,000						
21 7 56	1000,000						
21 7 96	996,000						
21 9 15	1000,000						
21 17 15	996,000					•	

	RESOURC	E 1	RESOURC	E 2	RESOURC	E 3	RESOURCE &	1
D	H M	QUANTITY AVAILABLE	DHM	AAVITARTE GANTITA	ੁ ਜ ੱਥ	QUANTITY AVAILABLE	D H M QUA	NTITY
21111111222222222222222222222222222222	5 05 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1000,000 996,000 1000,000 995,000 1000,000						

D	RESOL		RESOURC D H M.	GUĀNTIŢY SE 2	RESOURC H M	CE 3 QUANTITY AVAILABLE	RESOURC D H M	E 4 GUANTITY AVAILABLE
23 23 23	6 1	996,000		·				
23	9 1							
23	17 1							
23 23	18 1					•		
23	18 2							
23	21 3	963,000				,		
23	23.3	1000,000	-	•				
24		996,000						
24	1 1							
24	1:3							
24	5 5							
24	6 2 6 5							
24 24	6 5; 7 2;							
24		996,000						
24	9 1							
24	17 1							
24	18 13							
24	18 1							
24	18 2	2 1000,000						
24	18 4							
24	53.	1000,000						
25	0 (
25 25	1 1:							
25	3 15 6 15	925,000 1000,000						

	RESOUR	RCE 1	RE	SOURC	E 2	RESOUR	CE. 3	RESOURCE	4
ס	H: M	GUÄNTITY AVAILABLE	DF		QUÂNTITY AVAILABLE	ਹੁ⊱ H M·	QUANTITY AVAILABLE	D. H. M	QUANTITY AVAILABLE
25	- 8 O	996,000							_
25	17 15	\$000,000 996,000							
25 25	16 12 18 14	1000,000 996,000			•				
25 26	10 29	1000,000			•				
26 26	1: 15	1000,000 794,000	•						•
26 26	5 58	000,000					•		
26	6 58	820,000 820,000						,	
26 26	7 28	1000,000 996,000			•				
26 26	9 15 17 15	1000,000 996,000							
26 26	18 12	1000,000 996,000							
26.	18 29	1000,000 794,000							
26 27	23: 13	1000,000			,				
27	1:15	996,000 1000,000							
27 27	1:33	794,000 1000,000							
27 27 27	5 0 9 15 17 15	996,000 1000,000 996,000					·		

RESOURC	E 1	RESOUR	RESOURCE 2			RESOURCE 3			RESOURCE 4		
D 4 M	QUANTITY AVAILABLE	D H M	QUANTITY AVAILABLE	ų H	ı M	QUANTITY		Ä M	GUANTITY AVAILABLE		
27 18 12 27 18 14 27 18 29 27 18 48 27 22 3	1000:000 996:000 1000:000 794:000 1000:000										

AVAILABLE AVAILA	8
3 4 15 000 2 0 0 1,000 4 1 32 48 000 3 4 15 3 5 35 000 2 0 57 2 000 4 2 2 50 000 3 5 31	UANTITY VAILABLE
3 5 35	VAIL 000000000000000000000000000000000000

	RES	OURCE	5		RES	OURC	E 6		RES	SOUR	CE 7		RES	SOURC	E 8
D	4		UANTITY VAILABLE	D	H	M .	QUANTITY	g/	H	М	QUANTITY AVAILABLE	D	H	M	QUANTITY AVAILABLE
778888999999100010111111122222	7113316678245134577	3 113 0 0 5 5 6 6 6 6 6 6 5 5 5 5 5 5 5 5 5 5	1,000 1,000	44455555555555666666666	782200458878220045567788	0075200075507520007515161075	21.000000000000000000000000000000000000	111112222222222222222222	22 15 8 22 22 3 3 1 5 6 6 7 8 3 5 6 6 7 0	5 1 8 3 3 5 5 5 5 5 3 3 3 3 5 5 5 5 3 3 3 3	50000 00000 0000	9999000022222255555777788888	122 12 55 5 12 4 5 5 6 12 15 8 2 4 5 5 6 12 15 8 2 4 5 5 6 12 15 8 2 4 5 5 6	5335143551510051510088335151 1300553351510051510088335151	59.000000000000000000000000000000000000

D	RESOURCE 5 H M QUANTII AVAILAE	Y Ď	ESOURCE 6 H M QUANTITY AVAILABLE	RESOURCE: 7 U H M QUANTITY AVAILABLE:	RESOURCE 8 D H M QUAN AVAI	TITY
22333333444	23 15 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7	2 50 2 000 0 1 000 0 0 1 000 0 0 0 0 0 0 0		22 50 4 4 3 4 4 3 4 4 5 5 3 4 4 5 5 2 3 4 4 2 3 5 4 4 2 3 5 4 4 2 3 5 4 4 2 3 5 4 4 2 4	19.000000000000000000000000000000000000

LOCAL RESUUNCE BASELINE

	NTITY LILABLE	RESOURÇ D H M	E 6 QUANTITY AVAILAELE	RESOURCE 7 QUANTITY AVAILABLE	RESOURCE 8 D H M QUANTITY : AVAILABLE
17 22 3 18 4 15 18 5 35 18 7 16 18 7 56	1,000 ,000 ,000 ,000	8 8 57 8 17 15 8 18 12 8 21 45 8 23 15	2.000 1.000 2.000 1.000 2.000		
18 21 30 18 23 15 18 23 55 19 4 15 19 5 45	1,000 1,000 1,000	9 0 0 9 0 57 9 4 15 9 5 31 9 5 35	1,000 2,000 1,000 .000 1,000		
19 5 55 19 6 35 19 21 30 19 23 0 20 4 15	1,000 1,000 1,000 1,000	9 6 51 9 7 16 9 7 31 9 8 0 9 8 57	2.00U 1.00U 2.00U 1.00U 2.00U		
20 5 45 20 21 30 20 22 55 21 4 15 21 5 35	1,000 ,000 1,000 ,000	9 17 15 9 18 12 9 21 30 9 22 50 9 23 15	1.000 2.000 1.000 2.000 1.000		•
21 7 16 21 7 56 21 21 30 21 23 15	1,000 1,000 ,000	9 23 30 10 0 0 10 0 57 10 1 15.	2.000 1.000 2.000 1.000		
21 23 55 22 4 15 22 5 40 22 7 5	000	10 4 45 10 6 45 10 7 0 10 8 0	2.000 1.000 2.000 1.000		

LOCAL RESUUNCE BASELINE

	RESOURCE: 5 D M: M QUANTITY			RESOURCE 6			RESOURCE: 7			RESOURCE: 8		
	D	H: M	QUANTITY AVAILABLE	D	H	M	QUANTITY AVAILAULE	ن	H M	QUANTITY AVAILABLE	D. H	M QUANTITY AVAILABLE
	22	7 45	1,000	10	8	57	2,000					
	22	21: 3n	000	10	17	15	1.000					
	32	23 : 30	1,000	10	18	12	2.000					
	23	4.15	,000	10	18	33	1.00u					
	23	6.15	1,000	10	22	53	2.000					
•	23	21:30	000	11	0	0	1,000				•	
	23	23:30	1,000	11	0	57	2.0 0 U				•	
	24	1: 33	1,000	11	4.588	45 15 0 57	1.000					•
	24	§: 53	1,000	111111	5	15	2.000					
B-52	24	10:48	000	11	8	_ 0	1,000					
52	37	0:0	1,000	į	5	9 /	2.000					
	G1	0 (0	1,000	11	17	15	1.000			·		
				11 11	18	12	2,000					
						0 30	1,000					
				11 12	22	. 0	2,000					
				12	0	57	1,000 2,000					
				12	4	15	1.000					
		•		12	R.	31	, 000 000					
				12	5 5	35	1,000					
			•	12	6	51	2,000					
			•	12 12	7	16	1.000					
				12	7	31	2.000		,			•
				12 12 12 12	8	Ō.	1.00			,		
				12	8	57	2.000					
				12	17	15	1.000					
					18	12	2.000					
				12	21	30	1.000					

LOCAL RESUUNCE BASELINE

12 22 50	RESOURCE 5 D H M QUANTITY AVAILABLE	RESOURCE 6 D H M QUANTITY AVAILABLE	RESOURCE 7 2 H M QUANTITY AVAILABLE	RESOURCE 8 D H M QUANTITY AVAILABLE
		12 23 15 1.000 2.000 13 0 57 2.000 13 6 25 1.000 13 6 25 1.000 13 6 40 13 8 57 13 17 15 13 18 12 1.000 13 18 12 13 22 40 14 0 57 14 1 24 14 3 15 14 4 45 14 5 25 14 6 10 14 6 50 14 8 0 1.000 1.		
14 18 12 2.000 14 21 45 1.000		14 17 15 1.000 14 18 12 2.000		

RESOURCE 5	RESOURCE	6	RESOURCE 7	RESOURCE 8
D H: M QUANTITY AVAILABLE	D H M	QUANTITY AVAILABLE	W H M QUANTITY AVAILABLE	D H M QUANTITY AVAILABLE
•	14 23 15	2.000		
	15 0 0	1.000		
	15 0 5 7	2.000	•	
	15 4 15	1.000		
	15 5 31 15 9 35	.000		
	15 5 31 15 5 35 15 6 51	1.000	•	
	15 6 51	2.000		
	15 5 51 15 6 51 15 7 16 15 7 31 15 8 0 15 8 57 15 17 15	1.000 2.000 1.000 2.000 2.000 2.000 1.000		•
	15 7 31	2.000		
	15 8 0	1,000		•
	15 8 57	2.000		
	15 17 15	1,000		
	15 18 12 15 21 30	5 . 0 0 0		
•	15 21 30	1.000		
	15 22 50 15 23 15	2.000		
	15 23 15	1,000 2,000		
	15 23 30	2.000		
	16 0 0	1.000		
	16 0 57	2.000		
	16 4 30	1.000 2.000 1.000		•
	16 6 0	5 . 0 0 ñ		•
	16 6 15	1,000		
	16 6 30	2.000		
	16 8 0	1,050 2,00		
	16 8 57	2.000		
	1. 17 15	1.000		
	10 15 12	8.500		
	16 21 45	1.566		

LOCAL RESUURCE BASELINE

RESOURCE 5 RES D H M QUANTITY D H AVAILABLE	SOURCE 6 M QUANTITY AVAILABLE	RESOURCE 7 H M QUANTITY AVAILABLE	RESOURCE 8 D H M QUANTITY AVAILABLE
16 23	15 2.00 ⁰		
17 0	1.000	•	•
17 0	57 2.000		
17 1	18 1,000		
17 5	38 . 2.000		
17 5	48 1.000		
17 6	38 2.000	·	
17 8	0 1.000		
17 8			•
17 17	15 1.000		
17 18			
17 18			
17 22			
18 0			
18 0			
18 4 18 5			
18 5 18 5	35 1,000		
18 6		·	
18 7			
18 7			
18 8	0 1.000		
18 8			
18 17			
18 18			
18 21			
18 22			
18 23			

LOCAL RESUUNCE BASELINE.

D HIM QUANTITY AVAILABLE:	RESOURCE 6 D H M GUANTITY AVAILABLE	RESOURCE: 7 U H M: QUANTITY AVAILABLE	RESOURCE S D M M QUANTITY AVAILABLE
	16 23 30 2.000 19 0 0 1.000 19 0 57 2.000 19 4 45 1.000 19 5 15 2.000 19 5 55 1.000		
	19 6 10 2.000 19 8 0 1.000 19 3 57 2.000 19 17 15 1.000		
	19 22 30 2,000 20 0 0 1,000 20 0 57 2,000 20 4 45 1,000 20 5 15 2,000		
	20 8 0 1,000 20 8 57 2,000 20 17 19 1,000 20 18 12 2,000 20 18 43 1,000 20 19 8 2,000	· ·	-
	20 22 0 1.000 20 22 40 2.000 21 0 0 1.000 21 0 57 2.000 21 4 15 1.000	· · · · · · · · · · · · · · · · · · ·	

LOCAL RESOURCE BASELINE

RESOURCE 5 D H M QUANTITY AVAILABLE	RESOURC D H M	CE 6 QUANTITY AVAILABLE	RESOURCE 7 H M QUANTITY AVAILABLE	RESOURCE 8 D H M QUANTITY AVAILABLE
	21 5 31	• 0 0 U		
	21 5 35	1.000		
<u>.</u>	21 6 51	2.000		•
	21 7 16	. 1.ÖOÜ		
	21 7 31	2.00U		
	21 8 0	1.000		
	21 8 57	2,000		
	21 17 15	1,000		
	21 18 12	2,0 0 0		
	21 21 30	1,000		
•	21 22 50	2,000	•	,
•	21 23 15	1.000		•
	21 23 30	2.000		
	22 0 0	1.000		
	22 0 57	2,000		
	22 4 45	1.000		
	22 5 25	2,000		
	22 6 10	1.000	;	•
	22 6 50	2.000		
	22 7 5	1.000		
	22 7 20	2,000		•
	22 8 0	1.000		
	22 8 57	2.000		
;	22 17 15 22 18 12	1,000 2,000		
	22 21 45	1.000		
	22 23 15	2.00Ü		•
	23 n n	1.600		

LOCAL RESUURCE BASELINE

RESOURCE: 5 D HI M QUANTITY AVAILABLE	RESOURCE 6 D H M QUANTITY AVAILABLE	RESOURCE: 7 U H M QUANTITY AVAILABLE	RESOURCE 8 D H M QUANTITY AVAILABLE
	23 0 57 2.000 23 4 30 1.000 23 6 0 2.000 23 8 0 1.000 23 8 57 2.000 23 17 15 1.000 23 18 12 2.000		
	23 21 45 1.000 23 23 15 2.000 24 0 0 1.000		
	24 8 0 1.000 24 8 57 2.000 24 17 15 1.000 24 18 12 2.000		
	25 0 0 1.000 25 0 57 2.000 25 3 15 1.000 25 6 15 2.000		
·	25 8 0 1.000 25 8 57 2.000 25 17 15 1.000 25 18 12 2.000 26 0 0 1.000		

LOCAL RESUURCE BASELINE

	RESOURC	E 5	RESOURC	E 6	RESOURC	E 7	RESOURC	E 8
· D	H : M	QUANTITY AVAILABLE	D H M	ANAILAHLE Guantiik	₽ H M	QUANTITY AVAILABLE	D H M	QUANTITY AVAILABLE
			26 0 57	2,000				
*			26 1 33	1.000				
			26 5 58	2.000		•		
			26 8 0 26 8 57	1,000 2,000				
			26 17 15					
• •			· ·	1.000				
٠			26 18 12	2.000				
			26 18 48	1.000				
	•	÷	26 23 13	2.000				
	•		27 0 0	1.000				
	•		27 0 57	2.000				
	•		27 1 33	1.000				
2.			27 6 8	2.000				
			27 8 0	•000				
	٠	•	27 8 57	1,000				
			27 17 15	• <u>0</u> 0 U				
			27 18 12	1.000				
			27 18 48	.000				
			27 22 3	1.00U				

LOCAL RESOURCE BASELINE

	REE	SOUR	CE: 9	RESOURCE 10				
D	H!	M	QUANTITY	Ď	Н	M	QUĂNTITY AVAILA	
0	0:	0	1,000	0	0		1.000	
4	7	15	000	5	0 2 3	2	• 000	
4	21:	45 30	1,000 ,000	٦ 5	2n C	34	1.000	
5	4	Ď	1,000	5 5 5 5	20 21 22 23	34	1.000 .000 1.000	
5	1	15 45	• 000	5	22	0	100 0	
5	7	45	1,000	5	23	0	1.000	
5555577	21:	30 95	.000	5566666	1 2 19	18	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	
7	22:	95 15	1,000	Õ	3	18 50	1,000	
7	5 :	40	000	6	50	50 50	.000 1.505	
7	7	5	1,000	6	21	15	7.000	
7	21: 23:	30	000	6	21 22	15	1.000	
7	29.	30	1,000	6	23 23	52	.000	
8	4	15	.000	6	23	52	1. 0 0 ũ	
(4)	(3)	15	7,000	/	20	31	• 000	
8	21: 23:	30	,000	7	21	31	1.000	
11	& J.	30	1,000	7	22	7 7 25 25 48 48 28	,000 1,000 ,000 1,000	
44 11	9	15	1,000	7 8	23	25	1, ປູບູນ ກິດນ	
1121313	21:	30	000	8	2	25	1.000	
12	1 :	Ö	2.000	8	2 19 20	48	.000	
13	<u>\$</u> .	15	000		20	48	1.00 <u>0</u>	
13	7	49	1,000	8	21	28 -	. D O U	
77	21:	30	1,000	8	22	28	1,000 ,000	
14	22:	95 15	1000 11000	9	<u>ک</u> ع	46 46	4 DOU	
13 14 14	3:	40	000	9 9	2 3 20	45	1.00Ú .00Ű	

LOCAL RESOURCE BASELINE

	RES	OUR	CE 9		RES	SOUR	CE 10
D	4.	M	QUANT!TY	D	Н	M	QUANTITY
			AVAILABLE				AVAILA
14	7	5	1,000	9	21	45	1.000
14	21	3 0	1000	12	2 3	7	.000
14		30	1,000	12	3	7	1.000
16		15	000	13	1	23	•000
16	5		1,000	13	2	23	1.000
16	21	30	,000	13	2	59	•000
16			1,000	13		59	1.000
19	4	15	,000	27	0	0	1.009
19	7	45	1,000				
19	21	30	,000				
20	1	0	1,000				
20	4	15	,000				
20	7	45	1,000				
20	21		,000				
20	22:		1,000				
22	Æ,	-	000				
22	5	40	1000				
22	7	5	1,000				
22		30	1 000				•
22	23.		1,000				
23	4	15	1.000				
23	5	15	1,000				
23	21	3U	1.000				
23 27	23. 0	ם טכ	1,000				
<i> 1</i>		u	X 1 0 0 0				

PRECEDING PAGE BLANK NOT FILMED

ATTITUDE TIMELINE

The spacecraft attitude mode is designated by the MODE CODE as follows:

- O solar inertial which can be changed to the X-POP/Z-LV attitude if an EXOP requires the latter attitude.
- 1 solar inertial attitude required by an EXOP which cannot be changed to another attitude.
- 2 X-POP/Z-LV attitude.

It should be noted that the X-POP/Z-LV attitude was put on the timelines only over the interval of the activity requiring that attitude. No attempt was made to allow for maneuvering times when scheduling this attitude.

		•	•			
		ATTITE	UDE BASEL	INE	MARED OF ACTIVITIES	
4 4 5 6 7 7 7 8 18 18 20	MO053861116510617459089300		CO 20202111111111111111111111111111111111	NU	MBER OF ACTIVITIES SING THIS ATTITUDE 0 1 0 1 0 1 2 1 2 1 2 1 2 1 0 1	
4 5 6 6 18 19 20 20	94111441144118BBBBBBBBBBBBBBBBBBBBBBBBBB		010101010101010101		0101010101010101	

ATTITUDE BASELINE

					NU BER OF	ACTIVITIES
D	Н	M	MODE	CODE	•	ATTITUDE
19	23	40	.,	1	20.10 11117	4
20				<u>+</u>		Ţ
	0	1		U		U
20	2	48 2		1		1
20				0		0
20	3	44		1		1
20		55		1		1
20	4	6		n n		<u></u>
21		57		4	•	U
				<u> </u>		1
21	4	27		0		0 .
21	5 5	27		1		1
21		57		C		0
21	7	4		1		1
21	7	34		0		ā
21	19	30		1	•	1
21	20	0		ñ		ñ
21	21	ā		1		4
21	21	30		<u></u>		1
22		42		U		Ú
22	1			1		1
22	2	12		Ų		0
22	3	15		1		1
22	-3	45		0		0
28	0	0		0		0
29	0	0		2		
_	~-			~		4

PRECEDING PAGE BLANK NOT FILMED

FIXED RESOURCE

Two resources were identified from the Skylab non-replenishable supplies as Fixed Resources. A fixed resource is one that is not resupplied during a particular mission. The resources identified and the initial number of units of each are as follows:

Resource Number	Type	Initial Amount
1.	Not used	
2.	Film Packs	300
3.	0xygen	2400 lbs.

The initial number of units available for the ESP scheduler may not reflect the current allotment for Skylab. However, the amounts after scheduling shown below should provide information regarding the quantities used by Skylab EXOP's.

FIXED RESOURCES

RESOURCE	NUMBER	AMOUNT	REMAINING
2 3		1.	94.030 459.000

APPENDIX C

SKYLAB ACTIVITY SCHEDULING HISTORIES

This appendix contains an activity scheduling history for each EXOP in the Skylab crew activities schedule developed in the attached report. The activity scheduling history includes the EXOP Cycle Number (ER), the Activity Group Number (AG), the Activity Number (A), and the Activity Cycle Number (AR) as well as the activity start and end times. The EXOP's are presented in the order they were selected for scheduling. This summary was obtained by executing the proper option in Route 13 of ESP.

PRECEDING PAGE BLANK NOT FILMED

EXOP SCHEDULING HISTORY

111222755	ĘŘ:	11112223334445555666777	EŘ	
123123123	ΔG	1.25.1.25.125.1.25.1.25.1.25	ÄG	
1 1 1 1 1	A	1 11 11 11 11 11 11 11 11 11 11 11 11 1	A	
1 1 1 1 1 1	۸R	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AR	
D 4451113990		3 3 3 6 6 6 9 9 9 2 2 2 2 5 5 5 5 8 8 8 1 1 1 2 2 2	D	
H 21 4 21 4 21 4 21	M171	4 5:1 4 5:1 4 5:1 4 5:1 4 5:1 4 5:1	STAR	M092
M 5 0 5 5 0 5 5 0 5 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	Ť	15 1305 1305 1305 1305 1305 1305 1305 13	т М .	
D 4 4 5 11 13 19 19		3 3 3 6 6 6 6 9 9 9 2 2 2 2 5 5 5 5 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1	D	
H 5255525525	END	5 6 2 5 6 2	END H	
M 45 05 45 05 45 05		31 46 31 46 31 46 31 46 31 46 31 46 31 46 31 46 31 46 31 46 31 46 46 31 46 46 46 46 46 46 46 46 46 46 46 46 46	М	

		•		-
М	4	7	4	Ð

•

2	Ř'	AG	A	AR .	- D	STARŤ H	М	D	END H	M
•	141414 8 8 . WY . PT PT	112 5112 511.25	11111111111111	1 1 1 1 1 1	5773114 114022	21 4 5 1 4 5 1 4 5 1 4 5 1 4 5	35 40 35 40 35 40 35 40 40 40 40 40 40 40 40 40 40 40 40 40	5 7 7 13 14 14 20 22	22 5 7 22 5 7 22 5 7	55 40 55 40 55 40 55 40 55 40 55
						M171C				
8	Ř	ÄG	A	AR	D	STARŤ H	М	D	END H	M
	111222333	**************************************		1 1 1 1 1 1 1	788466233	2 14 1 1 4 1 2 1 4 1 1 2 1 4 1 1 2 1 4 1 1 4 1 1 4 1 1 4 1 1 1 1	3133117313 050050050	7 8 14 16 16 22 23	23 6 23 6 23 6 23 6 23	30 150 30 150 30 150
				•		M093				
	Ŕ	AG	A	∆R	D.	STARŤ H	M	D	END H	М
	1-11-4-1-10-10-10-10-10-10-10-10-10-10-10-10-1	1127112711271127	ं को की की की की की की की की को की वह वह वह	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	33 4667 9 9 0 2 2 P	7 23 23 7 23 7 23 6 7 25 6	65 565 565 565 5	334666799 10123	7 23 6 7 23 7 23 7 23 7 23 7	55 565 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

М	n	Q	3

111112223334445555666777788899910	EŘ	E 555666777	S B
" सर्व हे को है क्यों क्यों करी कर्त है क्यों क	ÅG	123:123:123	A C
1 121121 12 112 112 1121121121121	A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A
1211211211211211211211	AR	1 1 1 1 1 1	A D
22233344445555666777788889990001	D	D556889112	
0870870870870870870870 10870870870870870870	M1713 STARI	STAR ² H 7 23 6 7 23 5 7 23 7	STAP
0 05 0		M 6.5 5 6 5 5 6 5 5	ř
2223334444555666677778888999911011	D	D 15 16 18 19 21 22 22	
1981981981981981981981 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	END H	END H 7 23 6 7 23 6 7 23 7	END
11111111111111111111111111111111111111	М	M 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	

M17134

EÑ:	AG	A	AR		STARŤ H			END	
				. D	Н	М	D	H	M
Inductional Control of the Control o	et el el el es es es es es es es es es es es es es	412112112112121212121212121212121212121	121121121121121121121121121121121121121	i etali 087:087:087:087:087:087:087:087:087:087:	005005005005005005005005005005005005	11112223334444555666777788899900011112222333344445556667777888999000011112222222222222	1981981981981981981198198198	11111111111111111111111111111111111111	

M17134

11.23456789101123.456789101123456	EŘ	2222222222	ER
) वर्ग। इनी क्वी क्वी क्यी क्वी क्यी क्वी क्वी क्वी क्वी क्वी क्वी क्वी क्व	ΔG	ं वर्गः वर्गा वर्गः वर्गः वर्गः वर्गः वर्गः वर्गः वर्गः	AG
111111111111111111111111111111111111111	A	1 1 2 1 1 2 1 1 2	A
111111111111111111111111111111111111111	∆R	1 2 1 1 2 1 1 2 1	AR
23456789012345678901234567	D	255526667777	D
111111111111111111111111111111111111111	M172 STARŤ	0 8 17 0 8 17 0 8	STARŤ H
55555555555555555555555555555555555555	, M	0 0 15 0 0 15 0 0 15	M
23456789011234567 11123456718901234567	D	25 25 26 26 26 27 27 27	D
18888888888888888888888888888888888888	CN3 H	1 9 18 1 9 18 19 18	END H
00000000000000000000000000000000000000	M	15 15 15 15 15 15 15 15	М

T003%

1111222777344455556667777888999	ER	1111122255	ER
i vi Ni vi vi Ni vii vi Ni vii vi Ni vii vi	ĀĠ	ist Medet Mediet Me	ΔG
	A	्नां कर कर कर की को को को को क	A
112112112112112112112112	AR	1 1 2 1 1 2 1 1 2	∆R
22233344455566677778888999000	D	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	D
1198119811981198119811981 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOOJA START	1 9 18 1 9 18 1 9	STAR'
55.0550550550550550550550550		5 5 0 5 5 0 5 5 0 5 5 0	ř M
2223334445555666777788899991111	D	4 4 14 14 14 24 24	D
1981981981981981981981981981981981981981	END	1 9 16 1 9 18 1 9	END H
117117117117117117117117117117117117117	M	33 48 33 48 33 48 33 48	M

TOÖJÄ

ER	AG	A	∆ R .	D	START	M	0	END	M
	1. 2:11 (4) 2:14 1 2:41 2:41 2:41 2:41 2:41 2:41 2:	111111111111111111111111111111	1 12 1 12 1 12 1 12 1 12 1 12 1 12 1	1 1 2 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 0 0 1 1 2 2 2 3 3 4 4 4 5 5 6 6 6 7 7 8 8 8 9 9 0 0 0 0 0 0 0 0	STAR 198:198:198:198:198:198:198:198:198:198:	M5 5 0 5 5 0	D1 11 12 2 2 3 3 3 4 4 4 4 5 5 5 6 6 6 6 7 7 7 7 8 8 8 9 9 9 0	H1981981981981981981	M8 83 8 8 3 8 3 8 8 3 8 8 3 8 8 3 8 8 3 8 8 3 8 8 3 8
					T003	i			
ER	ΔG	A	≜R	D	START	r M	D	END	М
999°000111112222777	17. 21717. 2171 2171 2171 2171 2171 2171	11111111111111111	1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1	200011112223333444	19 18 19 18 19 18 19 18 19 18	550550550550550	20 20 21 21 22 22 23 23 24 24	19 18 19 18 19 18 19 18 19 18	18 18 18 18 18 18 18 18 18 18 18 18 18 1

M5ñ8

EŘ	ÀG	A	AR	, D	STAR	ř M	D	END H	М
र जर्न र क्या करों करों कर रे स्व	21212222	1 2 2 1 2 2	1 1 2 1 1 2	11111122	18 18 18 18 18	15 33 18 33 33 48	10 10 17 17 24 24	22 5 22 5 23	45 53 38 3 53 6
					M509				
EÀ'	ÁG	A	AR	D	STAR!	ř M	D .	END H	М
१ जना वर्ष कर बना करों करों बनी बन	HITENAPPER	+2+2+2+2	1 1 1 1 1 1 1 1	26 66 66 66 77 77 77 77	18 18 18 18 18 18	15 33 38 15 30 48	26 26 26 27 27 27 27	1 5 18 23 1 6 18 22	33 58 48 13 33 48 3
			,		M131 A				•
ER	ÄG	A	∆Ř	D	START H	, M	· D	END H	М
1111222755666	IN WITH WITH WETHER WITH WETHER PI	ं को को को को को को को को को को को को को	111111111111111111111111111111111111111	4 4 4 6 6 6 8 8 8 2 2 2 2 4 4 6 6 6 6 8 8 2 2 2 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	223223223266566	55555555555555555555555555555555555555	4 4 4 6 6 6 6 6 8 8 2 2 2 2 4 4 4 6 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8	233233253233667667	55555555555555555555555555555555555555

	•				M131A	;			
EŔ	AG	A	AR	D	STARŤ H	M	D	END	M
1111222355	142 PH 2 PH. 2 P	111111111111	1 1 1 1 1 1 1	5 5 5 6 6 6 3 3 3	2 3 5 2 3 3 3 3	15 15 15 15 15 15 15 15 15 15 15 15 15 1	5 5 16 16 16 23 23	3 6 3 3 4 3 3	0 45 30 0 45 30 45 30
					D021				
ZR:	A G	. A	AR	D	START H	М	D	END H	М
1 1	1	1 2	1 1	9 25	18 1	33 15	9 2 5	19 6	23 45
				•	M507	·.			
EŔ	ΔG	A	≜R	D	STARŤ H	М	D	END H	М
1	1	1 2 3	1 1 1	7 7 7	1 2 3	18 18 36	7 7 . 7	2 3 4	18 36 36
•				:	T020				
ER	A G	A	AR.	D	STARŤ H	M	D	END H) M
1 1	1	1 2 3	1 1 1	14 17 20	1 5 18	15 38 33	14 17 20	3 7 19	45 8 38
_			•	ı	5019	•			
EŘ	AG	A	∆R	D	STARŤ H	М	D	END H	М
ना ना ना ना ना ना	ः बनेः चरी बनी बनी बनी बने	1 2 2 2 2 2	1 1 2 3 4	111111111111111111111111111111111111111	1 2 3 5 17	18 10 40 17 42	11 11 11 11	1 3 5 6 19	48 40 10 47 12

9	n	4	0
3	u	1	7

m ú.					5019			5ND		
ER	ΔG	A	AR	D	STARŤ H	М	0	END H	М	
1111122222222	ياجا اجلاجا بالاجالاجا جالجة جه جه جالاجالاجة	222312222223	5 6 7 1 1 1 2 3 4 5 6 7 1	11112 11112 11112 11122 1122 1222 1222	19 20 22 1 2 4 6 18 20 0 2 3	12888877400255 41145	11 11 12 21 21 21 21 22 22 22	20 22 23 2 2 4 5 7 20 21 23 4	42 18 48 18 48 27 30 145 45	
					S020					
ER	AG	A	AR	Ď	START H	М	ň	H END	M	
11111111222222	1111111111111111	122234556122234556	112311121112311121	33444444444 1999999999999999999999999999	2 21 4 5 7 7 7 18 18 19 22 1 23 23 23 3 4 5015	4550144594491408456	JUICICICA LA	3 22 4 6 7 8 18 19 20 20 22 23 4 4	2014675340944955740125561	
ER	∆G	Δ	AR	_	STAR	÷		END		
		_		D	H	М	D	H	M	
11111N 88	. ब्रो ३ वर्ग १ वर्ग ब्रमी? वर्ग बर्ग	1 2 3 1 2 3	1 1 1 1	4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 3 1 2 3	5555555	4 4 10 10	1 2 3 1 2 3	30 25 40 30 25 40	

					S009				
EŔ	AG	A	AR	D	STARŤ H	М	D	END H	м
i	Ì	1	1	2	18 D008	30	28	19	30
ER	AG	A	AR	D	STAR Ť H	М	D	END	М
1 2 2 3 3	2 1 2 1 2	1 1 1 1 1 1 1	1 1 1 1 1	4 4 5 5 5	1 6 21 6 7 20	32 50 34 4 45 50	4 4 5 5 5	2 7 22 6 8 21	2 5 4 19 0 20
•				•	S190				
ER	ΔG	A .	AR	D	START	· M	D	END H	М
اطاطاطاطيطيط فالطيطيطيط فاطهط فطيط والطيفا	74274222272717111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 2 3 4 5 3 6 4 1 5 2 3 4	555666677888999233	20 22 19 21 22 22 19 21 22 22 19 21 22 22 22 22 22 22 22 22 22 22 22 22	2 4 0 8 0 5 1 5 1 5 2 1 7 5 8 8 4 6 5 7 3 9	5 5 5 5 5 6 6 6 6 6 7 7 8 8 8 9 9 2 1 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	3 21 23 20 22 21 22 20 22 20 22 20 22 20 20 20 20 20 20	24 08 55 15 17 58 48 45 7 39 59

T027

ER'	AG	A	ΔR	۵	STAR H	ř M	D	END H	·M
احتاجا وعاجا حااجهما	. Wiedenseller en en en en en en en en en en en en en	11222232	1 1 2 3 4 1	3 3 3 3 3 3 3 8	1 3 4 6 18 20 1	118 136 147 147 134	3 3 3 3 3 3 3 8	1 2 4 6 7 20 20 2	34 145 19 52 17 46 7
					RR/P	k			
EĀ	AG	A	AR	D	START H	ř M	D	END	М
I THE THE THE PARTY OF WAR AND WAS TO THE PROPERTY OF A G	NITA NITA WITH MITH WITH WEN WEND WITH THE WITH		1 11222333 1121232311 223312311	22222222333333334444444455	HITHER ON OFFICE ON ON THE FILE OF THE PROPERTY OF THE PROPERT	5585585585458458483850550555 511114481111111111111111111111111111	2222222233333333444444444455	1 11222222 12222222312 224446711	558556568 456458 4 151155565 4 44411444 4 12345 4 15111554

RR/PůK

*								
EA	ΔG	A	AR		START	٠.	END	
				D	Ĥ	M	D H	М
4444445555555555666666666667777777778888888899999	H B RIHP B RIHR HRIHP BIRPHE RIHR HIMBERDIRENTIN IN RIPER RIPER RIPER RIPER BIRPHE BIRPHE	111111111111111111111111111111111111111	112223331122123331122312331223333111222333312132	555555566666667777777777788888888889999999999	1.1.1.1.3 3 3 3 1.1111 2 2 3 3 3 1 1.112222 3 4.1.1112333334 6.1.1.1.1.1.2 2 2 2 1 2 2 2 3	111144 344111144114411114411114 33114 4411111111	1122344411222334411222234512223444461112222222234 112234444112222334411222234512223444461112222222234	44113 114411414114411441 41154111444444111444 35 5855225555555555555555555555555555555

RR/PůK

gā:	AG	A	AR	n	STARÌ	ř M ·	D	END	M
I O O O ICO COCOCOCOCOCOCOCOCOCOCOCOCOCO	n a n n n i i i i n n i i i n n n n i i i n	A of of of of of of or or or or or or or or or or or or or	AR 3123111122332311213223311223312312233112233112233112233112233	D D D D I HILLITH I I I I I I I I I I I I I I I I I I	ST	M 45555555555577555555555555555555555555	0 000111111111111111111111111111111111	NH 45561112222277112222333411222226722233444561112	N 45555555557755555757575555555555555555

RR/PHK

	END		•	STARŤ		AR	A	ΔG	g A
М	Н	D	M	Н	D				
M 5855855885055588505588885585585585585585	H 22222111222247 12 226677111222222111222221112222	D 5555566666666777777778888888889999999999	M 5855855855850555588558855855855855855855	H 1:1222:11 1:11 1236:11 1:256671.11:11 1:222211111:11 222111111111		2233311122233311222333111122233311112223331111222333		H D 2:15 2:15 2:15 2:15 2:15 2:15 2:15 2:15	
	12 226 67711122222211	111111111111111111111111111111111111111	70555888855855855855855855855855855855855	76 11 125 6671111111222211111111 22211111	313411344141414141414141414141414141414	23 1 2 3 1 1 1 1 2 2 2 3 3 3 1 1 1 1 1 2 2 2 3 3 3 3	111111111111111111		18

RR/PůK

					. 1117 7 20	ιi			
gá-	A G	A	AR	D	STARŤ H	M M	D	END H	М
is o o o idididididididi manamanamanamanamanamanamanamanamanaman	n. Ni fi n. Ni fin. Ni fin Ni fi ni fi ni fi ni fi ni fi ni fi ni	عارجا والمالوا والماوة والم	233311122233331122123333111222223333123321213211122212	0000111111111111222222222235555555555555	1222311411111122211111122333414111112356111125667771111	85585585585585555555555555555555555885:055577784444144441411144444118.25555885:05557775555555555555555555555555	22881111111111111111111111111111111111	22221112222311222344511122222461226677777777712	1444441114411441141144411444114189199999999

RR/PHK

111111111111111111111111111111111111111	ER	222222222222222222222222222222222222222	EŘ
25:125:12:12:12:1555	AG	135252 <u>11115252525252526526521</u>	ΔG
11111111111111111111	. A	111111111111111111111111111111111111111	A
111222333112233123	∆R	3 1 2 1 3 2 2 1 2 3 1 1 2 2 2 3 3 3 1 1 1 2 2 2 3 3 3 3	ΔR
222222223333333333333333333333333333333	D	266666667777777777772888888888888888888	D
18 18 19 19 19 19 19 19 19 19 19 19 22 23	SHK STAR*	25667771126666777111111222	STAR ¹
333 533 533 533 530 3346 466	Ť M	15.25 2.2 2.1411 33 111144411111 15.25 2.2 2.1411 33 111144411111	ř M
2222222233333333333	D	26 26 26 26 26 26 26 27 27 27 27 27 27 27 27 27 27 27 27 27	D
19 19 19 19 19 19 19 19 19 19 19 19 20 20 19 19 20 20 20 20 20 20 20 20 20 20 20 20 20	END H	266777711226677771111222222	END
033355033503001661646	M	425255541433 33444 111445 334444111444	М

Cf

SHR

eń	∆Ğ	A	AR	. D	STAR H	Ť ·	D	END H	M
3333334444444444455555556666667	21212177722172172172172172172172172172		1122331231111222333111122233331	444444444459555555555566666677777777	8899999008 8889999998889999999999999999	00000004444000000000000000000000000000	16 14 14 14 14 14 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	111122221111111222211111222219999999999	0000004444000300300300300300300300300300

ER	AG	A	AR	Ď	START H	М	ñ	H END	М
7777777788888888899999999000000001111111111	19219 VINVUNIUN IN III INUNAVIV VINVINNUIN VINVUN V	ما ما من من من من من من من من من من من من من	1122233312113223312311221122213323111222333311	888888899999999990000011111111111111111	8899999089999900899223388999999908889999988 88999999999999999	03003008000000000000000000000000000000		1111122211111222211222211111122222111111	03003008000000000000000000000000000000

ER	AG	A	AR	מָ	START H	r M	ñ	END H	М
2222223333333344444445555555566666667	2012012012012012012012012012012012012012	111111111111111111111111111111111111111	12223331112222333111222233311222333112231	11111111111111111111111111111111111111	11111111111111111111111111111111111111	3 0 0 3 0 0 8 0 0 8 0 0 8 0 0 3 0 0 3 0 0 3 0 0 3 0 0 3 0 0 3 0 0 3	~~\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	99990009999900099999000999999000999999	300300300800800300300300300300330033003

111111111111111111111111111111222222222	ER
172 172 172 172 172 172 17 11 11 21 72 72 27 27 21 72 17 21 7 21 7 21 7 21 7 21 7 21 7 21 7 21 7 21 7 21 7 21 7	AĢ
111211111111111111111111111111111111111	A
11222333111222333121312233311122233331111222233331111	AR
D	D
H 8899999988899999000888899999998888999999	STAR.
M 0300300300300300808888880030030003003	
A. N.	U
H 99999000999999001999000199999999999999	END
M 0300300300300500500808888003003000000000	М

ER	AG	A	AR	Ò	START H	r M	. ň	END	M
2222223333344444444555556666666777777777777	2172171172721721721721227173727272721212121	111111111111111111111111111111111111111	222333123111112222333123111231122331111223323	222222222222222222222222222222222222222	1999998993388899999989933899922223388899999999	0030030088000000000003300033333330000000	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	9990009903399999000999033990223333999990000	30330030000000000000000000000000000000

ER	AG	Ą	AR	START D H	М	ň	END	M
111111111111111111111111111111111111111	665565676652572792574242474747413425562454635767137		1212334156415223637414253546517668977708881990212	206024604250603402503024002002 206024604250603402503024002002 201111112212313515515	1 313 144 43 44 4 45 05 05 08 08 00 5 08 5 05 05 05 05 05 05 05 05 05 05 05 05 0	R. R. R. R. R. R. R. R. R. R. R. G.	2 8 1 0 6 8 1 8 4 7 1 8 1 7 6 0 4 7 1 7 3 4 7 23 6 3 0 5 0 6 3 4 7 1 4 7 0 4 3 7 0 7 0 4 0 0 0 6	4 30 00 05 5 00 6 1 0 5 5 0 5 0 5 0 8 0 8 0 8 0 0 5 0 5 5 5 5

REFERENCES

- "Task Order for Investigation of Experiments Scheduling Problems for AAP", Task No. MSC/TRW AA-27, Amendment No. 6, January 1, 1970.
- 2. "Mission Requirements: Apollo Applications Missions AAP-1/AAP-2, AAP-3, and AAP-4", I-MRD-001B, March, 1970.
- 3. "Apollo Applications Program Baseline Reference Mission: AAP-1/AAP-2, AAP-3, and AAP-4", MSC-KM-D-68-4A, 27 October 1969.
- 4. Roberts, J. B., et al., "Present Capability of the ESP Program", TRW Letter 5521.6-67, August 12, 1969.
- 5. Knopf, F. W., et al., "Evaluation of the Experiments and Operations Schedibles Procedure (ESP) Program", MSC Internal Note No. 70-FM-10, January 30, 1977
- 6. Richardson, J. C., Jr., "Off-line Scheduling Failure Printout for ESP", TRW IOC 5521.6-87, November 7, 1969.

C.26